


538-18

06/01/2000

1/2

TREATS AND FEEDS  
5,000  
SQUARE  
FEET

TREATS AND FEEDS **5,000** SQUARE FEET




PROOF OF PURCHASE  
VID-PP



# Bonus® WEED AND FEED

LAWN FERTILIZER AND WEED CONTROL



Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under

ACTIVE INGREDIENTS	1.00%
AZADIRACIN	0.05%
RELATED COMPOUNDS	98.89%
OTHER INGREDIENTS	
TOTAL	100.00%

EPA Reg. No. 538-18  
EPA Est. No. 538-0H-1 (S)  
EPA Est. No. 35578-TX-1 (E)  
TCASA 1912-24-9  
Subscript used is first letter of run code on end of container


KEEP OUT OF REACH OF CHILDREN  
**CAUTION**  
See back for additional precautionary statements.

# 29-3-4

Made in U.S.A.

NET WEIGHT 20.69 lb (9.38 kg)

- For use on St. Augustinegrass (including Floratam), centipede, zoysia, and carpetgrass lawns **ONLY**
- Builds strong, green turf from the roots up without burning your lawn\*
- Kills dollarweed and other common lawn weeds (as listed)



\*WHEN USED ACCORDING TO MANUFACTURER'S DIRECTIONS

**Bonus® S**  
WEED AND FEED

3305  
9




# Bonus® S

WEED AND FEED

3305  
9

# For best results, apply Scotts Annual Lawn Care Program.

- Start the program at any time.
- Allow two months between applications.



## The Scotts Advantage™: All-in-One Particles™

Your lawn requires essential nutrients to thrive. Unlike most weed and feeds, every Scotts Bonus® S particle contains nitrogen, phosphorus, potassium, and weed killer, allowing Scotts to evenly disperse the appropriate ratio of nutrients and weed control to your whole lawn. Only Scotts All-in-One® particles provide consistent feeding to every square inch of turf for a green, thick, strong lawn!

\*All-in-One is nitrogen, phosphorus, potassium and the weed control ingredients contained in every particle.

<p><b>Bonus® S</b></p>  <ul style="list-style-type: none"> <li>• Each All-in-One® particle contains essential nutrients and weed control ingredients.</li> <li>• Evenly dispersed particles provide equal, consistent feeding and weed control for a green, thick, strong lawn.</li> </ul>	<p><b>Ordinary Mixed Weed &amp; Feeds</b></p>  <ul style="list-style-type: none"> <li>• Each particle contains a different nutrient with separate particles for weed control.</li> <li>• Particles can separate during application, resulting in inconsistent feeding and weed control.</li> </ul>
---	---

### KEY PRODUCT FACTS

<p><b>How and when to apply</b> Apply in late winter, spring or fall.</p> <p><b>Directions for Use</b> It is a violation of Federal law to use this product in a manner inconsistent with its labeling.</p> <ul style="list-style-type: none"> <li>• Do not apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue, or dichondra because injury may occur.</li> <li>• Apply only when grass is dry.</li> <li>• Water in after application. (Immediately following application when temperatures are 80°F or above.)</li> <li>• Do not apply on or under the branch spread (rootzone) of trees, shrubs, bedding plants, flowers, or garden plants, particularly in compact, slowly draining soils.</li> </ul> <p><b>Control</b></p> <ul style="list-style-type: none"> <li>• Apply any time weeds are actively growing. For severe weed problems, a second treatment may be required 2 months after the first.</li> <li>• Apply in the fall to control winter weeds such as henbit, chickweed, rabbit-tobacco and evening primrose.</li> </ul> <p><b>Prevention</b></p> <ul style="list-style-type: none"> <li>• Apply in January, February, or early March to prevent germination of crabgrass, bull paspalum, sedges (from seed) and spotted spurge.</li> <li>• Do not apply to centipede or carpetgrass lawns during dormancy - approximately October 15 to March 15. (Okay to apply in Florida, however.)</li> </ul> <p><b>Seeding/sodding/sprigging</b></p> <ul style="list-style-type: none"> <li>• Apply Bonus S after sprigging/locking a new St. Augustine or zoysia lawn to prevent competition from germinating weeds. Water the new sprigs/sod, allow the grass blades to dry, then make the application of Bonus S.</li> <li>• Do not apply to newly seeded centipede and carpetgrass lawns until after the new grass has been mowed at least twice.</li> <li>• Do not plant sprigs/sod for one month or sow new grass seed for 6 months following application of Bonus S.</li> </ul>	<p><b>CONTROLS</b> these common lawn weeds:</p> <table border="0"> <tr> <td>black medic</td> <td>dichondra</td> <td>lippia</td> <td>rescuegrass</td> </tr> <tr> <td>blue toadflax</td> <td>dollarweed</td> <td>(matchweed)</td> <td>shepherdspurse</td> </tr> <tr> <td>buckhorn</td> <td>eveningprimrose</td> <td>oxalis</td> <td>sowthistle</td> </tr> <tr> <td>burclover</td> <td>Florida betony</td> <td>(yellow woodnet)</td> <td>stinging nettle</td> </tr> <tr> <td>Carolina geranium (cranesbill)</td> <td>Florida pusley</td> <td>pepperweed</td> <td>Venus looking-glass</td> </tr> <tr> <td>chickweed</td> <td>fragrant cudweed</td> <td>parslane</td> <td>wild mustard</td> </tr> <tr> <td>dandelion</td> <td>(rabbit-tobacco)</td> <td>red sorrel (sheep sorrel)</td> <td></td> </tr> <tr> <td></td> <td>henbit</td> <td></td> <td></td> </tr> </table> <p><b>PREVENTS</b> these annual weeds:</p> <table border="0"> <tr> <td>bull paspalum</td> <td>crabgrass</td> <td>sedges</td> <td>spotted spurge</td> </tr> </table> <p><b>Spreading Tips</b> Apply header strips. Then apply product in longest direction of lawn.</p> <p><b>Spreader Settings</b> For best results, use a Scotts spreader covers 5,000 sq. ft.</p> <table border="0"> <tr> <td>Scotts Drop Spreaders</td> <td>6</td> <td>Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.</td> </tr> <tr> <td>Scotts EasyGreen® Rotary</td> <td>27</td> <td>Make each pass about 30 inches from previous pass to overlap spread width.</td> </tr> <tr> <td>Scotts SpeedyGreen® Rotary</td> <td>4</td> <td>Make each pass about 3 feet from previous pass to overlap spread width.</td> </tr> </table> <p><b>Additional Spreader Settings:</b> EZ Drop, Republic (#530) 1/2 EZ Broadcast, Republic (#540)(S width) 4 (Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)</p>	black medic	dichondra	lippia	rescuegrass	blue toadflax	dollarweed	(matchweed)	shepherdspurse	buckhorn	eveningprimrose	oxalis	sowthistle	burclover	Florida betony	(yellow woodnet)	stinging nettle	Carolina geranium (cranesbill)	Florida pusley	pepperweed	Venus looking-glass	chickweed	fragrant cudweed	parslane	wild mustard	dandelion	(rabbit-tobacco)	red sorrel (sheep sorrel)			henbit			bull paspalum	crabgrass	sedges	spotted spurge	Scotts Drop Spreaders	6	Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.	Scotts EasyGreen® Rotary	27	Make each pass about 30 inches from previous pass to overlap spread width.	Scotts SpeedyGreen® Rotary	4	Make each pass about 3 feet from previous pass to overlap spread width.
black medic	dichondra	lippia	rescuegrass																																											
blue toadflax	dollarweed	(matchweed)	shepherdspurse																																											
buckhorn	eveningprimrose	oxalis	sowthistle																																											
burclover	Florida betony	(yellow woodnet)	stinging nettle																																											
Carolina geranium (cranesbill)	Florida pusley	pepperweed	Venus looking-glass																																											
chickweed	fragrant cudweed	parslane	wild mustard																																											
dandelion	(rabbit-tobacco)	red sorrel (sheep sorrel)																																												
	henbit																																													
bull paspalum	crabgrass	sedges	spotted spurge																																											
Scotts Drop Spreaders	6	Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.																																												
Scotts EasyGreen® Rotary	27	Make each pass about 30 inches from previous pass to overlap spread width.																																												
Scotts SpeedyGreen® Rotary	4	Make each pass about 3 feet from previous pass to overlap spread width.																																												
<p><b>First Aid and Environmental Information</b> KEEP OUT OF REACH OF CHILDREN <b>CAUTION</b> PRECAUTIONARY STATEMENTS</p> <p><b>Hazard to Humans and Domestic Animals</b></p> <p><b>CAUTION</b>, causes eye irritation. Avoid contact with eyes, skin, or clothing. If in eyes or on skin, flush with plenty of water. Get medical attention if irritation persists. Wash thoroughly with soap and water after handling. Harmful if swallowed. Do not contaminate water used for irrigation or domestic purposes. Do not graze treated areas. Do not feed clippings to livestock.</p> <p><b>First Aid</b> If product gets into eyes, flush with plenty of water. Get medical attention if irritation persists.</p>	<p><b>Storage and Disposal</b></p> <p><b>STORAGE:</b> Store in a clean, dry place. Reseal opened bag by folding top down and securing.</p> <p><b>PESTICIDE DISPOSAL:</b> Securely wrap original container in several layers of newspaper and discard in trash.</p> <p><b>CONTAINER DISPOSAL:</b> Do not reuse bag. Discard bag in trash.</p> <p><b>Environmental Hazards</b></p> <p>This product is toxic to aquatic invertebrates. Do not apply directly to water runoff and drain from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Atrazine can leach through soils and has been found in groundwater. Users are advised not to apply on well drained soils where the water table (groundwater) is close to the surface. Your county Agricultural Extension Service can advise you of local conditions. Not for use on or under trees, shrubs, bedding plants or garden plants (see Directions for Use for further explanation).</p>																																													

**Guaranteed Analysis**

Bonus® S	29.3%	F 643	29%
Total nitrogen (N)			
6.5% ammoniacal nitrogen			
12.4% urea nitrogen			
8.5% other water-soluble nitrogen*			
1.6% water-soluble nitrogen			
Available phosphorus (P <sub>2</sub> O <sub>5</sub> )	4%		
Soluble potash (K <sub>2</sub> O)	4%		
Sulfur (S)	8.5%		
8.5% combined sulfur (S)			

Derived from: urea, methylenedurea, ammonium sulfate, ammonium phosphate and potassium sulfate  
\*Contains 6.75% slowly available methylenedurea and dimethylenetriurea nitrogen.

**Questions / Information**

**Consumer Helpline**  
1-800-543-TURF (8873)

**Visit our website**  
www.scottslawn.com

**The Scotts Company**  
14111 Scottslawn Rd  
Marysville, Ohio 43041

**Scotts No-Quibble Guarantee**  
If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

U.S. Patent Nos. 4,378,246; 5,102,440  
Product of U.S.A.  
©2000, The Scotts Company  
World rights reserved.  
Information regarding the contents and levels of atrazine in this product is available on the internet at <http://www.regulation-info.org>



0 32247 03305 3