

538-18

05-26-2009

1/25



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

MAY 26 2009

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Janelle Restum  
The Scotts Company  
14111 Scottslawn Rd.  
Marysville, OH 43041

Subject: Conversion from Range to Single-Point Registration  
Scotts Bonus S  
EPA Reg. No. 538-18  
Application Dated February 17, 2009

Dear Ms. Restum:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable, provided you make the following changes:

1. Ensure that an application rate stating the amount of product (lb) per number of area treated (sq. ft.) is included on the label.
2. Remove the following annual program texts, as they must clearly specify to the user that following such programs is advisory and not mandatory, and clearly indicate to the user that they may use the listed products only if specified pest(s) are a problem (ex. "If weeds are a problem, use "X", "To kill grubs, use "X").
  - a. On page 20, the second option referencing the Scotts Annual Lawn Care Program with all associated texts and graphic.
  - b. On page 22, the table for Optional Table of Expert Gardener Fertilizer Program and associated US Map illustration.
  - c. On page 15, remove the related general claims "For best results, apply a Scotts annual program (see back for details)." and "For Best Results, Use the Expert Gardener Fertilizer Program".
  - d. On page 16, remove the related claim "For Best Results! Use the Expert Gardener Fertilizer Program."
3. Remove or revise as follows the comparison claims to other products, as they are false and misleading:
  - a. On page 19, illustration with text "Surge Growth – fertilizer without timed-release nitrogen".
  - b. On page 21, "Scotts patented Perfect Particle Technology is available only in Scotts products, so don't be fooled by weed and feeds claiming to be "just like Scotts".

Page 2  
EPA Reg. No. 538-18


- c. On page 21, "Remember, even weed-and-feeds claiming to contain slow- or controlled-release nitrogen typically are just simple mixes, so they can't deliver the consistent great results you'll get from Scotts patented Perfect Particle Technology."
  - d. On page 21, photos, heading "Physical Blend Fertilizers", and associated bulleted texts.
  - e. On page 21, illustration, heading "Physical Blend Fertilizers", and associated bulleted texts.
4. On page 23, revise the name from "Expert Gardener" to "Scotts" in both instances. Any optional alternate brand name language must be clearly identified as such.

The alternate brand name "Scotts Bonus S Weed Control Plus Lawn Fertilizer" for this product is noted in our records.

The revised basic and two alternate Confidential Statements of Formula (CSF) dated April 22, 2009 are acceptable, and will supercede all previously accepted CSFs.

The amended label supercedes all previously accepted labels. A stamped copy of the label is enclosed for your records. Submit one copy of final printed labeling incorporating the above changes before you release this product for shipment.

Sincerely,



Jim Tompkins  
Product Manager 25  
Herbicide Branch  
Registration Division (7505P)

3-  
25

**Note to PM:**

***Bold, italicized text is information for the reader and is not part of the label.***  
[Bracketed information is optional.] Text separated by / denotes and/or options.  
Underlined text is new. ~~Strike-through text is being deleted.~~

EPA Reg. No. 538-18

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

MAY 26 2009

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

538-18

# Scotts Bonus S

## EPA Reg. No. 538-18

ACTIVE INGREDIENT:

Atrazine[†].....	1.293%
Related Compounds:.....	0.027%
OTHER INGREDIENTS:.....	98.680%
Total.....	100.000%

[† CAS #1912-24-9]

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See back/side/top/bottom [panel/label] for additional precautionary statements.

NET WEIGHT/WT. XX.XX LBS (X.XX kg)

EPA Reg. No. 538-18

EPA Est. No. XXX-XX-X [Superscript used is first letter of run code on end of container]

The Scotts Company, 14111 Scottslawn Rd., Marysville, Ohio 43041

Edit Date: 20090518

Incorporates changes per EPA stamped label dated AUG 20, 2008 and PR Notices 2007-4 and 98-10

Page 1 of 23

4  
25

**Note to PM:**

EPA Reg. No. 538-18

***Bold, italicized text is information for the reader and is not part of the label.***

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike through text is being deleted.~~

**Optional Company Identifier:**     Scotts®

**Alternate Brand Names:**     Bonus S Southern Weed & Feed  
Weed & Feed for St. Augustinegrass  
Lawn Fertilizer plus Weed Control for St. Augustinegrass  
Landscaper Lawn Fertilizer with Weed Control for St. Augustinegrass]  
Expert Gardener St. Augustine Weed & Feed  
Super Bonus S  
Super Bonus S Southern Weed & Feed  
Scotts Bonus S Weed Control Plus Lawn Fertilizer

**Optional Product Descriptors**  
Weed-and-Feed  
Southern Weed & Feed

**XX-X-X Fertilizer information denoted by "X" will be added to FPL. NPK will not exceed the endpoints tested for acute toxicology studies.**

[Covers/treats/feeds/fertilizes XXXX sq ft/XX ft x XXX ft]     **Coverage denoted by "X" will be added to FP.  
Coverage will not to exceed 2 lbs. atrazine per acre.**

1/8 acre = 5,445 sq. ft.

**Coverage Examples:**

<b>Bag Weight (lbs)</b>	<b>Coverage (sq. ft.)</b>	<b>A.I. percent</b>	<b># AI per acre</b>
17.24	5,000	1.32	2
34.48	10,000	1.32	2
51.72	15,000	1.32	2

Note to PM:

***Bold, italicized text is information for the reader and is not part of the label.***

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike-through text is being deleted.~~

EPA Reg. No. 538-18

5  
25

## [FIRST AID AND ENVIRONMENTAL HAZARDS]

[Keep Out of Reach of Children]

[CAUTION]

### Precautionary Statements

#### Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing.

### FIRST AID

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment. Call: 1-XXX-XXX-XXXX (*number is available 24/7/365*)

### Environmental Hazards

This product is toxic to aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treated area. Sweeping any product that lands on a driveway, sidewalk, or street, back into the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when cleaning equipment or disposing of equipment washwaters. Do not clean equipment over hard surfaces or near storm drains.

Atrazine can travel (seep or leach) through soil and enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine on sand and loamy soils where the water table (groundwater) is close to the surface and where these soils are very permeable; i.e., well drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water.

Not for use under trees, shrubs, bedding plants, flower or garden plants (see Directions for Use for further explanation).

### STORAGE AND DISPOSAL

**[PESTICIDE] STORAGE:** Store in a clean, dry place. Reseal opened bag [by folding top down and securing].

#### **[PESTICIDE CONTAINER] DISPOSAL:**

[Optional statement: As a responsible environmental practice, where possible, it is recommended that all of the contents of the bag be used, carefully following label directions]

Non-refillable container. Do not reuse or refill this container.

**If empty:** Place in trash or offer for recycling if available.

**If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

6  
25

**Note to PM:**

EPA Reg. No. 538-18

***Bold, italicized text is information for the reader and is not part of the label.***

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike-through text is being deleted.~~

**[KEY PRODUCT FACTS]**

**[APPLICATION]**

**[HOW AND WHEN TO APPLY]**

[Apply in late winter, spring, or fall]

**OPTION 1 – DIRECTIONS FOR USE**

**DIRECTIONS FOR USE**

It is violation of federal law to use this product in a manner inconsistent with its labeling.

**Control**

- Apply anytime weeds are actively growing. If complete control is not obtained a second treatment may be required 2 months after the first.
- [Apply in the Fall to control winter weeds such as henbit, chickweed, rabbit-tobacco, eveningprimrose.]

**Reentry**

- Do not allow people or pets to enter treatment areas until watering-in is complete and the surface is dry.

**Restrictions**

- [Don't apply to centipede or carpetgrass lawns during the period of winter dormancy—approximately October 15 to March 15 (okay to apply in Florida, however).]
- [Don't apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra because injury may occur.]
- Do not apply this product in a way that will contact any person either directly or through drift. Keep people and pets out of area during application.
- Do not apply by hand or hand-held rotary devices such as hand-held rotary applicator.
- This product must be WATERED IN IMMEDIATELY after application. This product applies 2 lbs active ingredient per acre. Maximum of two applications per year.

**[Extreme Temperatures.** Thoroughly rinse particles off the grass blades when temperatures are 80° F or above.]

**Seeding/Sprigging.**

[Apply Scotts Bonus S after sprigging a new St. Augustine or zoysia lawn to prevent competition from germinating weeds. Water the new sprigs, allow the grass blades to dry, then make the application of Scotts Bonus S.]

- [Don't apply to newly seeded centipede and carpetgrass lawns until after the new grass has been mowed at least twice.]
- [Don't plant sprigs for one month, or sow new grass seed for six months following application of Scotts Bonus S.]

Not for use on or under trees, shrubs, bedding plants, flowers or garden plants.

**Note to PM:**

***Bold, italicized text is information for the reader and is not part of the label.***

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike through text is being deleted.~~

EPA Reg. No. 538-18

7  
25

**OPTION 2 – DIRECTIONS FOR USE**

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**[[USE] RESTRICTIONS]**

[Don't apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra because injury may occur.] [Desirable plants: Don't apply on or under the branch spread (rootzone) of trees, shrubs, bedding plants, flower or garden plants, particularly in compact, slowly draining soils in the Dallas/Ft. Worth areas.] [Don't apply to newly seeded centipede and carpetgrass lawns until after the new grass has been mowed at least twice.] [Don't plant sprigs for one month, or sow new grass seed for six months following application.] [Extreme temperatures: Thoroughly rinse particles off the grass blades when temperatures are 80 F or above.]

Do not apply this product in a way that will contact any person either directly or through drift. Keep people and pets out of area during application. Do not allow people or pets to enter treatment areas until watering-in is complete and the surface is dry. Do not apply by hand or hand-held rotary devices such as hand-held rotary applicator.

**[INSTRUCTIONS]**

[Scotts Bonus S controls a wide range of lawn weeds, including broadleaf weeds and annual weeds commonly found in home lawns. In addition, a XX-X-X fertilizer provides a supply of plant food needed for growth.]

- Apply only when grass is dry.
- This product must be WATERED IN IMMEDIATELY after application. This product applies 2 lbs active ingredient per acre. Maximum of two applications per year.

**[CONTROL]**

- Apply when weeds are actively growing. Controls weeds listed below. If complete control is not obtained, a second treatment may be required 2 months after the first.
- [Apply in the Fall to control winter weeds such as henbit, chickweed, rabbit-tobacco, eveningprimrose.]

**[PREVENTION]**

- Don't apply to centipede or carpetgrass lawns during the period of winter dormancy – approximately October 15 to March 15 (okay to apply in Florida, however).

**REENTRY**

- People and pets may re-enter treated area after product is watered-in and surface is dry

**[SPRIGGING]**

- Apply after sprigging a new St. Augustine or zoysia lawn to prevent competition from germinating weeds. Water the new sprigs, allow the grass blades to dry, then make the application.

8  
25

**Note to PM:**

EPA Reg. No. 538-18

***Bold, italicized text is information for the reader and is not part of the label.***

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike through text is being deleted.~~

**OPTION 3 – DIRECTIONS FOR USE**

**DIRECTIONS FOR USE**

It is violation of federal law to use this product in a manner inconsistent with its labeling.

- [Do not apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra because injury may occur.]
- Apply only when grass is dry.
- This product must be WATERED IN IMMEDIATELY after application. This product applies 2 lbs active ingredient per acre. Maximum of two applications per year.
- [Do not apply on or under the branch spread (rootzone) of trees, shrubs; bedding plants, flowers, or garden plants, particularly in compact slowly draining soils.]
- Do not apply by hand or hand-held rotary devices such as hand-held rotary applicator.
- Do not apply this product in a way that will contact any person either directly or through drift. Keep people and pets out of area during application.

**[Control]**

- Apply when weeds are actively growing. For severe weed problems, a second treatment may be required 2 months after the first.
- Apply in the Fall to control winter weeds such as henbit, chickweed, rabbit-tobacco, evening primrose.

**[Reentry]**

- Do not allow people or pets to enter treatment areas until watering-in is complete and the surface is dry.

**[Prevention]**

- Don't apply to centipede or carpetgrass lawns during the period of winter dormancy – approximately October 15 to March 15 (Okay to apply in Florida, however)]

**[Seeding/sodding/sprigging]**

- [Apply Scotts Bonus S after sprigging/sodding a new St. Augustine or zoysia lawn to prevent competition from germinating weeds. Water the new sprigs/sod, allow the grass blades to dry, then make the application of Scotts Bonus S.]
- [Don't apply to newly seeded centipede and carpetgrass lawns until after the new grass has been mowed at least twice.]
- [Don't plant sprigs/sod for one month, or sow new grass seed for six months following application of Scotts Bonus S.]

Not for use on or under trees, shrubs, bedding plants, or garden plants.



**Note to PM:**

***Bold, italicized text is information for the reader and is not part of the label.***

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike-through text is being deleted.~~

EPA Reg. No. 538-18

9  
25

**OPTION 4 – DIRECTIONS FOR USE**

**DIRECTIONS FOR USE**

It is violation of federal law to use this product in a manner inconsistent with its labeling.

**[[Application] Restrictions]**

- This product must be WATERED IN IMMEDIATELY after application. This product applies 2 lbs active ingredient per acre. Maximum of two applications per year.
- Do not apply on or under the branch spread (rootzone) of trees, shrubs, bedding plants, flowers, or garden plants, particularly in compact slowly draining soils.]
- Do not apply by hand or hand-held rotary devices such as hand-held rotary applicator.
- Do not apply this product in a way that will contact any person either directly or through drift. Keep people and pets out of area during application.

**[Re-entry]**

- Do not allow people or pets to enter treatment areas until watering-in is complete and the surface is dry.

**[For Control]**

- Apply when weeds are actively growing. Controls weeds listed under "Controls" above. If complete control is not obtained a second treatment may be required 2 months after the first.
- Apply in the Fall to control winter weeds such as henbit, chickweed, rabbit-tobacco, and eveningprimrose.]

**[For Prevention]**

- Apply in January, February or early March to prevent germination of annual weeds: crabgrass, bull paspalum, sedges (from seed), and spotted spurge.
- Don't apply to centipede or carpetgrass lawns during the period of winter dormancy – approximately October 15 to March 15 (Okay to apply in Florida, however)]

Do not apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra because injury may occur

**[Seeding/sodding/sprigging]**

- [Apply Scotts Bonus S after sprigging/sodding a new St. Augustine or zoysia lawn to prevent competition from germinating weeds. Water the new sprigs/sod, allow the grass blades to dry, then make the application of Scotts Bonus S.]
- [Don't apply to newly seeded centipede and carpetgrass lawns until after the new grass has been mowed at least twice.]
- [Don't plant sprigs/sod for one month, or sow new grass seed for six months following application of Scotts Bonus S.]

**-End Directions for Use-**

Note to PM:

***Bold, italicized text is information for the reader and is not part of the label.***

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike through text is being deleted.~~

EPA Reg. No. 538-18

10  
25

### OPTIONAL TEXT AND CLAIMS

***The following claims may appear on any label panel and may be preceded by "new" or "now" for six (6) months in accordance with Federal and State regulations***

***Appropriate fertilizer, formula and company specific information will be inserted on Final Printed Label to replace "X"***

11  
25

**Note to PM:**

***Bold, italicized text is information for the reader and is not part of the label.***

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike-through text is being deleted.~~

**OPTIONAL SPREADER SETTING INFORMATION**

[This package applies [3.45] lbs of product per 1,000 sq ft.]

**[OPTION 1]**

**Spreading Tips**

[DESIRABLE PLANTS: DO NOT APPLY ON OR UNDER THE BRANCH SPREAD (ROOTZONE) OF TREES, SHRUBS, BEDDING PLANTS, FLOWERS, OR GARDEN PLANTS, PARTICULARLY IN COMPACT, SLOWLY DRAINING SOILS IN THE DALLAS-FT WORTH AREAS.]

[Scotts recommends the PF Spreader to receive the maximum value from Scotts Bonus S.]

[For best results, use a Scotts spreader:]

**Scotts Drop:**

[Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Then operate spreader the longest way of the lawn. Overlap wheel marks to insure uniform feeding. Shut off spreader when you have reached the header strips or stopped.]

(ILLUS.)

**Scotts EasyGreen™ Rotary:**

[Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one so some overlapping occurs. Avoid applying this product on flower, vegetable and shrub plantings.]

(ILLUS.)

**Scotts SpeedyGreen™ Rotary:**

[Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one so some overlapping occurs. Avoid applying this product on flower, vegetable and shrub plantings.]

(ILLUS.)

**Spreader Setting (covers X,XXX sq ft)**

Spreader	Spreader Setting
Scotts Drop Spreader	X
Scotts EasyGreen®	XX
Scotts SpeedyGreen®	X

**Additional Spreader Settings:**

- Cyclone Rotary (Model B) X
- Central Drop (#205) X
- Sears Drop (#19810) X
- Ortho Drop (#5000) X
- Green View Drop X
- Precision Drop X

(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

12  
25

**Note to PM:**

EPA Reg. No. 538-18

***Bold, italicized text is information for the reader and is not part of the label.***

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike through text is being deleted.~~

**[OPTION 2]**

**Spreading Tips**

[DESIRABLE PLANTS: DO NOT APPLY ON OR UNDER THE BRANCH SPREAD (ROOTZONE) OF TREES, SHRUBS, BEDDING PLANTS, FLOWERS, OR GARDEN PLANTS, PARTICULARLY IN COMPACT, SLOWLY DRAINING SOILS IN THE DALLAS-FT WORTH AREAS.]

[For best results, use a Scotts spreader.]

[Spreader]	Spreader Setting REGULAR RATE covers X,XXX sq. ft.	DIRECTIONS
Scotts Drop Spreaders	X	Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.
Scotts EasyGreen® Rotary	X	Make each pass about XX inches from previous pass to overlap spread width.
Scotts SpeedyGreen® Rotary	X	Make each pass about X feet from previous pass to overlap spread width.

**[OPTION 3]**

**SPREADER SETTINGS**

[Always apply fertilizer products with a spreader. Avoid applying this product on flower, vegetable and shrub plantings.]

Scotts SpeedyGreen™ Rotary	X	Scotts EasyGreen® Rotary	X
Scotts Drop	X	Sears Drop (#19810)	X
Greenview Drop (Spread II)	X	Ortho Drop (#5000)	X
Central Drop (#205)	X	Precision Drop (Red Devil)	X
Cyclone Rotary	X	Ortho Rotary	X

Above spreader settings are approximate. You may need to adjust for proper coverage.

13  
25

**Note to PM:**

EPA Reg. No. 538-18

***Bold, italicized text is information for the reader and is not part of the label.***

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike through text is being deleted.~~

**[OPTION 4]**

**Spreading Tips**

[Apply header strips. Then apply product in longest directions of lawn.]

(ILLUS.)

**Spreader Setting**

[For best results, use a Scotts spreader.]

Scotts AccuGreen® Drop Spreader	X	[Directions] [Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.]
Scotts PrecisionGreen® & EdgeGuard® Rotary Spreader	X	[Mow lawn first; apply 2 header strips apply longest directions of lawn, overlapping wheel marks.]
Scotts SpeedyGreen® & EdgeGuard® Rotary Spreader	X	[Make each pass about 5 feet from previous pass to overlap spread width.]

[Additional Spreader Settings:]

[EZ Drop, Republic (#530) X]

[EZ Broadcast, Republic (#540) X]

[Scotts Broadcast Tractor Spreader X]

(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

**[OPTION 5]**

[This package applies [3.45] lbs of product per 1,000 sq ft.]

**Spreading Settings**

Covers X,XXX sq ft

[ILLUS]

[XX]

**Scotts Broadcast / Rotary Spreaders**

[Apply header strips. Then apply product in longest direction of lawn. For best results, use a Scotts spreader. Shut off spreader or stop each time you reach header strip. Each pass should be within 5 feet of the other to ensure an overlap.]

[Scotts Basic™, Standard™, Deluxe™ EdgeGuard®, Lawn Pro® or SpeedyGreen®]

**Scotts EasyGreen®**

[XX]

[ILLUS]

[XX]

**Scotts Drop Spreaders**

[Makes sure spreader wheel completely overlaps previous wheel marks.]

[Scotts AccuGreen®]

For additional spreader settings, please call 1-800-543-TURF (8873)

**Note to PM:**

***Bold, italicized text is information for the reader and is not part of the label.***

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike through text is being deleted.~~

14  
25

**[OPTION 6]**

**SPREADER SETTINGS [AND INFORMATION]**

Spreader	Covers XXXX sq ft	Setting
Scotts Drop Spreaders <i>(Insert trade names from List 1. as appropriate)</i>		X
Scotts Broadcast/Rotary Spreader <i>(Insert trade names from List 1. as appropriate)</i>		X
[Scotts Broadcast Tractor Spreader] <i>[(insert trade names from List 1. as appropriate)]</i>		[X]

**Appropriate spreader settings and coverage will be inserted on Final Printed Label to replace "X"**

[Use only with Scotts spreaders.]

[Scotts products are designed to work with Scotts spreaders.]

[For additional spreader settings, [please] call X-XXX-XXX-XXXX.]

**List 1.**

**Spreader Trade Names and Descriptions (to be entered above as appropriate)**

Scotts Turf Builder Classic [Drop]	X
Scotts Turf Builder EdgeGuard [Mini/EcoSense/DLX] [Rotary]	X
Scotts [Standard/Basic/Deluxe/Lawn Pro] [Rotary]	X
Scotts Broadcast Tractor Spreader	X

Note to PM:

**Bold, italicized text is information for the reader and is not part of the label.**

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike through text is being deleted.~~

15  
25

**OPTIONAL PRODUCT EFFICACY CLAIMS (any or all weeds may be listed on FPL)**

**OPTIONAL PRODUCT EFFICACY CLAIMS**

**The following claims may be listed on the FPL followed by any or all weeds may be listed below**

- Weeds controlled/killed [include/including]
- Controls/kills [the following] [these] [25] [common lawn] [weeds]]:
- Controls/kills [broadleaf] weeds such as

Black medic	Eveningprimrose	Red sorrel/sheep sorrel
Blue toadflax	Florida betony	Rescuegrass
Buckhorn	Florida pusley	Shepherd's purse
Burclover	Fragrant cudweed/rabbit-tobacco	Sowthistle
Carolina geranium/cranesbill	Henbit	Stinging nettle
Chickweed	<i>Lippia</i> /Matchweed	Venus lookingglass
Dandelion	Oxalis/Yellow woodsorrel	Wild mustard
Dichondra	Pepperweed/peppergrass	
Dollarweed/Pennywort	Purslane	

[Do not apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue, or dichondra.]

[Use on St. Augustine[grass], zoysia[grass], centipede[grass], and carpet[grass] lawns only.]

[[For] use [only] on St. Augustinegrass, [(including) [Floratam}], centipede[grass], zoysia[grass], and carpet[grass] lawns [ONLY].]

16  
25

**Note to PM:**

***Bold, italicized text is information for the reader and is not part of the label.***  
[Bracketed information is optional.] Text separated by / denotes and/or options.  
Underlined text is new. ~~Strike-through text is being deleted.~~

EPA Reg. No. 538-18

**OPTIONAL FERTILIZER GUARANTEE INFORMATION**

***The following table may be used in whole or in part. Fertilizer information denoted by "X" will be added to FPL. NPK will not exceed the endpoints tested for acute toxicology studies.***

**GUARANTEED ANALYSIS**

**Product Name**

XX-XX-XX (*insert N-P-K ratio*)

FXXX (*insert FL Fertilizer License No.*)

Total nitrogen (N)	XX%
X.X% ammoniacal nitrogen	
X.X% urea nitrogen	
X.X% other water soluble nitrogen*	
X.X% water insoluble nitrogen	
Available phosphate (P <sub>2</sub> O <sub>5</sub> )	X%
Soluble potash (K <sub>2</sub> O)	X%
Calcium (Ca)	X%
Magnesium (Mg) (Total)	X%
X.X% water soluble magnesium (Mg)	
X.X% chelated magnesium (Mg)	
Sulfur (S)	X%
X.X% combined sulfur (S)	
X.X% free sulfur (S)	
Boron (B) (Total)	X%
Copper (Cu) (Total)	X%
X.X% water soluble copper (Cu)	
X.X% chelated copper (Cu)	
Iron (Fe) (Total)	X%
X.X% water soluble iron (Fe)	
X.X% chelated iron (Fe)	
Manganese (Mn) (Total)	X%
X.X% water soluble manganese (Mn)	
X.X% chelated manganese (Mn)	
Zinc (Zn) (Total)	X%
X.X% water soluble zinc (Zn)	
X.X% chelated zinc (Zn)	
Chlorine, not more than	X%

Derived from: ammonium phosphate/urea/methyleneureas/potassium sulfate/ammonium sulfate/muriate of potash/polymer-coated sulfur-coated urea/potassium chloride/dolomite.

\*Contains X.X% slowly available methylenediurea/dimethylenetriurea nitrogen/water insoluble nitrogen.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-sc.com>

[Florida Applications: X annual feedings with the exception of bahiagrass and centipedegrass (X feedings in the north and X feedings in the central and south)] ***Feedings information denoted by "X" will be added to FPL. Feedings will not exceed agronomic recommendations or atrazine-D RED application requirements.***



Note to PM:

EPA Reg. No. 538-18

17  
25

**Bold, italicized text is information for the reader and is not part of the label.**

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike through text is being deleted.~~

#### GENERAL CLAIMS

- Apply in late winter, spring, or fall
- For best results, apply a Scotts annual program (see back for details)
- For Best Results Use the Expert Gardener® Fertilizer Program
- Apply when/anytime weeds are growing

#### PESTICIDAL CLAIMS

- Controls/kills dollarweed/pennywort and [25] other [common] [lawn] weeds\*\*
- Controls/kills dollarweed/pennywort, chickweed and [over] [25] [common] [lawn] weeds\*\* while greening your lawn without rapid, extreme growth.
- Kills/Controls weeds and fertilizes your lawn
- Kills dollarweed/pennywort and other [common] [lawn] weeds [as listed][\*\*]

\*\*As listed – **OR**– including (*insert any weeds listed in Optional Product Efficacy Claims section*)

#### FERTILIZER CLAIMS

- Builds strong, deep roots
- Builds strong, green turf from the roots up without burning your lawn\*
- Builds thick, green turf from the roots up without burning your lawn\*
- Dual Action fertilizer – Protect[s] [lawn] for Winter and Build[s] for Spring
- Each lawn fertilizer particle provides gradual release that won't burn or cause surge growth when applied as directed
- Enhanced/Improved Formula – X% More Greening Power\* (\*vs [*insert Scotts product name*])
- Enhanced 3-in-1/three-in-one Formula – [Helps lawn] recover from Summer, Replenish for Winter and Rebuild for Spring
- [Feeding with Scotts Water Smart™ Formula helps grow a thick lawn with more roots to better absorb water and nutrients. This helps protect your lawn against heat, drought and other stresses.]
- Feeds and Greens for up to two months without burning your lawn
- [Feeds and Strengthens [the Lawn] Against Heat and Drought]
- Feed[s] lawn
- Feeds for a thick, green lawn
- Formulated with Scotts technology [for long lasting greening and feeding]
- Formulated for the home environment.
- Formulated with Scotts technology [for long lasting greening and feeding]
- Greens longer\* \*vs/than regular *insert Scotts product name*
- Grows Strong Roots
- Helps strengthen your lawn against heat/drought/wear/tear
- Scotts Longest-Lasting Green up/Green/Greening Power/Deep Green Color/Deep Greening/Added Greening/Power/Feeding/ Nutrients/Food/even greening/consistent green
- Formulated with Scotts Poly-S® timed released fertilizer
- [Water Smart™ Formula!]
- [Water Smart™ logo][Water Smart Makes The Most Of Every Drop™] [Improves Lawn's Ability to Absorb Water & Nutrients]
- We guarantee thick, green-turf without risk of burning or surge growth."
- Weed control plus lawn fertilizer
- Weed-and-Feed
- [Well-fed lawns are more efficient at using available water.]
- [Won't Burn Lawn Guaranteed!]
- Your lawn makes a good environment...and Scotts products help you get the best lawn.

\*When used according to manufacturer's directions.

Note to PM:

***Bold, italicized text is information for the reader and is not part of the label.***

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike-through text is being deleted.~~

EPA Reg. No. 538-18

18  
25

***Optional Claims for Alternate Brand Names: Super Scotts Bonus S or Super Scotts Bonus S Weed & Feed***

- [Scotts® Best Fertilizer!]
- [The Super Bonus S Advantage Contains more essential nutrients than regular Scotts Bonus S]

***Optional Claims and Product Information for Alternate Brand Name: Expert Gardener® St. Augustine Weed & Feed***

- [Contact us – Consumer Helpline 1-866-369-2533]
- [Expert Gardener® Guarantee] [When you chose Expert Gardener® products, you can be assured of high quality and performance in you lawn and garden. If for any reason you are not completely satisfied with this product, we will refund you money. Please mail your name, address and proof of purchase (dated receipt and package UPC/barcode) to the address below. Also, to ensure quality control, please write us a brief note explaining your experience with our product and reason for seeking a refund.]
- [Feeds for a thick, green lawn]
- [For Best Results! Use the Expert Gardener® Fertilizer Program]
- [Grows Strong Roots]
- [Nitrogen (N) for Deep Green Color]
- [Phosphorus (P) for Strong Roots]
- [Potassium (K) for Overall Plant Vigor]

***PHOSPHORUS CLAIMS***

- Contains no phosphorous/phosphate
- Phosphorous/phosphate free [formula]
- PHOSPHORUS – Stimulates root growth;[helps grass multiply]

***NITROGEN CLAIMS***

- Contains both readily available nitrogen for quick green up and controlled release nitrogen for uniform growth and extended feeding.
- [Contains] timed/slow/controlled-release nitrogen for extended, even feeding
- Contains timed/slow-release/controlled/extended release nitrogen [for extended feeding and greening]
- Feeds [and greens] up to X months/weeks longer\* \*vs/than regular ***insert Scotts product name***
- Greens longer\* \*vs/than regular ***insert Scotts product name***
- Scotts Longest-Lasting Green up/Green/Greening Power/Deep Green Color/Deep Greening/Added Greening/Power/Feeding/ Nutrients/Food/even greening/consistent green
- More slow/extended/time[d] /even release Nitrogen for longer lasting even greening/consistent green\* \*vs/than regular ***insert Scotts product name***
- More slow/extended/time[d] /even release Nitrogen for longer lasting Green up/Green/Greening Power/Deep Green Color/Deep Greening/Added Greening Power/Feeding\* \*vs/than regular ***insert Scotts product name***
- NITROGEN – Essential for plant [and/& root] growth; [makes grass green] [and/& strengthens roots]
- X% MORE Slow-Release Nitrogen than/vs. regular ***insert Scotts product name***.
- X% added slow/extended/time[d]/even release Nitrogen\* \*vs/than regular ***insert Scotts product name***

***POTASSIUM CLAIMS***

- [Delivers] more Potassium than/vs. regular ***insert Scotts product name*** to help protect against drought stress
- POTASSIUM – Makes plant strong; [better able to resist drought and extreme heat]/[improves heat &/and drought tolerance]/[protects against winter]
- X% added Potassium [for improved overall lawn strength/vitality/durability/toughness] than/vs. regular ***insert Scotts product name***
- X% More potassium than/vs. regular ***insert Scotts product name***

Note to PM:

***Bold, italicized text is information for the reader and is not part of the label.***

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike-through text is being deleted.~~

EPA Reg. No. 538-18

19  
25

***MICRO-NUTRIENT CLAIMS(X will be provided on Final Printed Label)***

- Added essential nutrients for a[n] better/stronger/more durable/resilient/more balanced/improved lawn
- Added essential nutrients for a[n] strong/durable/resilient lawn
- Added Iron for Summer Green Extender
- Contains X% Iron [for added greening]
- Contains Xlbs, Xoz Iron [per bag]
- Contains X% iron/[micro nutrients] for the deep/dark green[ing] [turf]
- Contains micronutrients to help improve [your] soil [conditions]
- More complete micronutrients for all your turf essentials.
- More micronutrients/iron/essential nutrients/nutrients for a[n] better/stronger/more durable/resilient/more balanced/improved lawn
- Provides/Delivers key/essential nutrients for a lush/thick/beautiful/green/strong lawn
- With added [MicroMax] [Micronutrients] to/for/help[s] strengthen/the strongest lawn defense against heat, drought, and wear & tear

***PACKAGING CLAIMS***

- Bonus size
- Convenient [new] size
- Easy [to] pour [spout]
- Easy-tear, recloseable pour spout
- Easy to Carry Package
- Easy open, easy close
- Easy open, resealable bag
- Easy/EZ Seal [zipper/closure]
- Easy-to-Carry size/handle
- [Just] flip, tilt, feed
- [Just] shake and/n feed
- [Now with] X% more
- [Perfect] [size] for small lawns
- Reclosable bag
- Secure seal [zipper/closure]
- Sure seal [zipper/closure]
- Zip close

Note to PM:

***Bold, italicized text is information for the reader and is not part of the label.***

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike-through text is being deleted.~~

EPA Reg. No. 538-18

20  
25

(ILLUS.)

[THE NAME TO GROW WITH!]

XX  
NITROGEN  
Essential for plant growth; makes  
grass green.

X  
PHOSPHORUS  
Stimulates root growth; helps  
grass multiply.

X  
POTASSIUM  
Makes plant strong; better able to  
resist drought and extreme heat

**[Lawncare Information:] [Water Smart®] Tips for Lawncare Success:**

- Feed regularly for your best lawn – Regular feedings of Scotts Turf Builder will help build a lawn you and your family can enjoy. Scotts Turf Builder provides the nutrients your lawn needs to look its best and withstand the stresses of weeds, heat, drought and family activity.
- Mow your lawn high. Mowing high allows the grass to develop a deep root system & helps your lawn use water more effectively.
- Leave the grass clippings on your lawn. This recycles the plant nutrients back into the soil.
- Conserve water. Your lawn will begin to wilt when water is needed. As much as possible, take advantage of nature's sprinkler and rely on the rain to water your lawn.

[art] one annual feeding

[art] 2-3 annual feedings

[art] 4 annual feedings

**What to expect**

Weeds will be dead/killed within 6 weeks and your lawn will be greener in 7 days

**Controls and prevents weeds while feeding your lawn.** Scotts Bonus S gives you a better lawn. That's because each small particle delivers weed control for complete coverage. And Scotts Bonus S feeds your lawn with Scotts Trionized® formula to help fill-in and crowd out new weeds.

**Scotts Bonus S provides even greening.** Each particle of Scotts Bonus S contains nitrogen, phosphorus and potassium. This means that each grass plant receives the feeding it needs so your lawn will grow uniformly thick and green.

**Scotts Bonus S stimulates steady grass growth.** Typical all-soluble fertilizers can cause surge growth. When you mow grass that has grown too fast and too tall, you weaken the grass plant by "scalping." With Scotts Bonus S you have less mowing and less chance of scalping when you mow.

**Scotts & Your Environment [art]**

We care. Scotts products are designed with care to grow thicker, greener lawns.

Green Is Good™. A healthy lawn cleans the air, produces oxygen and prevents runoff and soil erosion.

You can make a difference. Help keep our water resources clean. Apply this product only to your lawn, and sweep any product that lands in the driveway, sidewalk or street back on to your lawn.

21  
25

**Note to PM:**

EPA Reg. No. 538-18

***Bold, italicized text is information for the reader and is not part of the label.***

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike through text is being deleted.~~

**Get expert advice for your lawn now.**

Want information on what to use and when? Sign up today to get free expert advice specifically for your lawn.

**Scotts Bonus S provides up to 2 months of greening.** The nitrogen in Scotts Bonus S is time-released to help your lawn grow thick and green for up to 2 months.

**Coverage**

Treats and fertilizes X,XXX sq. ft.

**How much is enough?**

To determine the square footage of your lawn, walk the length and width of your lawn; one average pace equals about 3 feet. Multiply the length of the lawn by the width of the lawn. This equals the area of your lawn in measure square areas, then add the figures together to reach your total lawn size.

**2-MONTH PERIOD**

(ILLUS.)

STEADY GROWTH

Scotts Bonus S

(ILLUS.)

SURGE GROWTH

fertilizer without timed-release nitrogen

A well-maintained lawn provides environmental benefits as well as an attractive and pleasant setting for your home. Healthy grass takes carbon dioxide and pollutants from the air while creating oxygen; it traps dust and prevents erosion; and it reduces the heat, noise, and glare of modern urban areas while providing a safer recreation area.

The timed-release nitrogen in Scotts Bonus S weed-and-feed is designed to be absorbed by the grass plants slowly and steadily, to build thick turf that helps prevent runoff and leaching into groundwater.

22  
25

Note to PM:

**Bold, italicized text is information for the reader and is not part of the label.**

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike-through text is being deleted.~~

EPA Reg. No. 538-18

### SEASONAL PRODUCT APPLICATION OPTIONS

#### Optional Product Program Information

[Plan your feeding schedule. Choose the right product for your lawn.]

[Any Season - Apply any season if weeds or bugs are not a problem: Scotts® [Southern] [Super]Turf Builder® Lawn Fertilizer]

[Early Spring February-April - If you have weeds/To kill weeds: Scotts® [Super] Scotts Bonus S Southern Weed & Feed]

[Late Spring April-June - If weed or bugs are not a problem: Scotts® [Southern] [Super]Turf Builder® Lawn Fertilizer]


[Summer June-August - Scotts® [Southern] [Super] Turf Builder® Lawn Fertilizer. If you have bugs/To kill bugs: Scotts® [Super] Turf Builder® with SummerGuard®]

[Fall September – November - Scotts® [Super] Turf Builder® WinterGuard®]

-or-

For best results, apply [the] Scotts Annual [Lawn Care] Program.

- Start the program at any time
- Start anytime . . . just check the month and apply products at 2 month intervals
- If bugs/weeds are not a problem, apply *insert name of straight fertilizer product only*
- [Allow two months between applications]
- No more guesswork . . . apply the right product at the right time for a thick, green lawn



**Note to PM:**

***Bold, italicized text is information for the reader and is not part of the label.***

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike through text is being deleted.~~

EPA Reg. No. 538-18

23  
—  
25

**SCOTTS ADVANTAGE® PARTICLE TECHNOLOGY**

**The Scotts Difference®**

Perfect Particle™ Technology  
(art: particle with NPK)

Every particle of Scotts Bonus S® contains Scotts patented timed-release nitrogen plus phosphorus, potassium, and weed control (see back for details).

**The Scotts Difference®**

Scotts patented Perfect Particle™ Technology is available only in Scotts® products, so don't be fooled by weed-and-feeds claiming to be "just like Scotts."

Uniform proportions of the major nutrients – timed-release nitrogen plus phosphorus and potassium – and weed control are bonded together in every Bonus S particle, so that they are distributed evenly across the entire lawn, eliminating hit-or-miss feeding and weeding. And the time-released nitrogen feeds your lawn without burning, and steadily for up to 2 months. Because of Scotts' patented time-released nitrogen, you won't get the rapid surge growth. With regular mowing, you will have fewer clippings and may not even have to bag your clippings.

Remember, even weed-and-feeds claiming to contain slow- or controlled-release nitrogen typically are just simple mixes, so they can't deliver the consistent great results you'll get from Scotts patented Perfect Particle Technology. With Scotts Bonus S you can be assured that every particle contains time-released nitrogen, plus the other primary nutrients and weed control.

(photo: simple mix particles)

**Physical Blend Fertilizers**

- Composed of nutrient and weed control granules of many different sizes and shapes
- Each nutrient may separate from the others in the bag and during application

(photo: SBS particles)

**All-in-One Particles®**

- Scotts Bonus S granules are consistent in size and shape
- This gives consistent distribution of particles – and nutrients and weed control – throughout the lawn

(photo: simple mix pattern)

**Physical Blend Fertilizers**

- Because of the difference in size, shape, and weight of these granules, the amount of individual nutrients and weed control delivered in each square inch of lawn can vary greatly
- Result: uneven, inconsistent weeding and feeding of your lawn

(photo: SBS pattern)

**All-in-One Particles®**

- Scotts Bonus S particles deliver the same ratio of nitrogen, phosphorus, and potassium (plus weed control) to every treated square inch of turf
- Result: even, consistent greening and thickening of your lawn, plus better weed control

24  
25

**Note to PM:**

***Bold, italicized text is information for the reader and is not part of the label.***  
 [Bracketed information is optional.] Text separated by / denotes and/or options.  
Underlined text is new. ~~Strike-through text is being deleted.~~

**-OR-**

The Scotts Advantage®: All-in-One Particles®\*

Your lawn requires essential nutrients to thrive. Every Scotts Bonus S® particle contains nitrogen, phosphorus, potassium, and weed killer, allowing Scotts to evenly disperse the appropriate ration of nutrients and weed control to your whole lawn. Only Scotts All-in-One® particles provide consistent feeding to every square inch of turf for a green, thick, strong lawn.

\*All-in-One = nitrogen, phosphorus, potassium and the weed killer ingredient contained in every particle

(ILLUS.)

All-in-One Particles®

- Each All-in-One® particle contains essential nutrients and weed control ingredient
- Evenly dispersed particles provide more consistent feeding and weed control for a green, thick, strong lawn.

(ILLUS.)

Physical Blend Fertilizers

- Each particle contains fertilizer nutrient with separate particles for weed control
- Particles can separate during application, resulting in inconsistent feeding and weed control.

**-OR-**

The Scotts Advantage®

Each of Scotts All-in-One Particles®\* contains the guaranteed feeding nutrients and the weed control ingredients to provide consistent feeding and weed control to every treated square inch of your lawn. The result: A thick, green lawn without burning. Guaranteed.

- All-in-One Particles = nitrogen, phosphorous, potassium and weed control contained in every particle.

[US Map Illustration]

**Optional Table of Expert Gardener Fertilizer Program**

	Early Spring	Mid/Late Spring	Summer Lawn Food	Fall	Grass Type
Northern	Crabgrass Preventer	Weed & Feed	Lawn Food	Lawn Food or Weed & Feed	Bluegrass, Rye, Fescues, Bermuda, Zoysia
Southern	Crabgrass Preventer	Weed & Feed	Lawn Food	Lawn Food or Weed & Feed	Bermuda, Fescues, Bahia,
	Nothing until grass starts to green up	Lawn Food or St. Augustine Weed & Feed	Lawn Food	Lawn Food or St. Augustine Weed & Feed	St. Augustine, Centipede, Zoysia

Contact the experts at [scotts.com](http://scotts.com)

SCOTTS...the lawn people



25  
25

**Note to PM:**

***Bold, italicized text is information for the reader and is not part of the label.***

[Bracketed information is optional.] Text separated by / denotes and/or options.

Underlined text is new. ~~Strike-through text is being deleted.~~

**[Questions/Information]**

[icon] [Distributed by/Manufactured by]:  
The Scotts Company  
14111 Scottslawn Rd.  
Marysville, Ohio 43041

[icon - phone]  
Call -or- Consumer Helpline -or- phone toll-free -or- Scott's [toll-free] consumer hotline  
1-800-543-TURF (8873)  
[Open 8:00 a.m. to 5:00 p.m. Eastern time].

[icon - computer mouse icon]  
[Visit [our website]]  
www.scotts.com

**Scotts Policy**

**Scotts [No-Quibble/Consumer] Guarantee[®]**

If for any reason you [the customer/consumer] are not satisfied [with results] after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund promptly.

**UNCONDITIONALLY GUARANTEED**

If you are not satisfied with the results from using this product, we will refund your purchase price. Send evidence of your purchase to:

The Scotts Company  
14111 Scottslawn Rd.  
Marysville, OH 43041

**Expert Gardener® Guarantee**

[When you chose Expert Gardener® products, you can be assured of high quality and performance in you lawn and garden. If for any reason you are not completely satisfied with this product, we will refund your money. Please mail your name, address and proof of purchase (dated receipt and package UPC/barcode) to the address below. Also, to ensure quality control, please write us a brief note explaining your experience with our product and reason for seeking a refund.]

[NOTICE: To the extent permissible by law/To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.]

U.S. Patent No. X,XXX,XXX (*patent information will be added to FPL*)

Scotts®, SpeedyGreen®, EasyGreen®, AccuGreen®, Basic™, Standard™, and Deluxe™ Edgeguard® are trademarks of OMS Investments, Inc.

Expert Gardener® and Expert Gardener logo design are trademarks of Wal-Mart Stores, Inc.

Expert Gardener® is marketed exclusively by Wal-Mart Stores, Inc. Bentonville, AR 72716  
Shop @www.walmart.com

© 20XX Licensed by *insert company name*  
World rights reserved.

Made in U.S.A./Product of \_\_\_\_\_