

538-18

12-13-2010

$\frac{1}{23}$



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

DEC 13 2010

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

Ms. Cheryl Prinster  
The Scotts Company  
14111 Scottslawn Rd  
Marysville, OH 43041

Subject: Scotts Bonus S  
EPA Registration Number 538-18  
Submission dated October 7, 2010, re: Agency letter dated July 8, 2010, 2010

Dear Ms. Prinster:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended is acceptable, provided you make the following changes before you release the product for shipment.

- 1) Add an appropriate EPA Establishment Number to the label.

NOTE: Should you wish to retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

NOTE: While no additional data is being requested at this time, marketing claims made on the pesticide label must be substantiated by data maintained in your files. If data supporting marketing claims made on the product label is not available then those claims must be removed.

Submit one (1) copy of final printed labeling incorporating the above changes before you release the product for shipment. Amended labeling will supercede all previously accepted ones. A stamped copy of labeling is enclosed for your records. If you have any questions, please contact Hope Johnson at 703-305-5410.

Sincerely,

James A. Tompkins  
Product Manager 25  
Herbicide Branch  
Registration Division (7505P)

2  
23

**Note to PM:**

***Bold, italicized text is information for the reader and is not part of the label.***

[Bracketed information is optional.] Text separated by / denotes and/or options.

EPA Reg. No. 538-18

# Scotts Bonus S

## EPA Reg. No. 538-18

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

DEC 13 2010

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

538-18

**ACTIVE INGREDIENT:**

Atrazine[†]..... 1.293%

Related Compounds:..... 0.027%

**OTHER INGREDIENTS:**..... 98.680%

Total..... 100.000%

[† CAS #1912-24-9]

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See back/side/top/bottom [panel/label] for additional precautionary statements.

NET WEIGHT/WT. 17.24 LBS (7.8 kg)

**Note to PM: The 17.24 lb bag covers 5,000 sq ft. See table on next page for coverage examples.**

EPA Reg. No. 538-18

EPA Est. No. XXX-XX-X [Superscript used is first letter of run code on end of container]

The Scotts Company, 14111 Scottslawn Rd., Marysville, Ohio 43041

**Note to PM:**

***Bold, italicized text is information for the reader and is not part of the label.***  
[Bracketed information is optional.] Text separated by / denotes and/or options.

EPA Reg. No. 538-18

**Optional Company Identifier:**      Scotts®

**Alternate Brand Names:**      Bonus S Southern Weed & Feed  
Weed & Feed for St. Augustinegrass  
Lawn Fertilizer plus Weed Control for St. Augustinegrass  
Landscaper Lawn Fertilizer with Weed Control for St. Augustinegrass]  
Expert Gardener St. Augustine Weed & Feed  
Super Bonus S  
Super Bonus S Southern Weed & Feed  
Scotts Bonus S Weed Control Plus Lawn Fertilizer

**Optional Product Descriptors**

Weed-and-Feed  
Southern Weed & Feed

X-X-X **Fertilizer information denoted by "X" will be added to FPL. NPK will not exceed the endpoints tested for acute toxicology studies.**

[Covers/treats/feeds/fertilizes XXXX sq ft/XX ft x XXX ft] **Coverage denoted by "X" will be added to FP. Coverage will not to exceed 2 lbs. atrazine per acre.**

1/8 acre = 5,445 sq. ft.

**Coverage Examples:**

<b>Bag Weight (lbs)</b>	<b>Coverage (sq. ft.)</b>	<b>A.I. percent</b>	<b># AI per acre</b>	<b># Product per 1000 sq ft</b>
17.24	5,000	1.32	2	3.45
34.48	10,000	1.32	2	3.45
51.72	15,000	1.32	2	3.45

**Note to PM:**

EPA Reg. No. 538-18

***Bold, italicized text is information for the reader and is not part of the label.***  
[Bracketed information is optional.] Text separated by / denotes and/or options.

**[FIRST AID AND ENVIRONMENTAL HAZARDS]**

[Keep Out of Reach of Children]

[CAUTION]

**Precautionary Statements****Hazards to Humans and Domestic Animals [icon]**

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing.

**FIRST AID [icon]**

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

**If swallowed:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment. Call: 1-XXX-XXX-XXXX (*number is available 24/7/365*)

**Environmental Hazards [icon]**

This product is toxic to aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treated area. Sweeping any product that lands on a driveway, sidewalk, or street, back into the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when cleaning equipment or disposing of equipment washwaters. Do not clean equipment over hard surfaces or near storm drains.

Atrazine can travel (seep or leach) through soil and enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine on sand and loamy soils where the water table (groundwater) is close to the surface and where these soils are very permeable; i.e., well drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water.

**STORAGE AND DISPOSAL [icon]**

**[PESTICIDE] STORAGE:** Store in a clean, dry place. Reseal opened bag [by folding top down and securing].

**[PESTICIDE CONTAINER] DISPOSAL:**

[Optional statement: As a responsible environmental practice, where possible, it is recommended that all of the contents of the bag be used, carefully following label directions]

Non-refillable container. Do not reuse or refill this container.

**If empty:** Place in trash or offer for recycling if available.

**If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**Note to PM:**

***Bold, italicized text is information for the reader and is not part of the label.***  
[Bracketed information is optional.] Text separated by / denotes and/or options.

**[KEY PRODUCT FACTS]**

**[APPLICATION]**

**[HOW AND WHEN TO APPLY]**

[Apply in late winter, spring, or fall]

**OPTION 1 – DIRECTIONS FOR USE**

**DIRECTIONS FOR USE**

It is violation of federal law to use this product in a manner inconsistent with its labeling.

**Control**

- Apply anytime weeds are actively growing. If complete control is not obtained a second treatment may be required 2 months after the first.
- [Apply in the Fall to control winter weeds such as henbit, chickweed, rabbit-tobacco, eveningprimrose.]
- Controls ***insert one or more weeds from following weed list*** [Controls weeds as listed above/below]

Black medic	Eveningprimrose	Red sorrel/sheep sorrel
Blue toadflax	Florida betony	Rescuegrass
Buckhorn	Florida pusley	Shepherd's purse
Burclover	Fragrant cudweed/rabbit-tobacco	Sowthistle
Carolina geranium/cranesbill	Henbit	Stinging nettle
Chickweed	Lippia/Matchweed	Venus lookingglass
Dandelion	Oxalis/Yellow woodsorrel	Wild mustard
Dichondra	Pepperweed/peppergrass	
Dollarweed/Pennywort	Purslane	

**Reentry**

- Do not allow people or pets to enter treatment areas until watering-in is complete and the surface is dry.

**Restrictions**

- Do not apply to centipede or carpetgrass lawns during the period of winter dormancy—approximately October 15 to March 15. This restriction does not apply to lawns in Florida}
- Do not apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra because injury may occur. }
- Apply only when grass is dry.
- Do not apply this product in a way that will contact any person either directly or through drift. Keep people and pets out of area during application.
- Do not apply by hand or hand-held rotary devices such as hand-held rotary applicator.
- This product must be WATERED IN IMMEDIATELY after application. This product applies 2 lbs active ingredient per acre. Maximum of two applications per year.
- Do not use under trees, shrubs, bedding plants, flower or garden plants

**Seeding/Sprigging.**

Apply Scotts Bonus S after sprigging a new St. Augustine or zoysia lawn to prevent competition from germinating weeds. Water the new sprigs, allow the grass blades to dry, then make the application of Scotts Bonus S.

- Don't apply to newly seeded centipede and carpetgrass lawns until after the new grass has been mowed at least twice.
- Don't plant sprigs for one month, or sow new grass seed for six months following application of Scotts Bonus S.

6  
23

**Note to PM:**

***Bold, italicized text is information for the reader and is not part of the label.***

[Bracketed information is optional.] Text separated by / denotes and/or options.

**OPTION 2 – DIRECTIONS FOR USE**

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**[[USE] RESTRICTIONS]**

Don't apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra because injury may occur. Don't apply to newly seeded centipede and carpetgrass lawns until after the new grass has been mowed at least twice. Don't plant sprigs for one month, or sow new grass seed for six months following application.] Don't apply to centipede or carpetgrass lawns during the period of winter dormancy – approximately October 15 to March 15 – with the exception of lawns in Florida.

Do not apply this product in a way that will contact any person either directly or through drift. Keep people and pets out of area during application. Do not allow people or pets to enter treatment areas until watering-in is complete and the surface is dry. Do not apply by hand or hand-held rotary devices such as hand-held rotary applicator. Do not use under trees, shrubs, bedding plants, flower or garden plants.

**[INSTRUCTIONS]**

Scotts Bonus S controls a wide range of lawn weeds, including broadleaf weeds and annual weeds commonly found in home lawns. In addition, a XX-X-X fertilizer provides a supply of plant food needed for growth.

- Apply only when grass is dry.
- This product must be WATERED IN IMMEDIATELY after application. This product applies 2 lbs active ingredient per acre. Maximum of two applications per year.

**[CONTROL]**

- Apply when weeds are actively growing. Controls weeds listed below. If complete control is not obtained, a second treatment maybe required 2 months after the first.
- [Apply in the Fall to control winter weeds such as henbit, chickweed, rabbit-tobacco, eveningprimrose.]

**REENTRY**

- People and pets may re-enter treated area after product is watered-in and surface is dry

**[SPRIGGING]**

- Apply after sprigging a new St. Augustine or zoysia lawn to prevent competition from germinating weeds. Water the new sprigs, allow the grass blades to dry, then make the application.

**[Weeds Controlled:] Note to PM: One or more of the following weeds will be listed in Directions for Use**

Black medic	Eveningprimrose	Red sorrel/sheep sorrel
Blue toadflax	Florida betony	Rescuegrass
Buckhorn	Florida pusley	Shepherd's purse
Burclover	Fragrant cudweed/rabbit-tobacco	Sowthistle
Carolina geranium/cranesbill	Henbit	Stinging nettle
Chickweed	Lippia/Matchweed	Venus lookingglass
Dandelion	Oxalis/Yellow woodsorrel	Wild mustard
Dichondra	Pepperweed/peppergrass	
Dollarweed/Pennywort	Purslane	

**Note to PM:**

***Bold, italicized text is information for the reader and is not part of the label.***  
[Bracketed information is optional.] Text separated by / denotes and/or options.

**OPTION 3 – DIRECTIONS FOR USE**

**DIRECTIONS FOR USE**

It is violation of federal law to use this product in a manner inconsistent with its labeling.

- Do not apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra because injury may occur.
- Apply only when grass is dry.
- This product must be WATERED IN IMMEDIATELY after application. This product applies 2 lbs active ingredient per acre. Maximum of two applications per year.
- Do not apply by hand or hand-held rotary devices such as hand-held rotary applicator.
- Do not apply this product in a way that will contact any person either directly or through drift. Keep people and pets out of area during application.
- Do not apply to centipede or carpetgrass lawns during the period of winter dormancy – approximately October 15 to March 15. This restriction does not apply to lawns in Florida.
- Do not use under trees, shrubs, bedding plants, flower or garden plants.

**[Reentry]**

- Do not allow people or pets to enter treatment areas until watering-in is complete and the surface is dry.

**[Control]**

- Apply when weeds are actively growing. For severe weed problems, a second treatment may be required 2 months after the first.
- [Apply in the Fall to control winter weeds such as henbit, chickweed, rabbit-tobacco, evening primrose.]
- Controls [these common lawn] weeds ***insert one or more weeds from the following weed list***

Black medic	Eveningprimrose	Red sorrel/sheep sorrel
Blue toadflax	Florida betony	Rescuegrass
Buckhorn	Florida pusley	Shepherd's purse
Burclover	Fragrant cudweed/rabbit-tobacco	Sowthistle
Carolina geranium/cranesbill	Henbit	Stinging nettle
Chickweed	<i>Lippia/Matchweed</i>	Venus lookingglass
Dandelion	Oxalis/Yellow woodsorrel	Wild mustard
Dichondra	Pepperweed/peppergrass	
Dollarweed/Pennywort	Purslane	

**[Seeding/sodding/sprigging]**

- Apply Scotts Bonus S after sprigging/sodding a new St. Augustine or zoysia lawn to prevent competition from germinating weeds. Water the new sprigs/sod, allow the grass blades to dry, then make the application of Scotts Bonus S.
- Don't apply to newly seeded centipede and carpetgrass lawns until after the new grass has been mowed at least twice.
- Don't plant sprigs/sod for one month, or sow new grass seed for six months following application of Scotts Bonus S.

**Note to PM:**

***Bold, italicized text is information for the reader and is not part of the label.***  
[Bracketed information is optional.] Text separated by / denotes and/or options.

**OPTION 4 – DIRECTIONS FOR USE**

**DIRECTIONS FOR USE**

It is violation of federal law to use this product in a manner inconsistent with its labeling.

**[[Application] Restrictions]**

- This product must be WATERED IN IMMEDIATELY after application. This product applies 2 lbs active ingredient per acre. Maximum of two applications per year.
- Apply only when grass is dry.
- Do not apply by hand or hand-held rotary devices such as hand-held rotary applicator.
- Do not apply this product in a way that will contact any person either directly or through drift. Keep people and pets out of area during application
- Do not apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra because injury may occur
- Do not apply to centipede or carpetgrass lawns during the period of winter dormancy – approximately October 15 to March 15. This restriction does not apply to lawns in Florida.
- Do not use under trees, shrubs, bedding plants, flower or garden plants.

**[Reentry]**

- Do not allow people or pets to enter treatment areas until watering-in is complete and the surface is dry.

**[Weeds Controlled:]** *Note to PM: One or more of the following weeds will be listed in Directions for Use*

Black medic	Eveningprimrose	Red sorrel/sheep sorrel
Blue toadflax	Florida betony	Rescuegrass
Buckhorn	Florida pusley	Shepherd's purse
Burclover	Fragrant cudweed/rabbit-tobacco	Sowthistle
Carolina geranium/cranesbill	Henbit	Stinging nettle
Chickweed	Lippia/Matchweed	Venus lookingglass
Dandelion	Oxalis/Yellow woodsorrel	Wild mustard
Dichondra	Pepperweed/peppergrass	
Dollarweed/Pennywort	Purslane	

**[For Control]**

- Apply when weeds are actively growing. Controls weeds listed under "Controls" above. If complete control is not obtained a second treatment may be required 2 months after the first.
- [Apply in the Fall to control winter weeds such as henbit, chickweed, rabbit-tobacco, and eveningprimrose.]

**[Seeding/sodding/sprigging]**

- Apply Scotts Bonus S after sprigging/sodding a new St. Augustine or zoysia lawn to prevent competition from germinating weeds. Water the new sprigs/sod, allow the grass blades to dry, then make the application of Scotts Bonus S.
- Don't apply to newly seeded centipede and carpetgrass lawns until after the new grass has been mowed at least twice.
- Don't plant sprigs/sod for one month, or sow new grass seed for six months following application of Scotts Bonus S.

**-End Directions for Use-**



**Note to PM:**

***Bold, italicized text is information for the reader and is not part of the label.***  
[Bracketed information is optional.] Text separated by / denotes and/or options.

EPA Reg. No. 538-18

9  
23

**OPTIONAL TEXT AND CLAIMS**

***Appropriate fertilizer, formula and company specific information will be inserted on Final Printed Label to replace "X"***

***References to Scotts Bonus S may be replaced by appropriate alternate or supplemental product names.  
References to the Scotts Brand may be replaced with appropriate alternate brand.***

12  
23

**Note to PM:**

***Bold, italicized text is information for the reader and is not part of the label.***  
[Bracketed information is optional.] Text separated by / denotes and/or options.

EPA Reg. No. 538-18

**SPREADER SETTING INFORMATION**

This package applies [3.45] lbs of product per 1,000 sq ft.

**[OPTION 1]**

**Spreading Tips**

[DESIRABLE PLANTS: DO NOT APPLY ON OR UNDER THE BRANCH SPREAD (ROOTZONE) OF TREES, SHRUBS, BEDDING PLANTS, FLOWERS, OR GARDEN PLANTS, PARTICULARLY IN COMPACT, SLOWLY DRAINING SOILS IN THE DALLAS-FT WORTH AREAS.]

[Scotts recommends the PF Spreader to receive the maximum value from Scotts Bonus S.]  
[For best results, use a Scotts spreader:]

**Scotts Drop:**

[Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Then operate spreader the longest way of the lawn. Overlap wheel marks to insure uniform feeding. Shut off spreader when you have reached the header strips or stopped.]  
(ILLUS.)

**Scotts EasyGreen™ Rotary:**

[Shut off spreader anytime you stop. For complete coverage make each pass about 30 inches from the previous one so some overlapping occurs. Avoid applying this product on flower, vegetable and shrub plantings.]  
(ILLUS.)

**Scotts SpeedyGreen™ Rotary:**

[Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one so some overlapping occurs. Avoid applying this product on flower, vegetable and shrub plantings.]  
(ILLUS.)

**Spreader Setting (covers X,XXX sq ft)**

Spreader	Spreader Setting
Scotts Drop Spreader	X
Scotts EasyGreen®	XX
Scotts SpeedyGreen®	X

**Additional Spreader Settings:**

Cyclone Rotary (Model B)	X
Central Drop (#205)	X
Sears Drop (#19810)	X
Ortho Drop (#5000)	X
Green View Drop	X
Precision Drop	X

(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

**Note to PM:**

***Bold, italicized text is information for the reader and is not part of the label.***  
[Bracketed information is optional.] Text separated by / denotes and/or options.

11  
23

**[OPTION 2]**

**Spreading Tips**

[DESIRABLE PLANTS: DO NOT APPLY ON OR UNDER THE BRANCH SPREAD (ROOTZONE) OF TREES, SHRUBS, BEDDING PLANTS, FLOWERS, OR GARDEN PLANTS, PARTICULARLY IN COMPACT, SLOWLY DRAINING SOILS IN THE DALLAS-FT WORTH AREAS.]

[For best results, use a Scotts spreader.]

[Spreader]	Spreader Setting REGULAR RATE covers X,XXX sq. ft.	DIRECTIONS
Scotts Drop Spreaders	X	Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.
Scotts EasyGreen® Rotary	X	Make each pass about XX inches from previous pass to overlap spread width.
Scotts SpeedyGreen® Rotary	X	Make each pass about X feet from previous pass to overlap spread width.

**[OPTION 3]**

**SPREADER SETTINGS**

[Always apply fertilizer products with a spreader. Avoid applying this product on flower, vegetable and shrub plantings.]

Scotts SpeedyGreen™ Rotary	X	Scotts EasyGreen® Rotary	X
Scotts Drop	X	Sears Drop (#19810)	X
Greenview Drop (Spread II)	X	Ortho Drop (#5000)	X
Central Drop (#205)	X	Precision Drop (Red Devil)	X
Cyclone Rotary	X	Ortho Rotary	X

Above spreader settings are approximate. You may need to adjust for proper coverage.

**Note to PM:**  
***Bold, italicized text is information for the reader and is not part of the label.***  
[Bracketed information is optional.] Text separated by / denotes and/or options.

**[OPTION 4]**

**Spreading Tips**

[Apply header strips. Then apply product in longest directions of lawn.]  
(ILLUS.)

**Spreader Setting**

[For best results, use a Scotts spreader.]

Scotts AccuGreen® Drop Spreader	X	[Directions] [Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.]
Scotts PrecisionGreen® & EdgeGuard® Rotary Spreader	X	[Mow lawn first; apply 2 header strips apply longest directions of lawn, overlapping wheel marks.]
Scotts SpeedyGreen® & EdgeGuard® Rotary Spreader	X	[Make each pass about 5 feet from previous pass to overlap spread width.]

[Additional Spreader Settings:]	
[EZ Drop, Republic (#530)	X]
[EZ Broadcast, Republic (#540)	X]
[Scotts Broadcast Tractor Spreader	X]

(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

**[OPTION 5]**

[This package applies [3.45] lbs of product per 1,000 sq ft.]

**Spreading Settings** Covers X,XXX sq ft [XX]  
[ILLUS]

**Scotts Broadcast / Rotary Spreaders**  
[Apply header strips. Then apply product in longest direction of lawn. For best results, use a Scotts spreader. Shut off spreader or stop each time you reach header strip. Each pass should be within 5 feet of the other to ensure an overlap.]  
[Scotts Basic™, Standard™, Deluxe™ EdgeGuard®, Lawn Pro® or SpeedyGreen®]

**Scotts EasyGreen®** [XX]  
[Each pass should be within 30 inches of the other to ensure an overlap.]

[ILLUS] [XX]  
**Scotts Drop Spreaders**  
[Makes sure spreader wheel completely overlaps previous wheel marks.]  
[Scotts AccuGreen®]  
For additional spreader settings, please call 1-800-543-TURF (8873)

13  
23

**Note to PM:**

***Bold, italicized text is information for the reader and is not part of the label.***  
[Bracketed information is optional.] Text separated by / denotes and/or options.

EPA Reg. No. 538-18

**[OPTION 6]**

**SPREADER SETTINGS [AND INFORMATION]**

<b>Spreader</b>	<b>Covers XXXX sq ft</b>	<b>Setting</b>
Scotts Drop Spreaders <i>(Insert trade names from List 1. as appropriate)</i>		X
Scotts Broadcast/Rotary Spreader <i>(Insert trade names from List 1. as appropriate)</i>		X
[Scotts Broadcast Tractor Spreader] <i>[(insert trade names from List 1. as appropriate)]</i>		[X]

***Appropriate spreader settings and coverage will be inserted on Final Printed Label to replace "X"***

[Use only with Scotts spreaders.]  
[Scotts products are designed to work with Scotts spreaders.]  
[For additional spreader settings, [please] call X-XXX-XXX-XXXX.]

**List 1.**

**Spreader Trade Names and Descriptions (to be entered above as appropriate)**

Scotts Turf Builder Classic [Drop]	X
Scotts Turf Builder EdgeGuard [Mini/EcoSense/DLX] [Rotary]	X
Scotts [Standard/Basic/Deluxe/Lawn Pro] [Rotary]	X
Scotts Broadcast Tractor Spreader	X

Note to PM:

**Bold, italicized text is information for the reader and is not part of the label.**  
[Bracketed information is optional.] Text separated by / denotes and/or options.

EPA Reg. No. 538-18

14  
23

**OPTIONAL PRODUCT EFFICACY CLAIMS (any or all weeds may be listed on FPL)**

**OPTIONAL PRODUCT EFFICACY CLAIMS**

**The following claims may be listed on the FPL followed by any or all weeds may be listed below**

- o Weeds controlled/killed [include/including]
- o Controls/kills [the following] [these] [25] [common lawn] [weeds]:
- o Controls/kills [broadleaf] weeds such as

Black medic	Eveningprimrose	Red sorrel/sheep sorrel
Blue toadflax	Florida betony	Rescuegrass
Buckhorn	Florida pusley	Shepherd's purse
Burclover	Fragrant cudweed/rabbit-tobacco	Sowthistle
Carolina geranium/cranesbill	Henbit	Stinging nettle
Chickweed	<i>Lippia</i> /Matchweed	Venus lookingglass
Dandelion	Oxalis/Yellow woodsorrel	Wild mustard
Dichondra	Pepperweed/peppergrass	
Dollarweed/Pennywort	Purslane	

[Do not apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue, or dichondra.]

[Use on St. Augustine[grass], zoysia[grass], centipede[grass], and carpet[grass] lawns only.]

[[For] use [only] on St. Augustinegrass, [(including] [Floratam}], centipede[grass], zoysia[grass], and carpet[grass] lawns [ONLY].]

Note to PM:

15  
23

**Bold, italicized text is information for the reader and is not part of the label.**  
[Bracketed information is optional.] Text separated by / denotes and/or options.

**OPTIONAL FERTILIZER GUARANTEE INFORMATION**

**The following table may be used in whole or in part. Fertilizer information denoted by "X" will be added to FPL. NPK will not exceed the endpoints tested for acute toxicology studies.**

**GUARANTEED ANALYSIS**

**Product Name**

XX-XX-XX (insert N-P-K ratio)

FXXX (insert FL Fertilizer License No.)

Total nitrogen (N)		XX%
X.X% ammoniacal nitrogen		
X.X% urea nitrogen		
X.X% other water soluble nitrogen*		
X.X% water insoluble nitrogen		
Available phosphate (P <sub>2</sub> O <sub>5</sub> )		X%
Soluble potash (K <sub>2</sub> O)		X%
Calcium (Ca)		X%
Magnesium (Mg) (Total)		X%
X.X% water soluble magnesium (Mg)		
X.X% chelated magnesium (Mg)		
Sulfur (S)		X%
X.X% combined sulfur (S)		
X.X% free sulfur (S)		
Boron (B) (Total)		X%
Copper (Cu) (Total)		X%
X.X% water soluble copper (Cu)		
X.X% chelated copper (Cu)		
Iron (Fe) (Total)		X%
X.X% water soluble iron (Fe)		
X.X% chelated iron (Fe)		
Manganese (Mn) (Total)		X%
X.X% water soluble manganese (Mn)		
X.X% chelated manganese (Mn)		
Zinc (Zn) (Total)		X%
X.X% water soluble zinc (Zn)		
X.X% chelated zinc (Zn)		
Chlorine, not more than		X%

Derived from: ammonium phosphate/urea/methyleneureas/potassium sulfate/ammonium sulfate/muriate of potash/polymer-coated sulfur-coated urea/potassium chloride/dolomite.

\*Contains X.X% slowly available methylenediurea/dimethylenetriurea nitrogen/water insoluble nitrogen.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-sc.com>

[Florida Applications: X annual feedings with the exception of bahiagrass and centipedegrass (X feedings in the north and X feedings in the central and south)] **Feedings information denoted by "X" will be added to FPL. Feedings will not exceed agronomic recommendations or atrazine-D RED application requirements.**

[Florida Annual Fertilizer Applications

On centipede lawns, do not exceed rate of 2 lbs. of Nitrogen per 1,000 sq. ft. in the north and 3 lbs. of Nitrogen per 1,000 sq. ft. in the central and south. On Bahia lawns, do not exceed rate of 3 lbs. of Nitrogen per 1,000 sq. ft. in the north.]

16  
23

**Note to PM:**

***Bold, italicized text is information for the reader and is not part of the label.***  
[Bracketed information is optional.] Text separated by / denotes and/or options.

[North Florida is north of Ocala. Central Florida is defined as south of Ocala to a line extending from Vero Beach to Tampa. South Florida includes the remaining southern portion of the state.]

**GENERAL CLAIMS**

- Apply in late winter, spring, or fall
- Apply when/anytime weeds are growing

**PESTICIDAL CLAIMS**

- Controls/kills dollarweed/pennywort and [25] other [common] [lawn] weeds\*\*
- Controls/kills dollarweed/pennywort, chickweed and [over] [25] [common] [lawn] weeds\*\* while greening your lawn without rapid, extreme growth.
- Kills/Controls weeds and fertilizes your lawn
- Kills dollarweed/pennywort and other [common] [lawn] weeds [as listed][\*\*]

\*\*As listed – OR– including (*insert any weeds listed in Optional Product Efficacy Claims section*)

**FERTILIZER CLAIMS**

- Builds strong, deep roots
- Builds strong, green turf from the roots up without burning your lawn\*
- Builds thick, green turf from the roots up without burning your lawn\*
- Dual Action fertilizer – Protect[s] [lawn] for Winter and Build[s] for Spring
- Each lawn fertilizer particle provides gradual release that won't burn or cause surge growth when applied as directed
- Enhanced/Improved Formula – X% More Greening Power\* (\*vs [*insert Scotts product name*])
- Enhanced 3-in-1/three-in-one Formula – [Helps lawn] recover from Summer, Replenish for Winter and Rebuild for Spring
- [Feeding with Scotts® fertilizer helps grow a thick lawn with more roots to better absorb water and nutrients than an unfed lawn. This helps protect your lawn against heat, drought and other stresses.]
- Feeds and Greens for up to two months without burning your lawn
- [Feeds and Strengthens [the Lawn] Against Heat and Drought]
- Feed[s] lawn
- Feeds for a thick, green lawn
- Formulated with Scotts technology [for long lasting greening and feeding]
- Formulated for the home environment.
- Formulated with Scotts technology [for long lasting greening and feeding]
- Greens longer\* \*vs/than regular *insert Scotts product name*
- Grows Strong Roots
- Helps strengthen your lawn against heat/drought/wear/tear
- Scotts Longest-Lasting Green up/Green/Greening Power/Deep Green Color/Deep Greening/Added Greening/Power/Feeding/ Nutrients/Food/even greening/consistent green
- Formulated with Scotts Poly-S® timed released fertilizer
- [Water Smart™]
- [Water Smart™ logo][Water Smart Makes The Most Of Every Drop™] [Improves Lawn's Ability to Absorb Water & Nutrients]
- We guarantee thick, green-turf without risk of burning or surge growth."
- Weed control plus lawn fertilizer
- Weed-and-Feed
- [Well-fed lawns are more efficient at using available water.]
- [Won't Burn Lawn Guaranteed!]
- Your lawn makes a good environment...and Scotts products help you get the best lawn.

\*When used according to manufacturer's directions.



Note to PM:

**Bold, italicized text is information for the reader and is not part of the label.**  
[Bracketed information is optional.] Text separated by / denotes and/or options.

EPA Reg. No. 538-18

17  
23

**Optional Claims for Alternate Brand Names: Super Scotts Bonus S or Super Scotts Bonus S Weed & Feed**

- [Scotts® Best Fertilizer!]
- [The Super Bonus S Advantage Contains more essential nutrients than regular Scotts Bonus S]
- Scotts® Lawn Pro® [Available only at authorized Scotts Lawn Pro dealers/Designed for Scotts Lawn Pro dealers/retailers]

**Optional Claims and Product Information for Alternate Brand Name: Expert Gardener® St. Augustine Weed & Feed**

- [Contact us – Consumer Helpline 1-866-369-2533]
- [Expert Gardener® Guarantee] [When you chose Expert Gardener® products, you can be assured of high quality and performance in you lawn and garden. If for any reason you are not completely satisfied with this product, we will refund you money. Please mail your name, address and proof of purchase (dated receipt and package UPC/barcode) to the address below. Also, to ensure quality control, please write us a brief note explaining your experience with our product and reason for seeking a refund.]
- [Feeds for a thick, green lawn]
- [Grows Strong Roots]
- [Nitrogen (N) for Deep Green Color]
- [Phosphorus (P) for Strong Roots]
- [Potassium (K) for Overall Plant Vigor]

**PHOSPHORUS CLAIMS**

- Contains no phosphorous/phosphate
- Phosphorous/phosphate free [formula]
- PHOSPHORUS – Stimulates root growth:[helps grass multiply]

**NITROGEN CLAIMS**

- Contains both readily available nitrogen for quick green up and controlled release nitrogen for uniform growth and extended feeding.
- [Contains] timed/slow/controlled-release nitrogen for extended, even feeding
- Contains timed/slow-release/controlled/extended release nitrogen [for extended feeding and greening]
- Feeds [and greens] up to X months/weeks longer\* \*vs/than regular **insert Scotts product name**
- Greens longer\* \*vs/than regular **insert Scotts product name**
- Scotts Longest-Lasting Green up/Green/Greening Power/Deep Green Color/Deep Greening/Added Greening/Power/Feeding/ Nutrients/Food/even greening/consistent green
- More slow/extended/time[d] /even release Nitrogen for longer lasting even greening/consistent green\* \*vs/than regular **insert Scotts product name**
- More slow/extended/time[d] /even release Nitrogen for longer lasting Green up/Green/Greening Power/Deep Green Color/Deep Greening/Added Greening Power/Feeding\* \*vs/than regular **insert Scotts product name**
- NITROGEN – Essential for plant [and/& root] growth; [makes grass green] [and/& strengthens roots]
- X% MORE Slow-Release Nitrogen than/vs. regular **insert Scotts product name**.
- X% added slow/extended/time[d]/even release Nitrogen\* \*vs/than regular **insert Scotts product name**

**POTASSIUM CLAIMS**

- [Delivers] more Potassium than/vs. regular **insert Scotts product name** to help protect against drought stress
- POTASSIUM – Makes plant strong; [better able to resist drought and extreme heat]/[improves heat &/and drought tolerance]/[protects against winter]
- X% added Potassium [for improved overall lawn strength/vitality/durability/toughness] than/vs. regular **insert Scotts product name**
- X% More potassium than/vs. regular **insert Scotts product name**

**Note to PM:**

***Bold, italicized text is information for the reader and is not part of the label.***  
[Bracketed information is optional.] Text separated by / denotes and/or options.

EPA Reg. No. 538-18

18  
23

***MICRO-NUTRIENT CLAIMS(X will be provided on Final Printed Label)***

- Added essential nutrients for a[n] better/stronger/more durable/resilient/more balanced/improved lawn
- Added essential nutrients for a[n] strong/durable/resilient lawn
- Added Iron for Summer Green Extender
- Contains X% Iron [for added greening]
- Contains Xlbs, Xoz Iron [per bag]
- Contains X% iron/[micro nutrients] for the deep/dark green[ing] [turf]
- Contains micronutrients to help improve [your] soil [conditions]
- More complete micronutrients for all your turf essentials.
- More micronutrients/iron/essential nutrients/nutrients for a[n] better/stronger/more durable/resilient/more balanced/improved lawn
- Provides/Delivers key/essential nutrients for a lush/thick/beautiful/green/strong lawn
- With added [MicroMax] [Micronutrients] to/for/help[s] strengthen/the strongest lawn defense against heat, drought, and wear & tear

***PACKAGING CLAIMS***

- Bonus size
- Convenient [new] size
- Easy [to] pour [spout]
- Easy-tear, recloseable pour spout
- Easy to Carry Package
- Easy open, easy close
- Easy open, resealable bag
- Easy/EZ Seal [zipper/closure]
- Easy-to-Carry size/handle
- [Just] flip, tilt, feed
- [Just] shake and/n feed
- [Now with] X% more
- [Perfect] [size] for small lawns
- Reclosable/Resealable bag
- Secure seal [zipper/closure]
- Sure seal [zipper/closure]
- Zip close

19  
23

**Note to PM:**

EPA Reg. No. 538-18

***Bold, italicized text is information for the reader and is not part of the label.***  
[Bracketed information is optional.] Text separated by / denotes and/or options.

(ILLUS.)

[THE NAME TO GROW WITH!]

XX  
NITROGEN  
Essential for plant growth; makes  
grass green.

X  
PHOSPHORUS  
Stimulates root growth; helps  
grass multiply.

X  
POTASSIUM  
Makes plant strong; better able to  
resist drought and extreme heat

**[Lawncare Information:] [Water Smart®] Tips for Lawncare Success:**

- Feed regularly for your best lawn – Regular feedings of Scotts [Turf Builder] [insert alternate brand/product name] will help build a lawn you and your family can enjoy. Scotts [Turf Builder] [insert alternate brand/product name] provides the nutrients your lawn needs to look its best and withstand the stresses of weeds, heat, drought and family activity.
- Mow your lawn high. Mowing high allows the grass to develop a deep root system & helps your lawn use water more effectively.
- Leave the grass clippings on your lawn. This recycles the plant nutrients back into the soil.
- Conserve water. Your lawn will begin to wilt when water is needed. As much as possible, take advantage of nature's sprinkler and rely on the rain to water your lawn.

[art] one annual feeding

[art] 2-3 annual feedings

[art] 4 annual feedings

**What to expect**

Weeds will be dead/killed within 6 weeks and your lawn will be greener in 7 days

**Controls and prevents weeds while feeding your lawn.** Scotts Bonus S gives you a better lawn. That's because each small particle delivers weed control for complete coverage. And Scotts Bonus S feeds your lawn with Scotts Trionized® formula to help fill-in and crowd out new weeds.

**Scotts Bonus S provides even greening.** Each particle of Scotts Bonus S contains nitrogen, phosphorus and potassium. This means that each grass plant receives the feeding it needs so your lawn will grow uniformly thick and green.

**Scotts Bonus S stimulates steady grass growth.** Typical all-soluble fertilizers can cause surge growth. When you mow grass that has grown too fast and too tall, you weaken the grass plant by "scalping." With Scotts Bonus S you have less mowing and less chance of scalping when you mow.

**Scotts & Your Environment [art]**

We care. Scotts products are designed with care to grow thicker, greener lawns.

A Green Lawn Is A Good Lawn A healthy lawn can clean the air, produce oxygen and prevent runoff and soil erosion.

You can make a difference. Help keep our water resources clean. Apply this product only to your lawn, and sweep any product that lands in the driveway, sidewalk or street back on to your lawn.

**Note to PM:**

***Bold, italicized text is information for the reader and is not part of the label.***  
[Bracketed information is optional.] Text separated by / denotes and/or options.

EPA Reg. No. 538-18

29  
23

**Get expert advice for your lawn now.**

Want information on what to use and when? Sign up today to get free expert advice specifically for your lawn.

**Scotts Bonus S provides up to 2 months of greening.** The nitrogen in Scotts Bonus S is time-released to help your lawn grow thick and green for up to 2 months.

**Coverage**

Treats and fertilizes X,XXX sq. ft.

**How much is enough?**

To determine the square footage of your lawn, walk the length and width of your lawn; one average pace equals about 3 feet. Multiply the length of the lawn by the width of the lawn. This equals the area of your lawn in measure square areas, then add the figures together to reach your total lawn size.

**2-MONTH PERIOD**

(ILLUS.)

STEADY GROWTH

Scotts Bonus S

A well-maintained lawn provides environmental benefits as well as an attractive and pleasant setting for your home. Healthy grass takes carbon dioxide and pollutants from the air while creating oxygen; it traps dust and prevents erosion; and it reduces the heat, noise, and glare of modern urban areas while providing a safer recreation area.

The timed-release nitrogen in Scotts Bonus S weed-and-feed is designed to be absorbed by the grass plants slowly and steadily, to build thick turf that helps prevent runoff and leaching into groundwater.

**Note to PM:**

***Bold, italicized text is information for the reader and is not part of the label.***  
[Bracketed information is optional.] Text separated by / denotes and/or options.

EPA Reg. No. 538-18

21  
23

**SEASONAL PRODUCT APPLICATION OPTIONS**

***Optional Product Program Information***

[[Scotts] Recommended Annual Feeding/Lawn Care Program]

[Plan your feeding schedule. Chose the right product for your lawn.]

[Any Season - Apply any season if weeds or bugs are not a problem: Scotts® [Southern] [Super]Turf Builder® Lawn Fertilizer] [artwork]

[Early Spring February-April - If you have weeds/To kill weeds: Scotts® [Super] Scotts Bonus S Southern Weed & Feed] [artwork]

[Late Spring April-June - If weed or bugs are not a problem: Scotts® [Southern] [Super]Turf Builder® Lawn Fertilizer] [artwork]

[Summer June-August - Scotts® [Southern] [Super] Turf Builder® Lawn Fertilizer. If you have bugs/To kill bugs: Scotts® [Super] Turf Builder® with SummerGuard®] [artwork]

[Fall September – November - Scotts® [Super] Turf Builder® WinterGuard®] [artwork]

**SCOTTS ADVANTAGE® PARTICLE TECHNOLOGY**

**The Scotts Difference®**

Perfect Particle™ Technology

(art: particle with NPK)

Every particle of Scotts Bonus S® contains Scotts patented timed-release nitrogen plus phosphorus, potassium, and weed control (see back for details).

**The Scotts Difference®**

Scotts patented Perfect Particle™ Technology is available only in Scotts® products.

Uniform proportions of the major nutrients – timed-release nitrogen plus phosphorus and potassium – and weed control are bonded together in every Bonus S particle, so that they are distributed evenly across the entire lawn, eliminating hit-or-miss feeding and weeding. And the time-released nitrogen feeds your lawn without burning, and steadily for up to 2 months. Because of Scotts' patented time-released nitrogen, you won't get the rapid surge growth. With regular mowing, you will have fewer clippings and may not even have to bag your clippings.

With Scotts Bonus S you can be assured that every particle contains time-released nitrogen, plus the other primary nutrients and weed control.

(photo: SBS particles)

All-in-One Particles®

- Scotts Bonus S granules are consistent in size and shape
- This gives consistent distribution of particles – and nutrients and weed control – throughout the lawn

(photo: SBS pattern)

All-in-One Particles®

- Scotts Bonus S particles deliver the same ratio of nitrogen, phosphorus, and potassium (plus weed control) to every treated square inch of turf
- Result: even, consistent greening and thickening of your lawn, plus better weed control

**Note to PM:**

***Bold, italicized text is information for the reader and is not part of the label.***  
[Bracketed information is optional.] Text separated by / denotes and/or options.

**-OR-**

**The Scotts Advantage®: All-in-One Particles®\***

Your lawn requires essential nutrients to thrive. Every Scotts Bonus S® particle contains nitrogen, phosphorus, potassium, and weed killer, allowing Scotts to evenly disperse the appropriate ration of nutrients and weed control to your whole lawn. Only Scotts All-in-One® particles provide consistent feeding to every square inch of turf for a green, thick, strong lawn.

- No filler
- All Food and Weed Fighting Power

\*All-in-One = nitrogen, phosphorus, potassium and the weed killer ingredient contained in every particle

(ILLUS.)

**All-in-One Particles®**

- Each All-in-One® particle contains essential nutrients and weed control ingredient
- Evenly dispersed particles provide more consistent feeding and weed control for a green, thick, strong lawn.

**-OR-**

**The Scotts Advantage®**

Each of Scotts All-in-One Particles®\* contains the guaranteed feeding nutrients and the weed control ingredients to provide consistent feeding and weed control to every treated square inch of your lawn. The result: A thick, green lawn without burning. Guaranteed.

- All-in-One Particles = nitrogen, phosphorous, potassium and weed control contained in every particle.

Contact the experts at [scotts.com](http://scotts.com)

SCOTTS...the lawn people

**[Questions/Information]**

[icon] [Distributed by/Manufactured by [for]]:  
The Scotts Company  
14111 Scottslawn Rd.  
Marysville, Ohio 43041

[icon - phone]  
Call -or- Consumer Helpline -or- phone toll-free -or- Scott's [toll-free] consumer hotline  
1-800-543-TURF (8873)  
[Open 8:00 a.m. to 5:00 p.m. Eastern time]

[icon - computer mouse icon]  
[Visit [our website]]  
[www.scotts.com](http://www.scotts.com)

**Note to PM:**

EPA Reg. No. 538-18

23  
23

**Bold, italicized text is information for the reader and is not part of the label.**  
[Bracketed information is optional.] Text separated by / denotes and/or options.

**Scotts Policy**

**Scotts [No-Quibble/Consumer] Guarantee®**

If for any reason you [the customer/consumer] are not satisfied [with results] after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund promptly.

**UNCONDITIONALLY GUARANTEED**

If you are not satisfied with the results from using this product, we will refund your purchase price. Send evidence of your purchase to:

The Scotts Company  
14111 Scottslawn Rd.  
Marysville, OH 43041

**Note to PM: The following optional guarantee will be used if product is sold under the Expert Gardener alternate brand name**

**[Expert Gardener®][Scotts] Guarantee**

When you choose [Expert Gardener®][Scotts] products, you can be assured of high quality and performance in you lawn and garden. If for any reason you are not completely satisfied with this product, we will refund your money. Please mail your name, address and proof of purchase (dated receipt and package UPC/barcode) to the address below. Also, to ensure quality control, please write us a brief note explaining your experience with our product and reason for seeking a refund.

The Scotts Company  
14111 Scottslawn Rd.  
Marysville, OH 43041]

[NOTICE: To the extent permissible by law/To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.]

U.S. Patent No. X,XXX,XXX (*patent information will be added to FPL*)

Scotts®, SpeedyGreen®, EasyGreen®, AccuGreen®, Basic™, Standard™, and Deluxe™ Edgeguard® are trademarks of OMS Investments, Inc.

Expert Gardener® and Expert Gardener logo design are trademarks of Wal-Mart Stores, Inc.

Expert Gardener® is marketed exclusively by Wal-Mart Stores, Inc. Bentonville, AR 72716  
Shop @www.walmart.com

© 20XX Licensed by *insert company name*  
World rights reserved.

Made in U.S.A./Product of \_\_\_\_\_