



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Cheryl Prinster
The Scotts Company
14111 Scottslawn Rd
Marysville, OH 43041

FEB 9 2012

Dear Ms. Prinster:

Subject: Label Amendment; Deletion of "or garden"
Scotts Bonus S
EPA Registration No. 538-18
Submission Date: February 9, 2012

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records. Please submit one (1) final printed copy for the above mentioned label before releasing the product for shipment. If you have any questions regarding this label, please contact me at (703) 306-0415 or davis.kable@epa.gov.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Kable Bo Davis".

Kable Bo Davis
Product Manager 25
Herbicide Branch
Registration Division (7505P)

Enclosed- Stamped Label

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.

EPA Reg. No. 538-18


2/22

Scotts Bonus S

EPA Reg. No. 538-18

ACTIVE INGREDIENT:	
Atrazine[†].....	1.293%
Related Compounds:.....	0.027%
OTHER INGREDIENTS:	
Total.....	98.680%
	100.000%

[† CAS #1912-24-9]



**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back/side/top/bottom [panel/label] for additional precautionary statements.

[Covers/treats/feeds/fertilizes XXXX sq ft/XX ft x XXX ft]

**Coverage denoted by "X" will be added to FPL.
Coverage will not to exceed 2 lbs. atrazine per acre.**

1/8 acre = 5,445 sq. ft.

NET WEIGHT/WT. 17.24 LBS (7.8 kg)

Note to PM: The 17.24 lb bag covers 5,000 sq ft. See table for coverage examples.

Coverage Examples:

Bag Weight (lbs)	Coverage (sq. ft.)	A.I. percent	# AI per acre	# Product per 1000 sq ft
17.24	5,000	1.32	2	3.45
34.48	10,000	1.32	2	3.45
51.72	15,000	1.32	2	3.45

EPA Reg. No. 538-18

EPA Est. No. XXX-XX-X [Superscript used is first letter of run code on end of container]

3/22

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.

Optional Company Identifier: Scotts®

Alternate Brand Names: Bonus S Southern Weed & Feed
Weed & Feed for St. Augustinegrass
Lawn Fertilizer plus Weed Control for St. Augustinegrass
Landscaper Lawn Fertilizer with Weed Control for St. Augustinegrass
Expert Gardener St. Augustine Weed & Feed
Super Bonus S
Super Bonus S Southern Weed & Feed
Scotts Bonus S Weed Control Plus Lawn Fertilizer
Bonus S Florida Weed & Feed
Turf Builder Bonus S Southern Weed & Feed₂
Turf Builder Bonus S Southern Weed & Feed_B
Step 1 Southern Weed Control Plus Lawn Fertilizer
Step 1 Southern Weed Control Plus Lawn Food
Step 1 Southern Weed & Feed
Step 3 Southern Fall Weed Control Plus Lawn Fertilizer
Step 3 Southern Fall Weed Control Plus Lawn Food
Step 3 Southern Fall Weed & Feed
Step 3 Southern Weed & Feed
Step 4 Southern Fall Weed Control Plus Lawn Fertilizer
Step 4 Southern Fall Weed Control Plus Lawn Food
Step 4 Southern Fall Weed & Feed
Step 4 Southern Weed & Feed
Super Turf Builder Bonus S Southern Weed and Feed
Vigoro® Southern Weed & Feed
Sta-Green® Southern Weed & Feed
Ace Green Turf® St. Augustine Weed & Feed
Ace Green Turf® Southern Weed & Feed
Ace St. Augustine Weed & Feed
Ace Southern Weed & Feed
True Value® St. Augustine Weed & Feed
True Value® Southern Weed & Feed
Green Thumb® St. Augustine Weed & Feed
Green Thumb® Weed & Feed
True Value® Green Thumb® St. Augustine Weed & Feed
True Value® Green Thumb® Weed & Feed
Ultra Turf Builder with Bonus S Southern Weed & Feed
Turf Builder Ultra with Bonus S Southern Weed & Feed
Select Turf Builder with Bonus S Southern Weed & Feed
Turf Builder Select with Bonus S Southern Weed & Feed

Optional Product Descriptors Weed-and-Feed
Southern Weed & Feed
Weed & Feed

X-X-X ***Fertilizer information denoted by "X" will be added to FPL. NPK will not exceed the endpoints tested for acute toxicology studies.***

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.

EPA Reg. No. 538-18

4/22

[FIRST AID AND ENVIRONMENTAL HAZARDS]

[Keep Out of Reach of Children]
[CAUTION]

Precautionary Statements

Hazards to Humans and Domestic Animals [icon]

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing.

FIRST AID [icon]

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

If swallowed: Call A poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor, or going for treatment. Call: 1-XXX-XXX-XXXX (**number is available 24/7/365**)

Environmental Hazards [icon]

This product is toxic to aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treated area. Sweeping any product that lands on a driveway, sidewalk, or street, back into the treated area of the lawn will help to prevent run off to water bodies or drainage systems. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when cleaning equipment or disposing of equipment washwaters. Do not clean equipment over hard surfaces or near storm drains.

Atrazine can travel (seep or leach) through soil and enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine on sand and loamy soils where the water table (groundwater) is close to the surface and where these soils are very permeable; i.e., well drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water.

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.

EPA Reg. No. 538-18

5/
22

[KEY PRODUCT FACTS]

[APPLICATION]

[HOW AND WHEN TO APPLY]

[Apply in late winter, spring, or fall]

OPTION 1 – DIRECTIONS FOR USE

DIRECTIONS FOR USE

It is violation of federal law to use this product in a manner inconsistent with its labeling.

Control

- Apply anytime weeds are actively growing. If complete control is not obtained a second treatment may be required 2 months after the first.
- [Apply in the Fall to control winter weeds such as henbit, chickweed, rabbit-tobacco, eveningprimrose.]
- Controls **insert one or more weeds from following weed list** [Controls weeds as listed above/below] or Kills/Controls listed weeds **Note to PM: The weed list may appear elsewhere on the label and be referenced in the Directions for Use**

Black medic	Eveningprimrose	Red sorrel/sheep sorrel
Blue toadflax	Florida betony	Rescuegrass
Buckhorn	Florida pusley	Shepherd's purse
Burclover	Fragrant cudweed/rabbit-tobacco	Sowthistle
Carolina geranium/cranesbill	Henbit	Stinging nettle
Chickweed	Lippia/Matchweed	Venus lookingglass
Dandelion	Oxalis/Yellow woodsorrel	Wild mustard
Dichondra	Pepperweed/peppergrass	
Dollarweed/Pennywort	Purslane	

Reentry

- Do not allow people or pets to enter treatment areas until watering-in is complete and the surface is dry.

Restrictions

- Do not apply to centipede or carpetgrass lawns during the period of winter dormancy—approximately October 15 to March 15. This restriction does not apply to lawns in Florida]
- Do not apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra because injury may occur. }
- Apply only when grass is dry.
- Do not apply this product in a way that will contact any person either directly or through drift. Keep people and pets out of area during application.
- Do not apply by hand or hand-held rotary devices such as hand-held rotary applicator.
- This product must be WATERED IN IMMEDIATELY after application. This product applies 2 lbs active ingredient per acre. Maximum of two applications per year.
- Do not use under trees, shrubs, bedding plants, flower or garden plants

Seeding/Sprigging.

Apply Scotts Bonus S after sprigging a new St. Augustine or zoysia lawn to prevent competition from germinating weeds. Water the new sprigs, allow the grass blades to dry, then make the application of Scotts Bonus S.

- Don't apply to newly seeded centipede and carpetgrass lawns until after the new grass has been mowed at least twice.
- Don't plant sprigs for one month, or sow new grass seed for six months following application of Scotts Bonus S.

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.

6/22

OPTION 2 – DIRECTIONS FOR USE

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

[[USE] RESTRICTIONS]

Don't apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra because injury may occur. Don't apply to newly seeded centipede and carpetgrass lawns until after the new grass has been mowed at least twice. Don't plant sprigs for one month, or sow new grass seed for six months following application.] Don't apply to centipede or carpetgrass lawns during the period of winter dormancy – approximately October 15 to March 15 – with the exception of lawns in Florida.

Do not apply this product in a way that will contact any person either directly or through drift. Keep people and pets out of area during application. Do not allow people or pets to enter treatment areas until watering-in is complete and the surface is dry. Do not apply by hand or hand-held rotary devices such as hand-held rotary applicator. Do not use under trees, shrubs, bedding plants, flower or garden plants.

[INSTRUCTIONS]

Scotts Bonus S controls a wide range of lawn weeds, including broadleaf weeds and annual weeds commonly found in home lawns. In addition, a XX-X-X fertilizer provides a supply of plant food needed for growth.

- Apply only when grass is dry.
- This product must be WATERED IN IMMEDIATELY after application. This product applies 2 lbs active ingredient per acre. Maximum of two applications per year.

[CONTROL]

- Apply when weeds are actively growing. Controls weeds listed below. If complete control is not obtained, a second treatment maybe required 2 months after the first.
- [Apply in the Fall to control winter weeds such as henbit, chickweed, rabbit-tobacco, eveningprimrose.]

REENTRY

- People and pets may re-enter treated area after product is watered-in and surface is dry

[SPRIGGING]

- Apply after sprigging a new St. Augustine or zoysia lawn to prevent competition from germinating weeds. Water the new sprigs, allow the grass blades to dry, then make the application.

[Weeds Controlled:] Note to PM: The weed list may appear elsewhere on the label and be referenced in the Directions for Use

- Kills/Controls listed weeds **or** Kills weeds including ***insert weeds from weed list here***

Black medic	Eveningprimrose	Red sorrel/sheep sorrel
Blue toadflax	Florida betony	Rescuegrass
Buckhorn	Florida pusley	Shepherd's purse
Burclover	Fragrant cudweed/rabbit-tobacco	Sowthistle
Carolina geranium/cranesbill	Henbit	Stinging nettle
Chickweed	Lippia/Matchweed	Venus lookingglass
Dandelion	Oxalis/Yellow woodsorrel	Wild mustard
Dichondra	Pepperweed/peppergrass	
Dollarweed/Pennywort	Purslane	

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.

4
22

OPTION 3 – DIRECTIONS FOR USE

DIRECTIONS FOR USE

It is violation of federal law to use this product in a manner inconsistent with its labeling.

- Do not apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra because injury may occur.
- Apply only when grass is dry.
- This product must be WATERED IN IMMEDIATELY after application. This product applies 2 lbs active ingredient per acre. Maximum of two applications per year.
- Do not apply by hand or hand-held rotary devices such as hand-held rotary applicator.
- Do not apply this product in a way that will contact any person either directly or through drift. Keep people and pets out of area during application.
- Do not apply to centipede or carpetgrass lawns during the period of winter dormancy – approximately October 15 to March 15. This restriction does not apply to lawns in Florida.
- Do not use under trees, shrubs, bedding plants, flower or garden plants.

[Reentry]

- Do not allow people or pets to enter treatment areas until watering-in is complete and the surface is dry.

[Control]

- Apply when weeds are actively growing. For severe weed problems, a second treatment may be required 2 months after the first.
- [Apply in the Fall to control winter weeds such as henbit, chickweed, rabbit-tobacco, evening primrose.]
- Controls [these common lawn] weeds ***insert one or more weeds from the following weed list or Kills/Controls listed weeds*** ***Note to PM: The weed list may appear elsewhere on the label and be referenced in the Directions for Use***

Black medic	Eveningprimrose	Red sorrel/sheep sorrel
Blue toadflax	Florida betony	Rescuegrass
Buckhorn	Florida pusley	Shepherd's purse
Burclover	Fragrant cudweed/rabbit-tobacco	Sowthistle
Carolina geranium/cranesbill	Henbit	Stinging nettle
Chickweed	Lippia/Matchweed	Venus lookingglass
Dandelion	Oxalis/Yellow woodsorrel	Wild mustard
Dichondra	Pepperweed/peppergrass	
Dollarweed/Pennywort	Purslane	

[Seeding/sodding/sprigging]

- Apply Scotts Bonus S after sprigging/sodding a new St. Augustine or zoysia lawn to prevent competition from germinating weeds. Water the new sprigs/sod, allow the grass blades to dry, then make the application of Scotts Bonus S.
- Don't apply to newly seeded centipede and carpetgrass lawns until after the new grass has been mowed at least twice.
- Don't plant sprigs/sod for one month, or sow new grass seed for six months following application of Scotts Bonus S.

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.

EPA Reg. No. 538-18

8/22

OPTION 4 – DIRECTIONS FOR USE QUICK START GUIDE

DIRECTIONS FOR USE

It is violation of federal law to use this product in a manner inconsistent with its labeling.

[*Insert company name*] Quick Start Guide

[You're just three/four/a few [simple/easy] steps away from a beautiful *insert company name* lawn]

[ICON – Spreader/Dial]

[1.] Fill & Set Spreader

[*Insert company name* Broadcast/Rotary Spreaders] [X]

[*Insert company name* Drop Spreaders] [X]

[Use only with *insert company name* spreaders/applicators.]

[*Insert company name* products are designed to work with *insert company name* spreaders/applicators.]

[For additional spreader settings, [please] call *insert company phone number*.]

[This package applies 3.45lbs of product per 1,000 sq. ft.]

[ICON – Spreader/Lawn]

[2.] Apply

For even application walk at a steady pace slightly overlapping each pass.

Scotts Drop Spreaders: Align hopper arrow with previous wheel track.

Scotts Broadcast/Rotary Spreaders: Line up each pass approximately 5 ft. from wheel track.

Apply when weeds are actively growing.

Apply only when grass is dry.

This product must be WATERED IN IMMEDIATELY after application.

[ICON – Broom]

[3.] Clean-Up

Sweep product from hard surfaces onto the lawn [to keep valuable feeding nutrients on the grass.]

[ICON – lower legs stepping onto grass] [4.] You're Done! What's Next?

Do not allow people or pets to enter treatment areas until watering-in is complete and the surface is dry.

Questions? [Call] [now] *insert company phone number* [icon – phone]

insert company website [icon – computer mouse]

[[Application] Restrictions]

- Maximum of two applications per year. This product applies 2 lbs active ingredient per acre.
- This product must be WATERED IN IMMEDIATELY after application.
- Do not apply by hand or hand-held rotary devices such as hand-held rotary applicator.
- Do not apply this product in a way that will contact any person either directly or through drift. Keep people and pets out of area during application
- Do not apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue or dichondra because injury may occur
- Do not apply to centipede or carpetgrass lawns during the period of winter dormancy – approximately October 15 to March 15. This restriction does not apply to lawns in Florida.
- Do not use under trees, shrubs, bedding plants, flower or garden plants.

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.

9/22

Other Things You Need To Know

[For Control]

- Kills/Controls listed weeds **or** Kills weeds including ***insert weeds from weed list***
- Note to PM: The weed list may appear elsewhere on the label and be referenced in the Directions for Use**
- For severe weed problems, a second treatment may be required 2 months after the first.
 - [Apply in the Fall to control winter weeds such as henbit, chickweed, rabbit-tobacco, and eveningprimrose.]

Black medic	Eveningprimrose	Red sorrel/sheep sorrel
Blue toadflax	Florida betony	Rescuegrass
Buckhorn	Florida pusley	Shepherd's purse
Burclover	Fragrant cudweed/rabbit-tobacco	Sowthistle
Carolina geranium/cranesbill	Henbit	Stinging nettle
Chickweed	Lippia/Matchweed	Venus lookingglass
Dandelion	Oxalis/Yellow woodsorrel	Wild mustard
Dichondra	Pepperweed/peppergrass	
Dollarweed/Pennywort	Purslane	

[Seeding/sodding/sprigging]

- Apply Scotts Bonus S after sprigging/sodding a new St. Augustine or zoysia lawn to prevent competition from germinating weeds. Water the new sprigs/sod, allow the grass blades to dry, then make the application of Scotts Bonus S.
- Don't apply to newly seeded centipede and carpetgrass lawns until after the new grass has been mowed at least twice.
- Don't plant sprigs/sod for one month, or sow new grass seed for six months following application of Scotts Bonus S.

End Options for Directions for Use-

STORAGE AND DISPOSAL [icon]

[PESTICIDE] STORAGE: Store in a clean, dry place. Reseal opened bag [by folding top down and securing].

[PESTICIDE CONTAINER] DISPOSAL:

Non-refillable container. Do not reuse or refill this container.

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.

10/22

SPREADER SETTING INFORMATION Note to PM: *The following are optional formats to present spreader setting information. Appropriate spreader settings, spreader brand names, and coverage will be inserted on Final Printed Label*

This package applies [3.45] lbs of product per 1,000 sq ft.

Spreading Tips

[Scotts recommends the PF Spreader to receive the maximum value from Scotts Bonus S.]
[For best results, use a Scotts spreader:]

Scotts Drop:

[Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Then operate spreader the longest way of the lawn. Overlap wheel marks to insure uniform feeding. Shut off spreader when you have reached the header strips or stopped.]
(ILLUS.)

Scotts EasyGreen™/ insert brand name Rotary:

[Shut off spreader anytime you stop. For complete coverage make each pass about 30 inches from the previous one so some overlapping occurs. Avoid applying this product on flower, vegetable and shrub plantings.]
(ILLUS.)

Scotts SpeedyGreen™/ insert brand name Rotary:

[Shut off spreader anytime you stop. For complete coverage make each pass about five feet from the previous one so some overlapping occurs. Avoid applying this product on flower, vegetable and shrub plantings.]
(ILLUS.)

Spreader Setting (covers X,XXX sq ft)

Spreader	Spreader Setting
Scotts Drop Spreader	X
Scotts EasyGreen® / <i>insert brand name</i>	XX
Scotts SpeedyGreen®/ <i>insert brand name</i>	X

For even application walk at a steady pace slightly overlapping each pass.
Scotts/***insert brand name*** Drop Spreaders: Align hopper arrow with previous wheel track.
Scotts ***insert brand name*** Broadcast/Rotary Spreaders: Line up each pass approximately 5 ft. from wheel track.

(Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

[DESIRABLE PLANTS: DO NOT APPLY ON OR UNDER THE BRANCH SPREAD (ROOTZONE) OF TREES, SHRUBS, BEDDING PLANTS, FLOWERS, OR GARDEN PLANTS, PARTICULARLY IN COMPACT, SLOWLY DRAINING SOILS IN THE DALLAS-FT WORTH AREAS.]

[Spreader]	Spreader Setting REGULAR RATE covers X,XXX sq. ft.	DIRECTIONS
Scotts Drop Spreaders	X	Mow lawn first; apply 2 header strips; apply longest direction of lawn, overlapping wheel marks.
Scotts EasyGreen® / <i>insert brand name</i> Rotary	X	Make each pass about XX inches from previous pass to overlap spread width.
Scotts SpeedyGreen® / <i>insert brand name</i> Rotary	X	Make each pass about X feet from previous pass to overlap spread width.

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.

11/22

Spreading Settings [And Information]

Covers X,XXX sq ft

[Settings]

[ILLUS][Spreader]

[XX]

Scotts Broadcast / Rotary Spreaders

[Apply header strips. Then apply product in longest direction of lawn. For best results, use a Scotts spreader. Shut off spreader or stop each time you reach header strip. Each pass should be within 5 feet of the other to ensure an overlap.]

[Scotts Basic™, Standard™, Deluxe™ EdgeGuard®, Lawn Pro® or SpeedyGreen®/ *insert brand name*]

Scotts EasyGreen® / *insert brand name*

[XX]

[Each pass should be within 30 inches of the other to ensure an overlap.]

[ILLUS]

[XX]

Scotts Drop Spreaders

[Makes sure spreader wheel completely overlaps previous wheel marks.]

[Scotts AccuGreen®/ *insert brand name*]

[For additional spreader settings, please call *insert co. phone number*]

[Scotts Broadcast Tractor Spreader] / *insert brand name*

[X]

[Use [only] with Scotts spreaders.]

[Scotts products are designed to work with Scotts spreaders.]

Note to PM:

12/22

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.

OPTIONAL FERTILIZER GUARANTEE INFORMATION

The following table may be used in whole or in part. Fertilizer information denoted by "X" will be added to FPL. NPK will not exceed the endpoints tested for acute toxicology studies.

GUARANTEED ANALYSIS

Product Name

XX-XX-XX (insert N-P-K ratio)	FXXX (insert FL Fertilizer License No.)
Total nitrogen (N)	XX%
X.X% ammoniacal nitrogen	
X.X% urea nitrogen	
X.X% other water soluble nitrogen*	
X.X% water insoluble nitrogen	
Available phosphate (P ₂ O ₅)	X%
Soluble potash (K ₂ O)	X%
Calcium (Ca)	X%
Magnesium (Mg) (Total)	X%
X.X% water soluble magnesium (Mg)	
X.X% chelated magnesium (Mg)	
Sulfur (S)	X%
X.X% combined sulfur (S)	
X.X% free sulfur (S)	
Boron (B) (Total)	X%
Copper (Cu) (Total)	X%
X.X% water soluble copper (Cu)	
X.X% chelated copper (Cu)	
Iron (Fe) (Total)	X%
X.X% water soluble iron (Fe)	
X.X% chelated iron (Fe)	
Manganese (Mn) (Total)	X%
X.X% water soluble manganese (Mn)	
X.X% chelated manganese (Mn)	
Zinc (Zn) (Total)	X%
X.X% water soluble zinc (Zn)	
X.X% chelated zinc (Zn)	
Chlorine, not more than	X%

Derived from: ammonium phosphate/urea/methyleneureas/potassium sulfate/ammonium sulfate/muriate of potash/polymer-coated sulfur-coated urea/potassium chloride/dolomite.

*Contains X.X% slowly available methylenediurea/dimethylenetriurea nitrogen/water insoluble nitrogen.

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-sc.com> or <http://www.aapfco.org/metals>

[Florida Applications: X annual feedings with the exception of bahiagrass and centipedegrass (X feedings in the north and X feedings in the central and south)] ***Feedings information denoted by "X" will be added to FPL. Feedings will not exceed agronomic recommendations or atrazine-D RED application requirements.***

[Florida Annual Fertilizer Applications

On centipede lawns, do not exceed rate of 2 lbs. of Nitrogen per 1,000 sq. ft. in the north and 3 lbs. of Nitrogen per 1,000 sq. ft. in the central and south. On Bahia lawns, do not exceed rate of 3 lbs. of Nitrogen per 1,000 sq. ft. in the north.]

[North Florida is north of Ocala. Central Florida is defined as south of Ocala to a line extending from Vero Beach to Tampa. South Florida includes the remaining southern portion of the state.]

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.

13
22

OPTIONAL TEXT AND CLAIMS

Appropriate fertilizer, formula and company specific information will be inserted on Final Printed Label to replace "X"

References to Scotts Bonus S may be replaced by appropriate alternate or supplemental product names. References to the Scotts Brand may be replaced with appropriate alternate brand.

OPTIONAL PRODUCT EFFICACY CLAIMS

The following claims may be listed on the FPL followed by any or all weeds may be listed below

- Weeds controlled/killed [include/including]
- Controls/kills [the following] [these] [XX] [common lawn] [weeds]:
- Controls/kills [broadleaf] weeds such as

Black medic	Eveningprimrose	Red sorrel/sheep sorrel
Blue toadflax	Florida betony	Rescuegrass
Buckhorn	Florida pusley	Shepherd's purse
Burclover	Fragrant cudweed/rabbit-tobacco	Sowthistle
Carolina geranium/cranesbill	Henbit	Stinging nettle
Chickweed	Lippia/Matchweed	Venus lookingglass
Dandelion	Oxalis/Yellow woodsorrel	Wild mustard
Dichondra	Pepperweed/peppergrass	
Dollarweed/Pennywort	Purslane	

[Do not apply to lawns or mixed lawns of bahiagrass, bermudagrass, bluegrass, fine fescue, bentgrass, ryegrass, tall fescue, or dichondra.]

[Use on St. Augustine[grass], zoysia[grass], centipede[grass], and carpet[grass] lawns only.]

[[For] use [only] on St. Augustinegrass, [including] [Floritam], centipede[grass], zoysia[grass], and carpet[grass] lawns [ONLY].]

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.

EPA Reg. No. 538-18

14
22

GENERAL CLAIMS

- Apply in late winter, spring, or fall
- Apply when/anytime weeds are growing
- Apply in the fall to kill reoccurring [insert/any all listed weeds]
- Apply in early/late spring: February/March/April/May/June
- Apply in Fall: Aug/Sep/Oct/Nov
- Scotts X Step Program
- Scotts Turf Builder X Step Program
- For Southern Lawns
- Works the first time or your money back! [ICON]
- Beautiful Lawns Since 1924
- Join the [name] Garden Club – For more great tips and offers. [insert Internet site address]
- [Insert brand name Promise Satisfaction Guaranteed]/[The Insert brand name Promise is in Every Bag]
- [Insert brand name Promise Satisfaction Guaranteed]/[The Insert brand name Promise is in Every Bag]
- The Ultra Turf Builder Advantage
- The Turf Builder Ultra Advantage
- The Select Turf Builder Advantage
- The Turf Builder Select Advantage

PESTICIDAL CLAIMS

- Controls/kills dollarweed/pennywort and [XX] other [common] [lawn] weeds**
- Controls/kills dollarweed/pennywort, chickweed and [over] [XX] [common] [lawn] weeds** while greening your lawn without rapid, extreme growth.
- Kills/Controls weeds and fertilizes your lawn
- Kills dollarweed/pennywort and other [common] [lawn] weeds [as listed]**
- Kills weeds through the root
- Kills [insert any all listed weeds] and feeds/thickens/provides nutrients to grass to crowd out new/future weeds.
- Kills [insert any all listed weeds] and feeds/thickens/provides nutrients to grass to fill in bare spots.

**As listed – OR– including (*insert any weeds listed in Optional Product Efficacy Claims section*)

FERTILIZER CLAIMS

- Builds strong, deep [grass] roots
- Builds strong/thick, green turf from the roots up without burning your lawn*
- Feeds/thickens/provides nutrients to grass to crowd out new/future weeds
- Feeds/thickens/provides nutrients to grass to fill in bare spots.
- Dual Action fertilizer – Protect[s] [lawn] for Winter and Build[s] for Spring
- Each lawn fertilizer particle provides gradual release that won't burn or cause surge growth when applied as directed
- Enhanced/Improved Formula – X% More Greening Power* (*vs [insert Scotts product name])
- Enhanced 3-in-1/three-in-one Formula – [Helps lawn] recover from Summer, Replenish for Winter and Rebuild for Spring
- [Feeding with Scotts® fertilizer helps grow a thick lawn with more roots to better absorb water and nutrients than an unfed lawn. This helps protect your lawn against heat, drought and other stresses.]
- Feeds and Greens for up to two months without burning your lawn
- [Feeds and Strengthens [the Lawn] Against Heat and Drought]
- Feed[s] lawn
- Feeds for a thick, green lawn
- Formulated with Scotts technology [for long lasting greening and feeding]
- Greens longer* *vs/than regular *insert Scotts product name*
- Grows Strong Roots
- Helps strengthen your lawn against heat/drought/wear/tear
- Scotts Longest-Lasting fertilizer/Green up/Green/Greening Power/Deep Green Color/Deep Greening/Added Greening/Power/Feeding/ Nutrients/Food/even greening/consistent green

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.

EPA Reg. No. 538-18

15
22

- Formulated with Scotts Poly-S® timed released fertilizer
- [Water Smart™]
- [Water Smart™ logo][Water Smart Makes The Most Of Every Drop™] [Improves Lawn's Ability to Absorb Water & Nutrients]
- [Water Smart] Builds thick [green] turf to help prevent runoff
- Well Fed Lawns [are thicker and] have more/well developed root systems that [better] hold water to help reduce [nutrient/nitrogen] run-off/soil erosion [into our waterways] [vs. an unfed lawn].
- [Water Quality Matters] Thick/healthy lawns help to Protect our waterways/ water quality/ environment/ ecosystem by reducing [nutrient/nitrogen] runoff
- Thick/healthy lawns Help Reduce [Nutrient/Nitrogen] Run-Off
- [Product Name] includes/contains slow release nitrogen that releases gradually over time to help reduce nitrogen run-off [into our waterways] [to protect [our/the] ecosystem/environment/water quality].
- We guarantee thick, green-turf without risk of burning or surge growth."
- Weed control plus lawn fertilizer
- Weed-and-Feed
- Well-fed lawns are more efficient at using available water.
- Won't Burn Lawn Guaranteed!
- Your lawn makes a good environment...and Scotts products help you get the best lawn.
- Guaranteed
- Guaranteed Results.

*When used according to manufacturer's directions.

Optional Claims for Alternate Brand Names:

- Scotts® Best Fertilizer!
 - The Super Bonus S Advantage Contains more essential nutrients than regular Scotts Bonus S
 - Scotts® Lawn Pro® [Available only at authorized Scotts Lawn Pro dealers/Designed for Scotts Lawn Pro dealers/retailers]
 - LawnPro® Annual [fertilizer/feeding/lawn food] Program
 - LawnPro® authorized dealers/retailers/stores
 - [A] Scotts LawnPro [Product]
 - Scotts/Our Best Annual Program (for a picture-perfect lawn)
 - Scotts/Our Best Southern [Annual] Program
 - Formulated/designed for Southern/Florida/Texas Lawns
 - Scotts/Our Best [Long Lasting] Fertilizer
 - Quick Greening and Extended [Long Lasting] Feeding
 - The Super Turf Builder Advantage
 - [[X%] More essential nutrients than **insert Scotts product name!**] [Your lawn requires essential nutrients to thrive]/[Your lawn needs food!] The formula in [product name] gives your lawn more essential nutrients than **insert Scotts product name** for your best lawn ever.
 - [Product name] is formulated [with slow release nitrogen] to provide consistent, long lasting feeding for your best lawn ever.
 - [Your lawn needs food!] The special formula in [Product name] delivers more greening power/nutrition/nutrients/micronutrients than [Scotts comparable product] for your best lawn ever.
 - [icon] Images of all 4 step products
 - [Now] Its easy for you to have a better [Southern] lawn.
 - Start [the program at] anytime
 - Just check the month below and apply products at 2 month intervals
 - You can begin the Annual Program anytime of the year. Just check the month and select the appropriate Step product listed. Apply the remaining Steps at two-month intervals.
 - Simple and easy
- No more guesswork. You simply apply the right product - one Step at a time.

Note to PM:

EPA Reg. No. 538-18

16/22

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional.] Text separated by / denotes and/or options.

- No more guesswork ... apply the right product at the right time for a thick, green, weed-free lawn.
- Each step product is designed to the specific season to help give you a greener lawn.
- Save Money
- Why even consider a lawn care service? Scotts Lawn Pro® Annual Program will give you a beautiful lawn for about [one-third] the cost.

Optional Claims and Product Information for Alternate Brand Name: Expert Gardener® St. Augustine Weed & Feed

- Contact us – Consumer Helpline 1-866-369-2533
- Expert Gardener® Guarantee [When you chose Expert Gardener® products, you can be assured of high quality and performance in you lawn and garden. If for any reason you are not completely satisfied with this product, we will refund you money. Please mail your name, address and proof of purchase (dated receipt and package UPC/barcode) to the address below. Also, to ensure quality control, please write us a brief note explaining your experience with our product and reason for seeking a refund.
- Feeds for a thick, green lawn
- Grows Strong Roots
- Nitrogen (N) for Deep Green Color
- Phosphorus (P) for Strong Roots
- Potassium (K) for Overall Plant Vigor

PHOSPHORUS CLAIMS

- Contains no phosphorous/phosphate
- Phosphorous/phosphate free [formula]
- PHOSPHORUS – Stimulates root growth;[helps grass multiply]

NITROGEN CLAIMS

- Contains both readily available nitrogen for quick green up and controlled release nitrogen for uniform growth and extended feeding.
- Contains timed/slow-release/controlled/extended release nitrogen [for extended feeding and greening]
- Feeds [and greens] up to X months/weeks longer * *vs/than regular **insert Scotts product name**
- More slow/extended/time[d] /even release Nitrogen for longer lasting even greening/consistent green* *vs/than regular **insert Scotts product name**
- More slow/extended/time[d] /even release Nitrogen for longer lasting Green up/Green/Greening Power/Deep Green Color/Deep Greening/Added Greening Power/Feeding* *vs/than regular **insert Scotts product name**
- NITROGEN – Essential for plant [and/& root] growth; [makes grass green] [and/& strengthens roots]
- X% MORE Slow-Release Nitrogen than/vs. regular **insert Scotts product name**.
- X% added slow/extended/time[d]/even release Nitrogen* *vs/than regular **insert Scotts product name**

POTASSIUM CLAIMS

- [Delivers] more Potassium than/vs. regular **insert Scotts product name** to help protect against drought stress
- POTASSIUM – Makes plant strong; [better able to resist drought and extreme heat]/[improves heat &/and drought tolerance]/[protects against winter]
- X% added Potassium [for improved overall lawn strength/vitality/durability/toughness] than/vs. regular **insert Scotts product name**
- X% More potassium than/vs. regular **insert Scotts product name**

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.

EPA Reg. No. 538-18

17
22

MICRO-NUTRIENT CLAIMS(X will be provided on Final Printed Label)

- Added/more essential nutrients for a[n] better/stronger/more durable/resilient/more balanced/improved lawn
- Added Iron for Summer Green Extender
- Contains X% Iron [for added greening]
- Contains Xlbs, Xoz Iron [per bag]
- Contains X% iron/[micro nutrients] for the deep/dark green[ing] [turf]
- Contains micronutrients to help improve [your] soil [conditions]
- More complete micronutrients for all your turf essentials.
- Provides/Delivers key/essential nutrients for a lush/thick/beautiful/green/strong lawn
- With added [MicroMax] [Micronutrients] to/for/help[s] strengthen/the strongest lawn defense against heat, drought, and wear & tear

PACKAGING CLAIMS

- Bonus size
- Convenient [new] size
- Easy [to] pour [spout]
- Easy-tear, recloseable pour spout
- Easy to Carry Package
- Easy open, easy close
- Easy open, resealable bag
- Easy/EZ Seal [zipper/closure]
- Easy-to-Carry size/handle
- [Just] flip, tilt, feed
- [Just] shake and/n feed
- [Now with] X% more
- [Perfect] [size] for small lawns
- Reclosable/Resealable bag
- Secure seal [zipper/closure]
- Sure seal [zipper/closure]
- Zip close
- Bonus Pack [size]
- Value Pack [size]
- [Exclusive] club pack [size]

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.

EPA Reg. No. 538-18

18/22

(ILLUS.)

[THE NAME TO GROW WITH!]

XX
NITROGEN
Essential for plant growth; makes
grass green.

X
PHOSPHORUS
Stimulates root growth; helps
grass multiply.

X
POTASSIUM
Makes plant strong; better able to
resist drought and extreme heat

[Lawncare Information:] [Water Smart®] Tips for Lawncare Success:

- Feed regularly for your best lawn – Regular feedings of Scotts [Turf Builder] [insert alternate brand/product name] will help build a lawn you and your family can enjoy. Scotts [Turf Builder] [insert alternate brand/product name] provides the nutrients your lawn needs to look its best and withstand the stresses of weeds, heat, drought and family activity.
- Mow your lawn high. Mowing high allows the grass to develop a deep root system & helps your lawn use water more effectively.
- Leave the grass clippings on your lawn. This recycles the plant nutrients back into the soil.
- Conserve water. Your lawn will begin to wilt when water is needed. As much as possible, take advantage of nature's sprinkler and rely on the rain to water your lawn.

[art] one annual feeding

[art] 2-3 annual feedings

[art] 4 annual feedings

Tips for Lawncare Success:

[icon: granules falling on grass] **Feed Regularly**

Regular feedings provide the nutrients your lawn needs to look its best and withstand the stresses of weeds, heat, drought & family activity

Benefits of Multiple Feedings [art] one annual feeding [art] 2-3 annual feedings [art] 4 annual feedings

[icon: lawn mower] **Mow and Leave the Grass Clippings on Your Lawn**

Mowing high allows the grass to develop a deep root system & helps your lawn use water more effectively. Grass clippings recycle the plant nutrients back into the soil.

[Water Smart™ logo][Water Smart Makes The Most Of Every Drop™] **Conserve Water** Well-fed lawns are more efficient at using available water. Feeding with Scotts [fertilizer/lawn food] helps grow/build a thick lawn with more roots to better absorb water and nutrients than an unfed lawn. This helps protect your lawn against heat drought and other stresses. Remember your lawn will begin to wilt when water is needed. As much as possible take advantage of nature's sprinkler and rely on the rain to water your lawn.

What to expect

Weeds will be dead/killed within 6 weeks and your lawn will be greener in 7 days

Controls and prevents weeds while feeding your lawn. Scotts Bonus S gives you a better lawn. That's because each small particle delivers weed control for complete coverage. And Scotts Bonus S feeds your lawn with Scotts Trionized® formula to help fill-in and crowd out new weeds.

Scotts Bonus S provides even greening. Each particle of Scotts Bonus S contains nitrogen, phosphorus and potassium. This means that each grass plant receives the feeding it needs so your lawn will grow uniformly thick and green.

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.

EPA Reg. No. 538-18

1/22

Scotts Bonus S stimulates steady grass growth. Typical all-soluble fertilizers can cause surge growth. When you mow grass that has grown too fast and too tall, you weaken the grass plant by "scalping." With Scotts Bonus S you have less mowing and less chance of scalping when you mow.

Scotts & Your Environment [art]

We care. Scotts products are designed with care to grow thicker, greener lawns.

A Green Lawn Is A Good Lawn. A healthy lawn can clean the air, produce oxygen and prevent runoff and soil erosion.

You can make a difference. Help keep our water resources clean. Apply this product only to your lawn, and sweep any product that lands in the driveway, sidewalk or street back on to your lawn.

Get expert advice for your lawn now.

Want information on what to use and when? Sign up today to get free expert advice specifically for your lawn.

Scotts Bonus S provides up to 2 months of greening. The nitrogen in Scotts Bonus S is time-released to help your lawn grow thick and green for up to 2 months.

Coverage

Treats and fertilizes X,XXX sq. ft.

How much is enough?

To determine the square footage of your lawn, walk the length and width of your lawn; one average pace equals about 3 feet. Multiply the length of the lawn by the width of the lawn. This equals the area of your lawn in measure square areas, then add the figures together to reach your total lawn size.

2-MONTH PERIOD

(ILLUS.)

STEADY GROWTH

Scotts Bonus S

A well-maintained lawn provides environmental benefits as well as an attractive and pleasant setting for your home. Healthy grass takes carbon dioxide and pollutants from the air while creating oxygen; it traps dust and prevents erosion; and it reduces the heat, noise, and glare of modern urban areas while providing a safer recreation area.

The timed-release nitrogen in Scotts Bonus S weed-and-feed is designed to be absorbed by the grass plants slowly and steadily, to build thick turf that helps prevent runoff and leaching into groundwater.

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.

EPA Reg. No. 538-18

20/
22

SEASONAL PRODUCT APPLICATION OPTIONS

Optional Product Program Information

[[Scotts] Recommended Annual Feeding/Lawn Care Program]

[Plan your feeding schedule. Chose the right product for your lawn.]

[Any Season - Apply any season if weeds or bugs are not a problem: Scotts® [Southern] [Super]Turf Builder® Lawn Fertilizer] [artwork]/ ***insert brand name***

[Early Spring February-April - If you have weeds/To kill weeds: Scotts® [Super] Scotts Bonus S Southern Weed & Feed] [artwork] / ***insert brand name***

[Late Spring April-June - If weed or bugs are not a problem: Scotts® [Southern] [Super]Turf Builder® Lawn Fertilizer] [artwork] / ***insert brand name***

[Summer June-August - Scotts® [Southern] [Super] Turf Builder® Lawn Fertilizer. If you have bugs/To kill bugs: Scotts® [Super] Turf Builder® with SummerGuard®] [artwork] / ***insert brand name***

[Fall September – November - Scotts® [Super] Turf Builder® WinterGuard®] [artwork] / ***insert brand name***

Scotts Recommended feeding routine

Plan your feeding routine with Scotts Turf Builder Lawn food.

[icon] [Early spring]

[An early spring feeding helps grass get going after its initial green up. Your should feed around the first time you mow your grass.]

[icon][late spring]

[Feeding now prepares grass for summer by making more blades on top and building deep roots below.]

[icon] [summer]

[A summer feeding provides grass the nutrients they need to thrive during the summer months.]

[icon][early fall]

[Feeding now helps grass store nutrients to deal with the stress of the winter months.]

SCOTTS ADVANTAGE® PARTICLE TECHNOLOGY

The Scotts Difference®

Perfect Particle™ Technology
(art: particle with NPK)

Every particle of Scotts Bonus S® contains Scotts patented timed-release nitrogen plus phosphorus, potassium, and weed control (see back for details).

The Scotts Difference®

Scotts patented Perfect Particle™ Technology is available only in Scotts® products.

Uniform proportions of the major nutrients – timed-release nitrogen plus phosphorus and potassium – and weed control are bonded together in every Bonus S particle, so that they are distributed evenly across the entire lawn, eliminating hit-or-miss feeding and weeding. And the time-released nitrogen feeds your lawn without burning, and steadily for up to 2 months. Because of Scotts' patented time-released nitrogen, you won't get the rapid surge growth. With regular mowing, you will have fewer clippings and may not even have to bag your clippings.

With Scotts Bonus S you can be assured that every particle contains time-released nitrogen, plus the other primary nutrients and weed control.

21/22

Note to PM:
Bold, italicized text is information for the reader and is not part of the label.
[Bracketed information is optional.] Text separated by / denotes and/or options.

(photo: SBS particles)
All-in-One Particles®

- Scotts Bonus S granules are consistent in size and shape
- This gives consistent distribution of particles – and nutrients and weed control – throughout the lawn

(photo: SBS pattern)
All-in-One Particles®

- Scotts Bonus S particles deliver the same ratio of nitrogen, phosphorus, and potassium (plus weed control) to every treated square inch of turf
- Result: even, consistent greening and thickening of your lawn, plus better weed control

-OR-

The Scotts Advantage®: All-in-One Particles®*

Your lawn requires essential nutrients to thrive. Every Scotts Bonus S® particle contains nitrogen, phosphorus, potassium, and weed killer, allowing Scotts to evenly disperse the appropriate ration of nutrients and weed control to your whole lawn. Only Scotts All-in-One® particles provide consistent feeding to every square inch of turf for a green, thick, strong lawn.

- No filler
- All Food and Weed Fighting Power

*All-in-One = nitrogen, phosphorus, potassium and the weed killer ingredient contained in every particle

(ILLUS.)

All-in-One Particles®

- Each All-in-One® particle contains essential nutrients and weed control ingredient
- Evenly dispersed particles provide more consistent feeding and weed control for a green, thick, strong lawn.

-OR-

The Scotts Advantage®

Each of Scotts All-in-One Particles®* contains the guaranteed feeding nutrients and the weed control ingredients to provide consistent feeding and weed control to every treated square inch of your lawn. The result: A thick, green lawn without burning. Guaranteed.

- All-in-One Particles = nitrogen, phosphorous, potassium and weed control contained in every particle.

Contact the experts at scotts.com

SCOTTS...the lawn people

[Questions/Information]

[icon] [Distributed by/Manufactured by [for]]:
 [Sold and guaranteed by:]
 The Scotts Company
 14111 Scottslawn Rd.
 Marysville, Ohio 43041

[icon - phone]
 Call/ Consumer Helpline/ phone toll-free/ Scott's [toll-free] consumer hotline/ Contact Us
 1-800-543-TURF (8873)
 [Open 8:00 a.m. to 5:00 p.m. Eastern time]

22/22

Note to PM:

Bold, italicized text is information for the reader and is not part of the label.

[Bracketed information is optional.] Text separated by / denotes and/or options.

[icon – computer mouse icon]
[Visit [our website]]
www.scotts.com

Scotts Policy

Scotts [No-Quibble/Consumer] Guarantee[®]

If for any reason you [the customer/consumer] are not satisfied [with results] after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund promptly.

[**Insert Brand Name** Guarantee] [When you chose **Insert Brand Name** products, you can be assured of high quality and performance in your lawn [and garden]. If for any reason you are not completely satisfied with this product, we will refund your money. Please send proof of purchase and original register receipt to our address. We will promptly send you a refund check

[The **Insert brand name** Promise] If this product, when used for its intended purpose, fails to give you complete satisfaction, return the item to the Ace Hardware store where purchased for free replacement of the same or similar item.

UNCONDITIONALLY GUARANTEED

If you are not satisfied with the results from using this product, we will refund your purchase price. Send evidence of your purchase to:

The Scotts Company
14111 Scottslawn Rd.
Marysville, OH 43041

Note to PM: The following optional guarantee will be used if product is sold under the Expert Gardener alternate brand name

[Expert Gardener®][Scotts] Guarantee

When you choose [Expert Gardener®][Scotts] products, you can be assured of high quality and performance in you lawn and garden. If for any reason you are not completely satisfied with this product, we will refund your money. Please mail your name, address and proof of purchase (dated receipt and package UPC/barcode) to the address below. Also, to ensure quality control, please write us a brief note explaining your experience with our product and reason for seeking a refund.

The Scotts Company
14111 Scottslawn Rd.
Marysville, OH 43041]

[NOTICE: To the extent permissible by law/To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this product not in accordance with directions.]

U.S. Patent No. X,XXX,XXX (**patent information will be added to FPL**)

Scotts®, SpeedyGreen®, EasyGreen®, AccuGreen®, Basic™, Standard™, and Deluxe™ Edgeguard® are trademarks of OMS Investments, Inc.

Expert Gardener® and Expert Gardener logo design are trademarks of Wal-Mart Stores, Inc.

Expert Gardener® is marketed exclusively by Wal-Mart Stores, Inc. Bentonville, AR 72716
Shop @www.walmart.com

© 20XX Licensed by **insert company name**
World rights reserved.

Made in U.S.A./Product of _____