

Scotts
Bonus
 Treats 2,500 sq ft 9.95 2 for 18.95

33C5

Scotts
Bonus
 weed control plus fertilizer
 for dichondra

Destroys oxalis and
 eight other lawn weeds

Prevents spotted spurge
 and crabgrass

Fertilizes dichondra
 to greener beauty

• • •

DO NOT USE
 ON GRASS LAWNS

NET
 WEIGHT
 11 1/4 LBS (Treats
 2,500 sq ft)

CAUTION: KEEP OUT OF REACH OF CHILDREN
 Avoid contact with eyes, nose, mouth, and skin.
 Avoid breathing dust or fumes.
 Avoid contact with clothing.
 Wash hands thoroughly after use.
 Do not use in wind.
 Do not use on lawns with a thatch layer over 1/2 inch thick.
 Do not use on lawns with a soil pH below 6.0.
 Do not use on lawns with a soil nitrogen level below 10 ppm.
 Do not use on lawns with a soil phosphorus level below 10 ppm.
 Do not use on lawns with a soil potassium level below 10 ppm.
 Do not use on lawns with a soil sulfur level below 10 ppm.
 Do not use on lawns with a soil zinc level below 10 ppm.
 Do not use on lawns with a soil copper level below 10 ppm.
 Do not use on lawns with a soil manganese level below 10 ppm.
 Do not use on lawns with a soil iron level below 10 ppm.
 Do not use on lawns with a soil boron level below 10 ppm.
 Do not use on lawns with a soil molybdenum level below 10 ppm.
 Do not use on lawns with a soil selenium level below 10 ppm.
 Do not use on lawns with a soil cobalt level below 10 ppm.
 Do not use on lawns with a soil nickel level below 10 ppm.
 Do not use on lawns with a soil cadmium level below 10 ppm.
 Do not use on lawns with a soil lead level below 10 ppm.
 Do not use on lawns with a soil chromium level below 10 ppm.
 Do not use on lawns with a soil barium level below 10 ppm.
 Do not use on lawns with a soil strontium level below 10 ppm.
 Do not use on lawns with a soil bromine level below 10 ppm.
 Do not use on lawns with a soil iodine level below 10 ppm.
 Do not use on lawns with a soil silver level below 10 ppm.
 Do not use on lawns with a soil tin level below 10 ppm.
 Do not use on lawns with a soil antimony level below 10 ppm.
 Do not use on lawns with a soil bismuth level below 10 ppm.
 Do not use on lawns with a soil tellurium level below 10 ppm.
 Do not use on lawns with a soil selenium level below 10 ppm.
 Do not use on lawns with a soil cobalt level below 10 ppm.
 Do not use on lawns with a soil nickel level below 10 ppm.
 Do not use on lawns with a soil cadmium level below 10 ppm.
 Do not use on lawns with a soil lead level below 10 ppm.
 Do not use on lawns with a soil chromium level below 10 ppm.
 Do not use on lawns with a soil barium level below 10 ppm.
 Do not use on lawns with a soil strontium level below 10 ppm.
 Do not use on lawns with a soil bromine level below 10 ppm.
 Do not use on lawns with a soil iodine level below 10 ppm.
 Do not use on lawns with a soil silver level below 10 ppm.
 Do not use on lawns with a soil tin level below 10 ppm.
 Do not use on lawns with a soil antimony level below 10 ppm.
 Do not use on lawns with a soil bismuth level below 10 ppm.
 Do not use on lawns with a soil tellurium level below 10 ppm.

Scotts
Bonus for dichondra
 weed control plus fertilizer

33C5

March 4 1974

538-19

Scotts
Bonus
 Treats 2,500 sq ft 9.95 2 for 18.95

Scotts
Bonus
 weed control plus fertilizer
 for dichondra

How To Use

- | | |
|---|--|
| DO NOT use on lawns with a thatch layer over 1/2 inch thick. | DO NOT use on lawns with a soil pH below 6.0. |
| DO NOT use on lawns with a soil nitrogen level below 10 ppm. | DO NOT use on lawns with a soil phosphorus level below 10 ppm. |
| DO NOT use on lawns with a soil potassium level below 10 ppm. | DO NOT use on lawns with a soil sulfur level below 10 ppm. |
| DO NOT use on lawns with a soil zinc level below 10 ppm. | DO NOT use on lawns with a soil copper level below 10 ppm. |
| DO NOT use on lawns with a soil manganese level below 10 ppm. | DO NOT use on lawns with a soil iron level below 10 ppm. |
| DO NOT use on lawns with a soil boron level below 10 ppm. | DO NOT use on lawns with a soil molybdenum level below 10 ppm. |
| DO NOT use on lawns with a soil selenium level below 10 ppm. | DO NOT use on lawns with a soil cobalt level below 10 ppm. |
| DO NOT use on lawns with a soil nickel level below 10 ppm. | DO NOT use on lawns with a soil cadmium level below 10 ppm. |
| DO NOT use on lawns with a soil lead level below 10 ppm. | DO NOT use on lawns with a soil chromium level below 10 ppm. |
| DO NOT use on lawns with a soil barium level below 10 ppm. | DO NOT use on lawns with a soil strontium level below 10 ppm. |
| DO NOT use on lawns with a soil bromine level below 10 ppm. | DO NOT use on lawns with a soil iodine level below 10 ppm. |
| DO NOT use on lawns with a soil silver level below 10 ppm. | DO NOT use on lawns with a soil tin level below 10 ppm. |
| DO NOT use on lawns with a soil antimony level below 10 ppm. | DO NOT use on lawns with a soil bismuth level below 10 ppm. |
| DO NOT use on lawns with a soil tellurium level below 10 ppm. | |

Free bulletin service

Scotts No Quibble Guarantee

**weed control plus fertilizer
for dichondra**

**Destroys oxalis and
eight other lawn weeds**

**Prevents spotted spurge
and crabgrass**

**Fertilizes dichondra
to greener beauty**



**DO NOT USE
ON GRASS LAWNS**

**NET
WEIGHT
11 1/4 LBS** (Treats
2,500 sq ft)

CAUTION: KEEP OUT OF REACH OF CHILDREN

Avoid contact with skin, eyes, and clothing. May cause irritation of eyes, skin, nose or throat. Do not reuse container. Destroy when empty.

Active ingredient: Neburon 1-Butyl-3-(3, 4-dichlorophenyl)-1-methylurea 2.00%

Inert ingredients: 98.00%

EPA Reg No 538-19-ZB EPA Est. 538-OH-1 Total 100.00%

Net Weight 11 1/4 lbs Bonus[®] for dichondra 35-0-0 guaranteed analysis

Total nitrogen 35.00%

23.30% water soluble nitrogen from urea and methylene ureas

11.70% water insoluble nitrogen from methylene ureas

Available phosphoric acid (P₂O₅) 0.00%

Soluble potash (K₂O) 0.00%

Potential acidity equivalent to 1400 lbs calcium carbonate per ton

US Process Pat Nos 3,221,363; 3,705,794 Other Pat Pend Product of USA
OM Scott & Sons Marysville, Ohio 43040

Bonus
weed control plus fertiliz
Scotts

33C5

March 4, 1974

538-19

Bonus for
dichondra
weed control plus fertilizer

Scotts

Scotts

Bonus
weed control plus fertilizer
for dichondra

HOW TO USE

- DO** To destroy the following growing weeds, apply any time they are a problem, and repeat in 8 weeks.

oxalis	pearlwort
white clover	soliva
chickweeds	poa annua
filaree	annual plantain
cudweed	
- DO** To prevent spotted spurge, apply in December, January or early February and repeat in 8 weeks.
- DO** To prevent crabgrass apply in December, January, February or March and repeat in 8 weeks.
- DO** Apply at Scotts Spreader (Standard or Automatic Models) setting **7**
- DO** Overlap spreader wheel tracks to avoid missed stripes.
- DO** Apply when foliage is moist or dry; and sprinkle sufficiently after application to wash particles off the leaves.
- DONT** Use this product to control deep-rooted perennials such as bermudagrass, paspalums, dandelions, and coarse fescue.
- DONT** Apply on shaded areas receiving sunlight less than half the day.
- DONT** Use this product on all-grass or dichondra-bentgrass mixed lawns.
- DONT** Apply sooner than 1 month after sodding or 6 months after seeding dichondra.
- DONT** Plant dichondra seed sooner than 6 months after using this product.

Free bulletin-service

As a user of this Scotts lawn product you are entitled to a free subscription to Lawn Care, our service bulletin which has been helping lawn users for over 40 years. If you are already receiving Lawn Care, send us this coupon and we'll mail you the seasonal issues prepared especially for your region of the country.

NAME _____
 ADDRESS _____
 CITY _____ STATE _____

Scotts No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

SCOTT'S the lawn people
 MARSHVILLE, OHIO 44040