

FRONT:

(Scotts (R))

Pro-Turf

NEW!

weedgrass

preventer

*Handwritten scribble*

*Handwritten scribble*

FOR PROFESSIONAL USE ONLY

NET WEIGHT 37 LBS

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid inhalation and contact with skin, eyes or clothing. Do not contaminate feed or foodstuffs or water used for irrigational or domestic purposes.

Do not reuse container. Destroy when empty.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Active ingredient: S-(O,O-Diisopropyl phosphorodithioate)	
as a portion of N-(2-Methyl-ethyl) benzene sulfonamide	8.50%
Inert ingredient:	91.50%
	<hr/>
Total	100.00%

EPA Reg. No. 548-26-2A  
Pro-Turf Division, O. M. Scott & Sons

Product of U.S.A.  
Marysville, Ohio 43040

8714

SEP 13 5/3  
Pesticides Regulation  
Division EPA



8714

weedgrass preventer

NEW!

ProTurf  
(Scotts (R))

(Scotts (R))  
ProTurf

NEW!

weedgrass preventer

8714

GUSSETS:

BACK:

(Scotts (k))  
ProTurf

TO OPEN BAG—  
PULL WHITE TAP

**NEW!**

weedgrass preventer

Controls these grassy weeds in the lawn, without harm  
to desirable turf:

poa annua	goosegrass	green foxtail
crabgrass	barnyardgrass	yellow foxtail

Use these spreader settings to ensure proper distribution

(37 LBS TREATS 11,000 SQ FT AT NORMAL RATE)

<u>SPREADER</u>	<u>GROUND OR PTO SPEED</u>	<u>WIDTH OF COVERAGE</u>	<u>SPREADER SETTING NORMAL RATE</u>
Scotts (Drum type)	3 mph	overlap wheels	6
Scotts Rotary	3 mph	8 ft	H
Lely-WTR & WTR Models	4.5 mph	16 ft	6 1/2 II
Lely-RR (PTO Model)	450 rpm @4.5 mph	16 ft	6 1/2 II
Gandy 8 ft A Series Model	4.5 .	overlap wheels	19
42 in Model	2.1 .	overlap wheels	35

FOR USE ON ESTABLISHED TURFGRASS,

DICHONDRA AND PUTTING GREENS

For most effective control of poa annua (or other blue grasses)  
apply in late summer or early fall, before germination, and  
repeat yearly.

To control other grassy weeds listed above, apply in fall,  
winter or spring, before germination.


Turf may be either wet or dry.

PRECAUTIONS

Do not use on putting greens except on a hole at 50' or more from  
poa annua.

On newly planted areas, wait until the grass has been mowed at  
least three and has reached a normal growth stage before applying.  
No waiting is necessary.

When handling or applying this product, avoid contact with eyes,  
nose, mouth, skin, or clothing. Wash thoroughly with soap and water  
immediately if contact occurs.



BACK CONTINUED:

After application avoid any severe treading or raking which might disturb the surface and break the chemical barrier.

Delay seeding, sprigging or sodding for 4 "growing" months after application.

Applications should not exceed twice yearly.

ProTurf Division, O M Scott & Sons                      Marysville, Ohio 43040

8714

