


8429

fertilizer plus
dicot weed control

NET WEIGHT 55 LBS (24.95 kg)



fertilizer plus dicot weed control 8429



NOT FOR USE ON GOLF COURSE PUTTING GREENS


NET WEIGHT 55 LBS (24.95 kg)

CAUTION: KEEP OUT OF REACH OF CHILDREN
 Hazard to Humans and Domestic Animals: Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.
 Irritation: May irritate. Do not contaminate water used for drinking or for domestic purposes.
 Avoid contact with eyes, nose, mouth, throat and skin. Wash face and hands thoroughly after use.
 Avoid contact with clothing.
 Avoid contact with food, feed or other articles of food.
 Avoid contact with children and pets.
 Avoid contact with water.
 Avoid contact with fire.
 Avoid contact with electricity.
 Avoid contact with machinery.
 Avoid contact with vehicles.
 Avoid contact with buildings.
 Avoid contact with crops.
 Avoid contact with livestock.
 Avoid contact with wildlife.
 Avoid contact with birds.
 Avoid contact with fish.
 Avoid contact with shellfish.
 Avoid contact with insects.
 Avoid contact with plants.
 Avoid contact with animals.
 Avoid contact with humans.
 Avoid contact with the environment.
 Avoid contact with the atmosphere.
 Avoid contact with the soil.
 Avoid contact with the water.
 Avoid contact with the air.
 Avoid contact with the ground.
 Avoid contact with the sky.
 Avoid contact with the sun.
 Avoid contact with the moon.
 Avoid contact with the stars.
 Avoid contact with the planets.
 Avoid contact with the galaxies.
 Avoid contact with the universe.
 Avoid contact with everything.

8429

fertilizer plus
dicot weed control

fertilizer plus dicot weed control 8429



36-0-0

fertilizer plus dicot weed control

Fertilizes grass, controls these weeds and other weeds.
 black medic, buckhorn, common chickweed, mouse ear chickweed, clover, cutweed, curly dock, dandelion, English daisy, star, ground ivy, leafy spurge, knotweed, horseweed, buckhorn, lambsquarters, pennywort, pepperweed, pigweed, purslane, prickly lettuce, parthenocarp, ragweed, sheep sorrel, shepherd's purse, yellow rocket.

SUGGESTED SPREADER SETTINGS			
To provide proper distribution calibrate spreader before application.			
Model	Rate (lb/1000 sq ft)	Rate (lb/1000 sq ft)	Rate (lb/1000 sq ft)
Scotts Drop Type	3 mph	20 mph	0.1
Scotts Rotary	3 mph	20 mph	0.1
Leaf-Spreader	4 mph	20 mph	0.1
Leaf-Spreader	4 mph	20 mph	0.1

FOR USE ON TURFGRASS AREAS OTHER THAN PUTTING GREENS
 Use at the RECOMMENDED RATE or twice over at the HALF RATE when weeds are actively growing. Repeat in one month if needed.
 Apply to foliage moist from dew, rain or sprinkling. Growth should not be so tall as to touch bottom of spreader.
 Rain, sprinkling, mowing or heavy traffic within 24 hours after application breaks granules off weeds, necessitates treating again, but wait at least one week.

PRECAUTIONS
 On new plantings delay treatment until after the third or fourth mowing.
 Avoid application over roots of trees and shrubs.
 Delay placing grass seed until after a heavy rain or watering and not sooner than 2 weeks after treating.
 Soft, lush grass may become discolored temporarily in periods of high heat and humidity.
 Not for use on dichondra, St. Augustine, bentgrass or carpetgrass.

STORAGE AND DISPOSAL
 Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited. Pesticides that cannot be used should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.
 Do not reuse empty container. Dispose of in a landfill approved for pesticide containers, or bury in a safe place.
 ProTurf Division, O M Scott & Sons, Marysville, Ohio 43040

116