FRONT:

889

COLE

FOR ECONOMIC ROISON REGISTER-ED UNDER NO. SUBJECT TO ATTACHED COMMENTS.

TREATS
5,000 sq ft/\$4.95
NET WEIGHT 6 LBS

(Scotts (R))

Cope (R)
BRAND

insect control

Controls ants, chinchbugs, beetle

and chafer grubs, cutworms, sod

webworms (lawn moth larvae), and

eleven other lawn insects

CAUTION: Keep out of reach of children. Harmful if inhaled or swallowed. Avoid prolonged breathing of dust. Avoid repeated contact with skin. Wash thoroughly after using. Keep children and pets off treated areas until material has been washed into soil and grass is thoroughly dry. Avoid contamination of food. Carbaryl is moderate, reversible, cholinesterase inhibitor. Atropine is antidotal

Toxic to fish and wildlife. Keep out of any body of water. Birds feeding over treated areas may be harmed.

Active ingredients: carbaryl (1-Naphthyl N-Methylcarbamate) 8.3% technical chlordane (equivalent to 4.98% octachloro-4, 7-methanotetrahydroindane and 3.32% related compounds) 8.3% Inert ingredients:

Total 100.00%

US Pat Nos 3,083,089; 3,076,699 USDA Reg No 538-34 Product of USA

(Scotts (R))/ COPE controls 16 lawn insects

688

SCOTTS SPREADER SETTING

Normal rate...4½ (5,000 sq ft)

Double rate...6 $\frac{1}{2}$ (2,500 sq ft)

(Scotts (R))

7-14-67 1 7-14-67 1

CONTROLS IF LAWN INSECTS

BRAND

Cope (R)

comments

WHEN TO USE

To control soil grubs (chafer, May, June, Japan) - apply any season

To control sed webworms (lawn moth larvae), also cutworms, armyworms, vegetable weevils, leaf hoppers ants, ticks, chiggers, earwigs, mosquitoes, crickets, and millipedes — apply whenever they are active

To control chinchbugs, also billbugs, mole crickets, night crawlers -- apply at double rate whenever active

Insects are more likely to cause problems in periods of hot, dry weather

for grass or dichondra lawns

produced and guaranteed by O M Scott & Sons, Marysville, Ohio

(Scotts (R))/ COPE Controls 16 lawn insects

688

GUSSETS:

(Scotts (R))

(Scotts (R))

Cope (R)
CONTROLS 16 LAWN INSECTS

Cope (R)
CONTROLS 16 LAWN INSECTS

ACCEPTED
7-14-67
5 38 54
when the first interrupt
for the first interrupt
for

688

688

chiggers

fleas, ticks

USE THESE SCOTTS SPREADER SETTINGS TO ENSURE PROPER DISTRIBUTION

5	4:,	18:	
6 1 z	7	2 5	İ
	⊕ û (* û e 5	5 4 :	

FOR USE ON TURFGRASSES OR DICHONDRA

Foliage may be either moist or dry when making application.

Treatments for insects in the soil can be made any season. Rain or watering in after application hastens action.

Treatments for surface-active insects should be made whenever they are active, but when the outlook is for no rain and watering, moving or heavy traffic can be withheld at least 24 hours. The exception is chinchbug control—prompt watering is helpful.

This product is not for control of chinchbugs in the deep south from Florida to Texas.

ProTurf Division, O M Scott & Sons Marysville, Shio 43040
Oakland, Calif. 94604

8745