

FRONT

PROTURF FERTILIZER PLUS  
FUNGICIDE #8546  
09/07/84 RF 09/24/84 RF  
09/12/84 RF 10/09/84 RF  
09/19/84 RF 04/17/85 JF

(Scotts (R))  
ProTurf (R)  
BRAND


24-5-3  
Fertilizer plus  
Fungicide

- . for use on winter turf diseases
- . prevents and controls pink and gray snow mold
- . provides controlled release nitrogen feeding

Net Weight 46 1/2 lbs (21.1 kg)

LEFT COLUMN

KEEP OUT OF REACH OF CHILDREN  
WARNING  
PRECAUTIONARY STATEMENTS



Hazards to Humans and Domestic Animals: WARNING, causes eye irritation. Do not get in eyes, on skin, or on clothing. In case of contact immediately wash eyes or skin with plenty of water. Get medical attention if irritation persists. Harmful if swallowed. Avoid inhalation. Consumption of alcoholic beverages increase the toxic effect of thiram.

Environmental Hazards: Do not apply within twenty-five (25) feet of any water body where fish are taken for human consumption. This pesticide product is toxic to fish and wildlife. Do not contaminate water by cleaning of equipment, or disposal of wastes. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water or wetlands.

✓  
✓



GUSSETS:

RIGHT GUSSET

8546

(Scotts)  
ProTurf

24-5-3  
Fertilizer plus  
Fungicide

LEFT GUSSET

(Scotts)  
ProTurf

24-5-3  
Fertilizer plus  
Fungicide

8546

BACK:

24-5-3  
Fertilizer plus  
Fungicide

8546

(Scotts(R))  
ProTurf

24-5-3  
Fertilizer plus  
Fungicide

Directions for use

LEFT COLUMN

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

This product shall be used only by or under the direct supervision of golf course superintendents.

For use on winter turf diseases

Fertilizes turfgrasses. Controls fungus activity causing pink snow mold (Fusarium nivale) and gray snow mold (Typhula spp).

For use on greens, tees and aprons

Apply to moist or dry grass.

To control snow mold - apply DOUBLE RATE in fall (before first snow), late winter and early spring.

Do not contaminate feed or foodstuffs.

Storage and disposal

STORAGE: Store in a clean, dry place.

RIGHT COLUMN

Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CK CONTINUED:

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Soil Turf Division  
The O M Scott & Sons Company  
Marysville, Ohio 43041

**SUGGESTED SPREADER SETTINGS**

to provide proper distribution calibrate spreader before application

- 46 1/2 Lbs (21.1 kg) treats 22,000 ft<sup>2</sup> (1/2 acre/2044 m<sup>2</sup>) at NORMAL RATE
- 46 1/2 Lbs (21.1 kg) treats 11,000 ft<sup>2</sup> (1/4 acre/1022 m<sup>2</sup>) at DOUBLE RATE
- 46 1/2 Lbs (21.1 kg) treats 44,000 ft<sup>2</sup> (1 acre/4088 m<sup>2</sup>) at HALF RATE

**SPREADER SETTINGS**

<u>SPREADER</u>	<u>GROUND OR PTO SPEED</u>	<u>WIDTH OF COVERAGE</u>	<u>NORMAL RATE</u>	<u>DOUBLE RATE</u>	<u>HALF RATE</u>
Rotary (Drop Type)	3 mph	overlap wheels	4 1/2	6	3 1/2
Rotary Rotaries: R-7X	3 mph	8 feet	D	G	B
R-8 (cone 8)	3 mph	9 feet	J	L	H 1/2
Rotary-WTR & WFR Models	4.5 mph	16 feet	3 IV	4 IV	1 3/4 IV
Rotary-HR (PTO Model)	450 rpm @ 4.5 mph	16 feet	3 IV	4 IV	1 3/4 IV

320

BACK CONTINUED:

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

ProTurf Division  
The O M Scott & Sons Company  
Marysville, Ohio 43041

**SUGGESTED SPREADER SETTINGS**  
to provide proper distribution calibrate spreader before application

46 1/2 Lbs (21.1 kg) treats 22,000 ft<sup>2</sup> (1/2 acre/2044 m<sup>2</sup>) at NORMAL RATE  
46 1/2 Lbs (21.1 kg) treats 11,000 ft<sup>2</sup> (1/4 acre/1022 m<sup>2</sup>) at DOUBLE RATE  
46 1/2 Lbs (21.1 kg) treats 44,000 ft<sup>2</sup> (1 acre/4088 m<sup>2</sup>) at HALF RATE

<u>SPREADER</u>	<u>GROUND OR PTO SPEED</u>	<u>WIDTH OF COVERAGE</u>	<u>SPREADER SETTINGS</u>		
			<u>NORMAL RATE</u>	<u>DOUBLE RATE</u>	<u>HALF RATE</u>
Scotts (Drop Type)	3 mph	overlap wheels	4 1/2	6	3 1/2
Scotts Rotaries: R-7X	3 mph	8 feet	D	G	B
R-8 (cone 8)	3 mph	9 feet	J	L	H 1/2
Lely-WTR & WFR Models	4.5 mph	16 feet	3 IV	4 IV	1 3/4 IV
Lely-HR (PTO Model)	450 rpm @ 4.5 mph	16 feet	3 IV	4 IV	1 3/4 IV

05320