

cc: RB WE
JS MK

Pack up copy for
PLUS 2 for grass (NOM)
4-30-68 WEP
5-17-68 USM

FROM: 2400

Treats 5,000 sq ft/NET WEIGHT 30 LBS S.M.M.

Scotts No-Quibble Control
If for any reason you are not satisfied
with results after using this product,
you are entitled to get your money back.
Simply send us evidence of purchase and
we will mail you a refund check promptly.

SCOTT'S...the lawn people
Orland, Calif 9-611

5-8 51

NEW
same problem of
beneficial
less weight
and b.l.

(Scotts (a))

PLUS 2

for grass

- ✓ controls weeds (full list on other side)
Apply any time weeds are up and growing actively.
- ✓ gives full feeding to your lawn
makes grass multiply itself.

for grass lawns only

CAUTION: KEEP OUT OF REACH OF CHILDREN. Avoid contact with eyes, skin and clothing.
Wash thoroughly with soap and water. Avoid application on flowers, fruit or vegetable
plants. Do not apply to the roots or base of shrubs and the broad spread of trees.
Do not use on ornamentals, lawns, in orchards or fungicide. Do not cut lawn
water to later irrigation or for other purposes.

Active ingredient: 1,4-dichlorobenzene, 90%	0.90
Picloric acid (10% solution), 0.1%	0.10
Inert ingredients to total 100% activity	99.00
USDA Reg. No. 100-571	Total 100.00

Net Weight: 30 lb	Plus 2 for grass	25-5-3	100%
Total nitrogen (N)	1.6		
15.0 water soluble phosphorus (P ₂ O ₅)	8.4		
Avail. Nitrogen (N) (10%)	0.16		
Soluble phosphorus (P) (10%)	0.84		
Iron (Fe) (10%)	0.16		
Borax (B) (10%)	0.16		
Potassium (K) (10%)	0.16		

Page 2
100%

Use Scotts Spreader setting6

As shown, spreaders typically apply materials in a swath only as wide as the hopper. To insure complete coverage, *overlap* wheel tracks or you may have "stripes" of untreated grass. Shut off spreader as you stop or turn around.



What to expect

Stems and leaves of weeds may begin to twist in a few days but a month or more may be required for complete control. Action is slower if soil is dry or weather cool.

Only weeds growing in lawn at time of application will be eliminated. Weed seeds in the soil are not affected.

Precautions

Do not use on dichondra, lippia or similar ground covers, St. Augustine, golf putting greens or lawns maintained like putting greens.

Soft lush grass may be discolored in periods of drought and humidity. In such situations, avoid use of weather.

Avoid application on flowers, fruit or vegetable plants. Keep away from rootzone areas of shrubs and the branch sprouts of trees.

Delay planting grass seed until after a heavy rain or watering and not sooner than two weeks after treatment.

It is not necessary (or even desirable) to rake out dead weeds before seeding. They will eventually disintegrate and disappear if left alone.

Repeat situations

Unusually resistant weeds such as buttercup, Japanese clover, and wild carrot require follow-up treatments as foliage reappears.

Rain or sprinkling, mowing or heavy traffic within 24 hours reduces weed control effectiveness by knocking granules off weeds. Repeat treatment may then be needed but wait at least one week.

Scotts No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

After weed control is complete, fertilize regularly with Turf Builder to keep your lawn sturdy, thick and green. We suggest feeding monthly during the growing seasons.

Flip over

GUIDE TO SUCCESSFUL USE

plus 2

FOR GRASS

Controls these weeds while it feeds your lawn:

black medic	English daisy	pepperweed
buckhorn	evening primrose	pigweed
buttnutweed	filaree	plantain
chickweeds	groundry	prickly lettuce
clover	horseball, henbit	pur. lance
cutweed	kn. weed	ragweed
early chick	lamb's quarters	sheep sorrel
early fleabane	lippia	Shepherd's purse
tan lobelia	primryard	yellow wood

When to apply

Use on a calm day, when weeds are growing actively. On newly seeded or sodded lawns, wait until the grass has been mowed for the first time. Apply to most foliage. Do not water for 24 hours. Resume watering program two days after use.

How to apply

See the label for Scott's Speed Feed instructions. Apply to broad areas of lawn, or to individual weeds. Do not apply to other plants, trees, shrubs, or other areas of property.



Magazine . . . brings you timely tips to help you to greater satisfaction from the California lawn. Its seasonal hints and new ideas can save you time and costly mistakes. Two-year subscription—delivered by mail, no charge, no obligation.

NAME (Please Print)

ADDRESS

CITY

STATE

ZIP

Mail to **Scott's** P.O. Box 11213, Olathe, MO 64624

be		
but		
ca		
curly		
daily		
dawdler		
English		
filence		
h		

W...

April 1st 1871

April 2nd 1871

April 3rd 1871

April 4th 1871

April 5th 1871

April 6th 1871

April 7th 1871

April 8th 1871

April 9th 1871

April 10th 1871

April 11th 1871

April 12th 1871

April 13th 1871

April 14th 1871

April 15th 1871

April 16th 1871

April 17th 1871

April 18th 1871

April 19th 1871

April 20th 1871

April 21st 1871

April 22nd 1871

April 23rd 1871

April 24th 1871

April 25th 1871

April 26th 1871

April 27th 1871

April 28th 1871

April 29th 1871

April 30th 1871

cc: RB WE
JS. MK

Package copy for
PLUS 2 for grass (ADAM)
4-30-69 WAP
5-13-69 USDA

FRONT:
22DO

Treats 5,000 sq ft/NET WEIGHT 36 LBS/\$X.XX

Scotts No-Quibble Guarantee
If for any reason you are not satisfied
with results after using this product,
you are entitled to get your money back.
Simply send us evidence of purchase and
we will mail you a refund check promptly.
SCOTT'S...the lawn people
Oakland, Calif 94611

ACCEPTED

JUL 26 1969

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR LISTING AND REGISTRATION
ED UNDER THE FEDERAL REGISTER
TO ATTACHED COMMENTS

NEW
same prolonged
benefits with
less weight
and bulk.

(Scotts (R))

PLUS 2

for grass

✓ controls weeds (full list on other side)
Apply any time weeds are up and growing actively.

✓ gives full feeding to your lawn
makes grass multiply itself.

for grass lawns only

CAUTION: KEEP OUT OF REACH OF CHILDREN. Avoid contact with eyes, skin and clothing.
Wash thoroughly after handling. Avoid application on flowers, fruit or vegetable
plants. Keep away from the rootzone areas of shrubs and the branch spread of trees.
Do not store near fertilizers, seeds, insecticides or fungicides. Do not contaminate
water used for irrigational or domestic purposes.

Active ingredients: 2,4-Dichlorophenoxyacetic acid	0.40%
Dicamba (2-Methoxy-3, 6-dichlorobenzoic acid)	0.07%
Inert ingredients: relative to herbicidal activity	99.53%
USDA Reg No XXX-XX 538-51	Total 100.00%

Net Weight 36 lbs	Plus 2 for grass	25-5-3	guaranteed analysis
Total nitrogen (N)			25%
1.6% ammoniacal from ammoniated phosphate			
15.0% water soluble from urea and methylene ureas			
8.4% water insoluble from methylene ureas			
Available phosphoric acid (P ₂ O ₅) from ammoniated phosphate			5%
Soluble potash (K ₂ O) from muriate of potash			3%
Iron (Fe) (equivalent to Fe ₂ O ₃ -1.2%)			0.90%
Derived from ferrous ammonium sulphate			
Potential acidity equivalent to 1600 lbs calcium carbonate per ton			

Product of USA
O M Scott & Sons

US-Pat No. 2,231,353
Marysville, Ohio 43040