

538-69

12/29/1972

ACCEPTED

DEC 29 1972

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. .... SUBJECT  
TO ATTACHED COMMENTS.

538-69

Chinchbug control

NEW FORMULA  
Kwit (R)  
BRAND

538-69

6433

NEW FORMULA

Treats 2,500 sq ft/\$6.25

6433

Scotts No-Quibble Guarantee

If for any reason you are not satisfied with results after applying this product with a Scotts Spreader, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

SCOTTIS...the lawn people  
Marysville, Ohio 43040  
Oakland, Calif 94604

NEW  
FORMULA

(Scotts (R))  
KWIT (R)  
BRAND

CONTROLS CHINCHBUGS and other insects listed below

- |                 |                                  |
|-----------------|----------------------------------|
| ants            | flea beetles (in dichondra)      |
| brown dog ticks | grasshoppers                     |
| crickets        | Hyperodes weevils                |
| cutworms        | sod webworms (lawn moth larvae)  |
| earwigs         | vegetable weevils (in dichondra) |

For use on grass or dichondra lawns

A PROBLEM-SOLVING PRODUCT BY SCOTTIS, THE LAWN PEOPLE

NET WEIGHT 5½ LBS (treats 2,500 sq ft)

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. May be absorbed through the skin. Avoid inhalation or contact with skin, eyes and clothing. Do not apply by hand. Wash thoroughly with soap and water after using. Avoid contamination of food and foodstuffs. As directed, water lawn after application and allow to dry before permitting children or pets on treated areas. Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine is antidotal.

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label. Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

Active ingredient: Chlorpyrifos [0,0-diethyl 0-(3,5,6 trichloro-2-pyridyl) phosphorothioate]

1.35%

Inert ingredients:

98.65%

EPA Reg No 538-69-AA

Total 100.00%

US Patent No 3,083,089

Product of USA

O M Scott & Sons

Marysville, Ohio 43040

Oakland, Calif 94604

6433 NEW FORMULA  
Kwit (R)  
BRAND

Chinchbug control

NEW FORMULA  
Kwit (R)  
BRAND

Chinchbug control

6433

NEW FORMULA  
Kwit (R)  
BRAND

Chinchbug control

6433

NEW  
FORMULA

KWIT (R)  
BRAND

NEW  
FORMULA

CONTROLS CHINCHBUGS and other insects listed below	
ants	flea beetles (in dichondra)
brown dog ticks	grasshoppers
crickets	Hyperodes weevils
cutworms	sod webworms (lawn moth larvae)
earwigs	vegetable weevils (in dichondra)

For use on grass or dichondra lawns

A PROBLEM-SOLVING PRODUCT BY SCOTTS, THE LAWN PEOPLE

DIRECTIONS FOR USE

Apply over entire lawn area. Overlap spreader wheel tracks so no strips are missed. Water after application. Do not mow for 24 hours.

Before permitting children or pets on treated area, let lawn foliage dry off after watering in.

To control chinchbugs - use anytime activity or damage is noticed (yellowing, then browning of grass often developing in spots then spreading through entire lawn). Apply at NORMAL RATE and water thoroughly afterward to wash particles into zone of insect activity.

To prevent chinchbug damage - start applications at NORMAL RATE as soon as daily temperatures reach 80 or above; repeat at two-month intervals.

To control flea beetles, sod webworms, vegetable weevils, earwigs, and cutworms - apply at HALF RATE whenever their activity is observed or suspected. Sprinkle lightly after application to remove particles from the leaves.

To control ticks, crickets and grasshoppers - apply at NORMAL RATE whenever their activity is observed or suspected. Sprinkle lightly after application to remove particles from leaves.

To prevent Hyperodes weevils - apply at the HEAVY RATE as soon as grass greens in the spring, and repeat in one month.

Use a Scotts Spreader (Standard or Automatic) at one of these settings to ensure proper distribution

NORMAL RATE —	(treats 2,500 sq ft) . . . 7
HALF RATE —	(treats 5,000 sq ft) . . . 5½
HEAVY RATE — for Hyperodes weevils only	(treats 1,875 sq ft) . . . 8½

If you would like a free two-year subscription to our seasonal bulletin LAWN CARE, please write SCOTTS, Dept. 60, Marysville, Ohio 43040.