

A problem-solving product from Scott, the lawn people

How To Use

- DO for shinclams (also see 7), stinging net (grasshopper), apply at Scott's Spreader (Standard or Automatic Model) setting.....
- At this setting, contents will cover 2,500 sq ft of lawn. Use Kwik when temperatures reach 80° or above. Repeat treatment at two month intervals.
- DO for spid webworms, fla beetles, earwigs, vegetable weevils, and cutworms, apply at Scott's Spreader (Standard or Automatic Model) setting.....
- At this setting, contents will cover 5,000 sq ft of lawn. Repeat as needed.
- DO for Hypoxis grasshopper, apply at Scott's Spreader (Standard or Automatic Model) setting.....
- At this setting, contents will cover 1,875 sq ft of lawn. Use Kwik as soon as grass greens in spring. Repeat in one month.
- DO not create spreader wheel tracks so no strips are missed.
- DO not treat for shinclams, weed lawn thoroughly after application.
- DO not when treating for all other insects listed above, sprinkle lightly after application to remove particles from foliage.
- DO not spot treat only damaged areas — apply over entire lawn area to provide complete protection.
- DO not use when grass is wet and so till it touches bottom of spreader (let lawn dry, or mow, before making application).
- DO not mow for 24 hours after application.
- DO not allow children or pets on lawn area until grass has dried off (after watering in).
- DO not use any other control product (such as weed control!) for one week after application.

Free bulletin-service

As a user of this Scott's lawn product, you are entitled to a free subscription to Lawn Care, our service bulletin which has been helping homeowners for over 40 years.

Unless you already receive Lawn Care, send in this coupon and we'll see you the seasonal issues prepared especially for your region of the country.

For use send to: SCOTT'S, 4435 Scott Blvd., Kenilworth, N.J. 07033

NAME (print) _____

ADDRESS _____

CITY _____

STATE _____

ZIP _____

Scott's No-Quills Grass Control


4435

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will send you a refund about promptly.

SCOTT'S...the lawn people
KENILWORTH, NEW JERSEY

6435

6823



Treats up to 2,500 sq ft



controls these insects:
 lawn moth larvae flea beetles cutworms
 (and webworms)
 crickets, crickets, brown dog ticks, grasshoppers, ants,
 chinchbugs, vegetable weevils.
 For use on grass or dichondra lawns

A problem-solving product from Scott's, the lawn people

Directions for use

Apply over entire lawn area. Overlap spreader wheel tracks so no strips are missed. Water after application. Do not mow for 24 hours.

Before permitting children or pets on treated area, let lawn foliage dry off after watering in.

To control flea beetles, lawn moth larvae (and webworms), vegetable weevils, crickets, and cutworms — apply at NORMAL RATE whenever their activity is observed or suspected. Sprinkle lightly after application to remove particles from the leaves.

To control chinchbugs — use anytime activity or damage is noticed (yellowing, then browning of grass often developing in spots then spreading through entire lawn). Apply at DOUBLE RATE and water thoroughly afterward to wash particles into zone of insect activity.

To prevent chinchbug damage — start application at DOUBLE RATE as soon as daily temperatures reach 80 or above; repeat at two-month intervals.

To control ants, ticks, crickets and grasshoppers — apply at DOUBLE RATE whenever their activity is observed or suspected. Sprinkle lightly after application to remove particles from leaves.

Use a Scott's Spreader (Standard or Automatic) at one of these settings to ensure proper distribution

NORMAL RATE — (treats 2,500 sq ft)	5 1/2
DOUBLE RATE — (treats 1,250 sq ft)	7

Free bulletin-service

On a card of this Scott's lawn product you are entitled to a free bulletin for 1 year. To get our service bulletin which has many helpful hints for you, fill in and mail to:

1. Why you should receive it (check 1, 2, or 3):
 2. How to get it (check 1, 2, or 3):
 3. How to get it (check 1, 2, or 3):

Scott's No-Quibble Guarantee
 If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply mail an outline of problem and we will mail you a refund check promptly.

ACCEPTED

MAR 19 1975

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 538-69



WESTERN Lawn Insect Control

controls these insects:
 flea beetles, cutworms,
 lawn moth larvae
 (and webworms)

crickets	brown dog ticks	ants
grasshoppers	chinchbugs	
vegetable weevils		

For use on grass or dichondra lawns

A problem-solving product from Scott's, the lawn people

NET WEIGHT 2 1/2 LBS

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. May be absorbed through the skin. Avoid inhalation or contact with skin, eyes and clothing. Do not apply by hand. Wash thoroughly with soap and water after using. Avoid contamination of food and foodstuffs. As directed, water lawn after application and allow to dry before permitting children or pets on treated areas. Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine is antidote.

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

Active ingredient: Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate] 1.35%
 Inert ingredients 98.65%
 Total 100.00%
 EPA Reg No 538-69-ZA EPA Est 538-OH-1
 US Composition Pat No 3,083,089 Product of USA
 O M Scott & Sons Marysville, Ohio 43040

WESTERN Lawn Insect Control


WESTERN Lawn Insect Control

6823

6823

6823





Lawn Insect Control

controls these insects:
lawn moth larvae **flea beetles** **cutworms**
 (sod webworms)
earwigs, cicadas, brown dog ticks, grasshoppers, ants,
chinchbugs, vegetable weevils.
 For use on grass or dichondra lawns

A problem-solving product from Scotts, the lawn people

Directions for use

Apply over entire lawn area. Overlap spreader wheel tracks so no strips are missed. Water after application. Do not mow for 24 hours.

Before permitting children or pets on treated area, let lawn foliage dry off after watering in.

To control flea beetles, lawn moth larvae (sod webworms), vegetable weevils, earwigs, and cutworms — apply at NORMAL RATE whenever their activity is observed or suspected. Sprinkle lightly after application to remove particles from the leaves.

To control chinchbug — use anytime activity or damage is noticed (yellowing, then browning of grass often developing in spots then spreading through entire lawn). Apply at DOUBLE RATE and water thoroughly afterward to wash particles into zone of insect activity.

To prevent chinchbug damage — start application at DOUBLE RATE as soon as daily temperatures reach 80 or above; repeat at two-month intervals.

To control ants, ticks, crickets and grasshoppers — apply at DOUBLE RATE whenever their activity is observed or suspected. Sprinkle lightly after application to remove particles from leaves.

Use a Scotts Spreader (Standard or Automatic)
at one of these settings to ensure proper distribution

NORMAL RATE — (treats 2,500 sq ft) 5½
 DOUBLE RATE — (treats 1,250 sq ft) 7

Free bulletin-service



As a user of this Scotts lawn product, you are entitled to a free subscription to Lawn Care, our service bulletin which has been helping homeowners for over 40 years.

If you already receive Lawn Care, send us this coupon and we'll mail you the seasonal issues prepared especially for your region of the country.

Cut out and send to SCOTT'S, the lawn people, Dept. 68, Marysville, Ohio 44868

NAME (please print) _____
 ADDRESS _____
 CITY _____
 STATE _____

Scotts No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

SCOTT'S... the lawn people
MARYSVILLE, OHIO 44868



Lawn Insect Control

WESTERN

6823

Lawn Insect Control

controls these insects:
fire beetles, grubs,
lawn mites, larvae
(and webworms)

earwig crickets
harmful ticks
grasshoppers
vegetable weevils
ants
chickadees

For use on grass or dichondra lawns

A problem-solving product from Scotts, the lawn people

NET WEIGHT 2 3/4 LBS

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. May be absorbed through the skin. Avoid inhalation or contact with skin, eyes and clothing. Do not apply by hand. Wash thoroughly with soap and water after using. Avoid contamination of food and foodstuffs. As directed, water lawn after application and allow to dry before permitting children or pets on treated areas. Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine is antidotal.

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Apply this product only as specified on this label. Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

Active ingredient: Chlorpyrifos [0, 0-diethyl 0-(3, 5, 6 trichloro-2-pyridyl) phosphorothioate]..... 1.35%
Inert ingredients:..... 98.65%

EPA Reg No 538-69-ZA EPA Est 538-OH-1
US Composition Pat No 3,083,089
O M Scott & Sons
Total 100.00%
Product of USA
Marysville, Ohio 43040

Lawn Insect Control

WESTERN

Lawn Insect Control

WESTERN

6823

6823

FRONT LABEL

ACCEPTED
NOV 4 1968
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND ROENTICIDE ACT
FOR ECONOMIC POISON REGISTRATION
NO. 539-169 SUBJECT
TO ATTACHED COMMENTS.

SEARS (logo) SEVIN *50W INSECTICIDE SPRAYABLE POWDER

- CONTROLS MANY INSECTS ON VEGETABLES, FRUITS, FLOWERS, SHRUBS, TREES, LAWNS
- KILLS RESISTANT DOG TICKS, FLEAS

ACTIVE INGREDIENTS:

Carbaryl (1—Naphthyl N—Methylcarbamate)	50.0%
INERT INGREDIENTS:	50.0%
TOTAL	100.0%

*Registered Trade Mark of Union Carbide Corporation

CAUTION: Keep Out of Reach of Children. See additional cautions on back.

71 11575

Net Contents 8 ounces.

USDA Reg.No. 539-169

NOTE: This material settles after filling.

DISTRIBUTED BY SEARS, ROEBUCK AND CO., CHICAGO, ILLINOIS 60607

BACK LABEL

DIRECTIONS FOR USE

LAWN PESTS: For control of dog ticks, fleas, ants, chinch bugs, earwigs, fall armyworms, leafhoppers, sod webworms, millipedes, mosquitoes, use one level cupful in 15 to 20 gals. of water for each 500 sq. ft. of established lawn area. For best results mow lawn and apply immediately after rain or watering. For dog ticks or fleas, spray inside and outside of dog house & other areas where dogs sleep. Put fresh bedding in dog house after spraying. Repeat in 2 or 3 weeks if necessary. Spray dog at same time with 4 tbsps. per 1 gal. water.

FLOWERS, SHRUBS, EVERGREENS, SHADE TREES: To control bagworm, Birch leaf miner, box elder bug, leaf miner, blister beetle, elm leaf beetle, flea beetle, gypsy moth, inchworm (cankworm), Japanese beetle, June beetle, lace bug, leafhopper, leaf roller, mealy bug, mimosa webworm, plant bug, psyllid, cicada, puss caterpillar, rose slug or aphid, scale insects, tent caterpillar, willow leaf beetle, thrips use 2 Tbsps. per gal. water or 1/2 lb. in 25 gal. water, & spray plants thoroughly. Do not use on Boston ivy or Virginia creeper. Repeat weekly or as needed.