



#6358 (1984 #4...)
8-17-81... 9-11-81BR
...

WESTERN
LAWN INSECT
CONTROL

FRONT:

6358

Treats 2,000 sq ft (186 m²)

(Scotts (R))

WESTERN
Lawn Insect
Control

Controls sod webworms (lawn moth larvae),
flea beetles, cutworms, and other insects
listed below.

- | | |
|-----------------|------------------------|
| ants | earwigs |
| armyworms | European crane fly |
| brown dog ticks | larvae (leatherjacket) |
| chinch bugs | grasshoppers |
| crickets | vegetable weevils |
| | (in dictionary) |

For use on grass or dicentra lawns.

WESTERN DOCUMENT ANALYSIS

FRONT CONTINUED:

NET WEIGHT 3.0 LBS. (1.36/ kg)

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals: CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. May be absorbed through the skin. Do not apply by hand. Wash thoroughly with soap and water after using. Wash contaminated clothing before reuse. Avoid contamination of feed or foodstuffs. As directed, water lawn after application and allow to dry before permitting children or pets on treated areas. Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is antidotal.

Statement of Practical Treatment:

If in Eyes: Flush with plenty of water. Get medical attention if irritation persists.

Environmental Hazards: This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

Storage and Disposal: Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in clean, dry place. Pestal opened by folding top down and securing.

CONTAINER DISPOSAL: Do not reuse empty container. Wash container and put in trash collection.

ACTIVE INGREDIENT:

Chlorpyrifos [0,0-Diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate]

INERT INGREDIENTS:

1.35%
98.65%
Total 100.00%

EPA Reg No 538-69

EPA Est No 538-OH-1

Product of USA

The O M Scott & Sons Company

Marysville, Ohio 43041

(c) 1984, The O M Scott & Sons Company. All rights reserved

6358 (Scotts (R)) Western Lawn Insect Control

BEST DOCUMENT

CONFIDENTIAL

(Scotts (R)) Western Lawn Insect Control

6358

(Scotts (R)) Western Lawn Insect Control

6358

BEST DOCUMENT

PULL
WHITE
STRIPE

INSTRUCTIONS FOR USE

WATER
LAWN
MOWER

6358

controls these insects:

sod webworms (lawn moth larvae)	flea beetles	cutworms
------------------------------------	--------------	----------

ants, armyworms, brown dog ticks, chinch bugs, crickets,
earwigs, grasshoppers, European crane fly larvae (leatherjacket),
vegetable weevils (in dicotyledons).

for use on grass or dicotyledon lawns

Directions for use


It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- | | |
|--|---|
| <p>DO for sod webworms, armyworms, flea beetles, earwigs, vegetable weevils, and cutworms apply at Scott's Spreader (PF, Standard or Automatic) setting <u>.....</u>. At this setting, contents will cover 2,000 sq ft of lawn. Repeat as needed.</p> | <p>DO use as soon as daily temperatures reach 60° or above to prevent winter damage. Repeat treatment at 14-20 day intervals.</p> |
| <p>DO for chinch bug (also control crane fly larvae, ticks, crickets, grasshoppers), apply at Scott's Spreader (PF, Standard or Automatic) setting <u>.....</u> <input checked="" type="checkbox"/>. At this setting, contents will cover 1,400 sq ft of lawn. Repeat as needed.</p> | <p>DO use for control of crane fly larvae when activity is noticed in the turf usually mid-June to mid-July.</p> |
| <p>DO sprinkle lightly after application to remove particles from foliage, when treating for all insects listed (except chinch bugs and crane fly larvae).</p> | <p>DO overlap spreader wheel tracks so no strips are missed.</p> |
| <p>DO water lawn thoroughly after application (1-2 inch), when treating for chinch bugs and crane fly larvae.</p> | <p>DON'T spot treat only damaged areas — apply over entire lawn area to provide complete protection.</p> |
| | <p>DON'T use when grass is wet and so tall it touches bottom of spreader (let lawn dry, or mow, before making application).</p> |
| | <p>DON'T mow for 24 hours after application.</p> |
| | <p>DON'T allow children or pets on lawn until grass has dried and after watering in.</p> |
| | <p>DON'T use any other fertilizer or insecticide as well as this product for one week after application.</p> |

BACK CONTINUED:

LEFT COLUMN

SPECIAL Thank you for using Western Lawn Insect Control. To help assure
FREE your continued success with your lawn, we would like
OFFER to offer you a free subscription to Lawn Care(R)
magazine, which has been helping lawnowners for over
50 years.



Just send your name and address to Scotts, Marysville,
Ohio 43041, and we'll mail you Lawn Care free for two
years.

BEST DOCUMENT

RIGHT COLUMN

6358

Scotts Policy No-Quibble Guarantee

If for any reason you are not satisfied with results after using
this product, you are entitled to get your money back. Simply
send us evidence of purchase and we will mail you a refund check
promptly.

SCOTTS...the lawn people
Marysville, Ohio 43041

[REDACTED]
[REDACTED]
[REDACTED] (111-1111) 1111