



NET WEIGHT 24 LBS




insecticide III

8863

1453

Scotts
ProTurf
insecticide III
 for professional use only on turfgrasses or dichondra



8863




insecticide III

8863

BEST DOCUMENT AVAILABLE

ACCEPTED
 APR 13 1973
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECONOMIC POISON REGISTERED
 UNDER NO. 538-70



insecticide

for professional use only on turfgrasses or

CONTROLS CHINCHBUGS and other insects:
 ants, fire beetles, in di-hondra,
 brown dog ticks, grasshoppers,
 crickets, Hesperides weevils,
 cutworms, sod webworms, lawn moths,
 earwigs, vegetable weevils, in di-
 chondra.

Apply over entire area. Overlap to ladder wheel
 strips are missed. Water after each application
 for 24 hours.

Chinchbug control—use anytime activity is
 noticed. Water thoroughly after application. In-
 tegrates into zone of insect activity.

To prevent damage from chinchbugs before in-
 secticide application, apply as soon as daily temperatures
 above 60°F. Repeat at 2 month intervals.

Control of sod webworms, cutworms, lawn moths,
 and vegetable weevils—apply whenever insects
 observed or suspected. Sprinkle lightly after ap-
 plication to remove particles from leaves.

To control ants, ticks, crickets and grasshoppers,
 where their activity is observed or suspected,
 apply as soon as possible. Repeat in one month.

USE THESE SPREADER SETTINGS
 to ensure proper distribution

Ants, chinchbugs, ticks, crickets, grasshoppers, crickets	24 lbs treats 11,000 sq ft	7
Other insects—	24 lbs treats 22,000 sq ft	5
Hesperides Weevils	24 lbs treats 2,250 sq ft	8


ProTurf Division, O.M. Scott & Sons, Marysville, Calif. (Oakland, Calif.)

8863

E990 E991 E992

NET WEIGHT 24 LBS

E990 E991



USE THESE SPREADER SETTINGS TO ENSURE PROPER DISTRIBUTION

Ants	chinchbugs	ticks	crickets	grasshoppers
24 lbs treats 11,000 sq ft	7	26	36	
Other Insects	24 lbs treats 22,000 sq ft	5	19	29
Hyperodes weevils	24 lbs treats 250 sq ft	8	26	36

ProTurf Division, D.M.S. & S. Sons, Marysville, Ohio 43040
Oakland, Calif. 94604





8863



insecticide III

BEST DOCUMENT AVAILABLE

8863



insecticide III

CONTROLS CHINCHBUGS and other insects listed below:

ants	fire beetles	in d. chondra
brown dog ticks	grasshoppers	
crickets	Hyperodes weevils	
cutworms	cutworms	larvae in ethiopian
earwigs	weevils	in d. chondra

Apply over entire area. Turn up spreader wheel tracks in 15 minutes. Water after each application. Do not mow for 24 hours.

Chinchbug control - use anytime activity or damage is noticed. Water thoroughly after application to wash particles into zone of insect activity.

To prevent damage from chinchbugs before it occurs, start applications as soon as daily temperatures reach 80 or above. Repeat at 2 month intervals.

Control of sod webworms, cutworms, earwigs, fire beetles and vegetable weevils - apply whenever insect activity is observed or suspected. Sprinkle lightly after application to remove particles from leaves.


To control ants, ticks, crickets and grasshoppers - apply whenever their activity is observed or suspected. Sprinkle lightly after application to remove particles from leaves.

Control of Hyperodes weevils - apply as soon as grass greens in the spring, and repeat in one month.

USE THESE SPREADER SETTINGS TO ENSURE PROPER DISTRIBUTION

Ants	chinchbugs	ticks	crickets	grasshoppers
24 lbs treats 11,000 sq ft	7	26	36	
Other Insects	24 lbs treats 22,000 sq ft	5	19	29
Hyperodes weevils	24 lbs treats 250 sq ft	8	26	36


ProTurf Division, D.M.S. & S. Sons, Marysville, Ohio 43040
Oakland, Calif. 94604




1-A




insecticide III



NET WEIGHT 24 LBS




TO OPEN BAG
PULL HERE



insecticide III

8863



insecticide III

for professional use only on turfgrasses or dichondra

CONTROLS CHINCHBUGS and other insects listed below

- ants
- brown dog ticks
- crickets
- cutworms
- earwigs
- flea beetles in dichondra
- grasshoppers
- Hyperodes weevils
- sod webworms lawn moth larvae
- vegetable weevils in dichondra

Apply over entire area. Overlap spreader wheel tracks so no strips are missed. Water after each application. Do not mow for 24 hours.

Chinchbug control—use anytime activity or damage is noticed. Water thoroughly after application to wash particles into zone of insect activity.

To prevent damage from chinchbugs before it occurs, start applications as soon as daily temperatures reach 80 or above. Repeat at 2 month intervals.

Control of sod webworms, cutworms, earwigs, flea beetles and vegetable weevils—apply whenever insect activity is observed or suspected. Sprinkle lightly after application to remove particles from leaves.

To control ants, ticks, crickets and grasshoppers—apply whenever their activity is observed or suspected. Sprinkle lightly after application to remove particles from leaves.

Control of Hyperodes weevils—appl, as soon as grass greens in the spring, and repeat in one month

USE THESE SPREADER SETTINGS to ensure proper distribution

	SPREADER	FEET	PER TREAT
Ants, chinchbugs, ticks, crickets, grasshoppers control—	24 lbs treats	11,000 sq ft	7 26 36
Other Insects—	24 lbs treats	22,000 sq ft	5 19 29
Hyperodes Weevils—	24 lbs treats	8,250 sq ft	8 28 38

ProTurf Division, O. M. Scott & Sons, Marysville, Ohio 43040
Oakland, Calif. 94604

