

SUPER TURF BUILDER
FOR GRASS 23770
03/22/83 GJC 02/03/86 AR
05/04/83 GJC 03/24/86 AR
01/22/86 AR 06/19/89 VS
10/12/89 VS

(Scotts (R)) Super Turf Builder plus 2 FOR GRASS Weed Control Plus Lawn Fertilizer (Scotts) (Lawn Pro) (R)

PU23
538-72
p. 106

(NOTE: The above description will be inverted.)

Treats 5,000-sq ft (465 m²)

ACCEPTED
with COMMENTS
in EPA Letter Dated

MAY 30 1990

(Scotts (R))
Super Turf Builder
plus 2(R)
BRAND

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

FOR GRASS Weed Control Plus Lawn Fertilizer

For use on Bahia, Bermuda, Centipede, Zoysia, Fescue and Bluegrass lawns only.

538-72

Clears out dandelions, clover and other broad leafed weeds (listed on back)

Gives full feeding of Scotts Super Turf Builder(R)-for iron deficient soils

Not for use on dichondra lawns, St. Augustinegrass, creeping bentgrass or carpetgrass.

A SCOTTS(R) Lawn Pro(R) PRODUCT

Available only at authorized Lawn Pro Stores

NET WEIGHT 25 LBS (11.33 kg)

28-3-3

LEFT COLUMN

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: Causes eye irritation. ~~Causes skin irritation.~~
~~eyes, on skin, on clothing. Wash thoroughly with soap and water after handling.~~ In case of contact immediately wash eyes or skin with plenty of water. Get medical attention if irritation persists. Harmful if swallowed. Do not contaminate feed or foodstuffs. ~~Use long pants and a long sleeved shirt when loading, spreading and applying product.~~

Environmental Hazards: Do not contaminate water used for irrigational or domestic purposes. Do not apply when weather conditions favor drift from target areas. Avoid application on shrubs, flowers, fruit or vegetable plants. Drift or runoff may adversely affect non-target plants. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Do not contaminate washwaters. *water when cleaning of equipment*

Phenoxy herbicides such as MCPP generally will not reach groundwater from use as specified on product labels. To prevent contamination of water supplies, caution should be exercised when handling MCPP pesticides at mixing, loading, and disposal sites.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

ACTIVE INGREDIENTS:

2,4-Dichlorophenoxyacetic acid	0.68%
2-(2-Methyl-4-chlorophenoxy)propionic acid	0.68%

INERT INGREDIENTS:	<u>98.64%</u>
	Total 100.00%

EPA Reg No 538-72

EPA Est 538-OH-1

RIGHT COLUMN

Super Turf Builder plus 2 for grass 28-3-3 643-1141

Guaranteed Analysis

Total nitrogen(N)	28%
1.3% ammoniacal nitrogen	
17.8% urea, methylene ureas nitrogen	
8.9% water insoluble nitrogen	
Available phosphoric acid (P ₂ O ₅)	3%
Soluble potash (K ₂ O)	3%
Iron (Fe)	1.37%

Derived from: monoammonium phosphate, urea, methylene ureas, potassium sulfate, ferrous ammonium sulfate.

US Pat Nos 3,705,794 and 3,989,470
Product of USA

The O M Scott & Sons Company
Marysville, Ohio 43041

W/S

GUSSETS:

pg. 30/6

RIGHT GUSSET:

23770	A SCOTT'S Lawn Pro PRODUCT	(Scotts (R))	Super Turf Builder plus 2(R) FOR GRASS	Weed Control Plus Lawn Fertilizer
-------	-------------------------------------	--------------	--	--------------------------------------

LEFT GUSSET:

(Scotts (R))	Super Turf Builder plus 2(R) FOR GRASS	Weed Control Plus Lawn Fertilizer	H SCOTT'S Lawn Pro PRODUCT	23770 (Packaging Calendar)
--------------	--	--------------------------------------	-------------------------------------	-------------------------------

PULL TAB

STB+2 (W/S) 23770

and remove for
pour spout
(ILLUS.)

SM
PROOF
OF

Easy
Open PULL HERE

Treats 5,000 sq ft (465 m²)

PURCHASE
(Scotts)

(Scotts (R)) Super Turf Builder
plus 2 (R)
BRAND
FOR GRASS
Weed Control Plus Lawn Fertilizer

- WEEDS CONTROLLED
dandelion

aster	chicory	ground ivy	mustard	scarlet
bindweed	cinquefoil	healall	pennywort	pimpernel
bittercress	clover (white)	henbit	pepperweed	shadflower
black medic	cudweed	horseweed	pigweed	shepherdspurse
bristly	curly dock	knotweed	plantain	smartweed
ox tongue	dichondra	(seedling)	prickly	sowthistle
buckhorn	dollarweed	lambquarters	lettuce	stitchwort
bull thistle	English daisy	lippia	puncturevine	thymeleaf
burclover	evening-	(matchweed)	purslane	sandwort
buttonweed	primrose	mallow	pusley,	vetch
centella	filaree	moneywort	Florida	yellow rocket
chickweed	fleabane	morningglory	ragweed	

Directions for use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

LEFT MARGIN

DO use when weeds are up and growing actively. On bahia and centipede lawns only, wait until after the second mowing of the year but not before mid-March. In the fall, do not treat centipede after the first of October; do not treat bahia after the first of November.

DO apply on a calm day.

DO slightly overlap Drop Spreader's wheel tracks or you may have "stripes" of untreated lawn.

BACK CONTINUED:

Spreader Settings

**Scotts
Drop
Spreaders**

(treats 5,000 sq ft)

6 3/4

- DO sweep or hose material off walks, driveways and shoes to avoid discoloration.
- DO apply only when lawn is wet from dew, rain or thorough watering (very important so that the Scotts Super Turf Builder Plus 2(R) particles will stick to the weed leaves instead of falling to the soil).

RIGHT COLUMN

DO withhold watering lawn for at least 24 hours after application (to avoid washing particles off the weed leaves).

DON'T use when rain is expected within 24 hours.

DON'T use when daytime temperatures are consistently 90°F or above.

DON'T use when grass is so tall it touches bottom of spreader (mow lawn first in such situations).

DON'T use on a newly seeded or sodded lawn until the new grass has been mowed at least four times. If seeding in late spring, delay weed control application until early fall. If seeding in the late fall, delay weed control application until spring.

DON'T seed right after using Super Turf Builder Plus 2(R). Wait at least one month.

DON'T use on dichondra, creeping bentgrass, St. Augustinegrass or carpetgrass; or on flowers, shrubs, fruit, vegetable plants, lippia.

What to expect

LEFT COLUMN

This product does not work overnight. It is designed to provide slow, steady controlled action. Stems and leaves of weeds may begin to twist and curl in a few days, but a month or more may be required for complete control, especially when weather is dry or cold.

It is not necessary to rake out dead weeds. They will eventually disintegrate and disappear.

BACK CONTINUED:

pp. 05/0

Only weeds growing at time of application will be eliminated. This product does not prevent weed seeds from producing new plants, whether such seeds are on the surface or buried in the soil.

If particles become washed off weed foliage within 24 hours

RIGHT COLUMN

after application, control may be less effective. If there is no indication that it is working after 3 or 4 weeks of good growing weather another treatment may be needed. You can repeat Super Turf Builder Plus 2^(R) or apply Scotts Lawn Weed Control which does not include fertilizer.

After weed control is achieved, you are urged to follow through on the basic needs of every lawn-fertilizer, water and regular mowing.

A SCOTTS^(R) Lawn Pro^(R) Product
Available only at authorized Lawn Pro stores

23770

**Scotts Policy
No-Quibble Guarantee**

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

SCOTTS...the lawn people Marysville, Ohio 43041

(c)1989, THE O M SCOTT & SONS COMPANY. ALL RIGHTS RESERVED.

0 (UPC) 3
32247 23770

(NOTE: The description below will be inverted.)

23770	(Scotts) Super Turf Builder	plus 2 FOR GRASS	Weed Control Plus Lawn Fertilizer	(Scotts) (Lawn Pro) (R)
-------	-----------------------------	------------------	-----------------------------------	-------------------------