


with dandelion control


Treats 5,000 sq ft at Regular Rate

Scotts

Halts Plus

crabgrass preventer plus lawn fertilizer

with dandelion control

For established lawns only.
 Do not use if planting grass seed.

How to Use

1. Apply to lawn in spring or fall.
2. Apply to lawn in spring or fall.
3. Apply to lawn in spring or fall.
4. Apply to lawn in spring or fall.
5. Apply to lawn in spring or fall.
6. Apply to lawn in spring or fall.
7. Apply to lawn in spring or fall.
8. Apply to lawn in spring or fall.


The Bulletin Service

NAME _____
 ADDRESS _____
 CITY _____ STATE _____ ZIP _____

Scotts
 with dandelion control

3625


EASY
 GREENING
 3625



Scotts

Halts Plus
 crabgrass preventer plus lawn fertilizer
 with dandelion control

▲ SCOTTS LAWN AND FERTILIZER PRODUCT
 Available for your lawn too.

with dandelion control


Treats 5,000 sq ft at Regular Rate

Scotts

Halts Plus

crabgrass preventer plus lawn fertilizer

with dandelion control

For established lawns only.
 Do not use if planting grass seed.

- ✓ apply in the spring or in the fall.
- ✓ prevents crabgrass - also barnyardgrass, foxtail, goosegrass
- ✓ controls dandelions and other weeds (see list on other side)
- ✓ gives full feeding of **Lawn Builder** - America's favorite fertilizer for developing thick green lawns.

NET WEIGHT 25 LBS



Scotts
 with dandelion control

3625

3625

Halts Plus
 crabgrass preventer plus lawn fertilizer
 with dandelion control

Scotts

3625

Halts Plus

crabgrass preventer plus lawn fertilizer

with dandelion control

For established lawns only.
Do not use if planting grass seed.

Prevents:	crabgrass	foxtail	goosegrass	barnyardgrass
Controls actively growing:	dandelion	knotted	puncture vine	
black night	English daisy	seedling	parslane	
blackberry	evening	lampbrush	rayweed	
blacktop	primrose	moneywort	shepherd	
blackweed	thistle	morning glory	purse	
blackweed	top fruit	mustard	smartweed	
chicory	gainsoga	pennywort	stickwort	
cinqufoil	ground ivy	pepperweed	thyme leaved	
clover (white)	heal all	pigweed	wandwort	
codweed	henbit	printan	weed flower	
daisy fleabane		prickly lettuce	yellow rocke	

How To Use

DO apply in spring at regular rate to prevent crabgrass and to control actively growing weeds listed above. Apply between second and fifth mowing.

Apply at Scotts Spreader (Standard or Automatic Model) setting **7** (Covers 3,000 sq ft)

or apply in fall (September-October) or in the spring (between the second and fifth mowing) at heavy rate to prevent barnyard grass, foxtail and goosegrass in addition to crabgrass. The heavy rate application also controls actively growing weeds listed above.

Apply at Scotts Spreader (Standard or Automatic Model) setting **8** (Covers 4,000 sq ft)

DO slightly overlap spreader wheel tracks for complete coverage.

DO apply only when lawn is wet from dew, rain, or thorough watering (very important so that the particles will stick to the weed leaves instead of falling to the soil).

DO withhold watering lawn for at least 24 hours after application (to avoid washing particles off the weed leaves).

DO apply on calm day.

DON'T use on lawns of creeping bentgrass, carpetgrass, improved varieties of Bermuda, St. Augustine grass or dichondra.

DON'T apply on newly seeded or sodded areas until the grass has received its fourth mowing.

DON'T seed or sod for 4 months after application.

DON'T apply to shrubs, flowers, fruit and vegetable plants.

DON'T make application at less than four month intervals.


DON'T rake or aerify after application, to avoid disturbing the Halts Plus barrier in the soil.

DON'T use this product to control crabgrass and other wild grasses already up and growing. Scotts recommends CLOUT to control actively growing crabgrass.


DON'T expect control of dandelions overnight. A month of good growing weather may be required for complete control.

Free bulletin-service

For more information on lawn care, please write to: Scotts Lawn Care, Dept. 3625, P.O. Box 100, Kenilworth, N.J. 07033. Please include your name, address, and phone number. We will send you a free bulletin on lawn care.



538-77



Halts Plus
crabgrass preventer plus lawn fertilizer
with dandelion control

3625
ACKNOWLEDGED
MAY 6 1970

crab
ap
pr
co
gg

Ham
creep
den p
Don
Do n
This
water
on th
Activ
est
2-4-1
2-12-1
10-1

Halts Plus
 crabgrass preventer plus lawn fertilizer
 with dandelion control

3625

ACCREDITED

6

THE NATIONAL ASSOCIATION OF
 CHEMISTS

1000 N. 17th St., Suite 100
 Arlington, VA 22209

For more information call
 1-800-4-A-ACCREDITED

EPA Reg. No. 538-77

3625

Halts Plus

crabgrass preventer plus lawn fertilizer

with dandelion control

For established lawns only.
 Do not use if planting grass seed.

- ✓ apply in the spring or in the fall.
- ✓ prevents crabgrass – also barnyardgrass, foxtail, goosegrass
- ✓ controls dandelions and other weeds – see list on other side
- ✓ gives full feeding of Turf Builder – America's favorite fertilizer for developing thick green lawns.

NET WEIGHT 22½ LBS

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid inhalation and contact with skin, eyes or clothing. Do not use on creeping bentgrass, carpetgrass or St. Augustinegrass lawns or dichondra. Avoid use on garden plants, flowers and shrub. Do not store near fertilizers, seeds, insecticides or fungicides. Do not contaminate feed or foodstuffs or water used for irrigation or domestic purposes. Do not reuse container. Destroy when empty.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

Active ingredients: S-(O,O)-Disopropyl phosphorodithioate 5.10%
 ester of N-(2-Mercaptoethyl) benzenesulfonamide 0.76%
 2,4-Dichlorophenoxyacetic acid 0.76%
 2-(2-Methyl-4-chlorophenoxy) propionic acid 0.76%
 Inert ingredients 91.62%

U.S. Composition Pat. No. 3,083,089 Total 100.00%
 EPA Reg. No. 538-77 EPA Est. 538-OH-1 Product of USA
 Net Weight 22½ lbs. Halts Plus with dandelion control 2046-6 guaranteed analysis

Total nitrogen (N) 20%
 13% ammoniacal nitrogen from ammoniated phosphate
 12.9% water soluble nitrogen from urea and methylene ureas
 7.1% water insoluble nitrogen from methylene ureas
 Available phosphoric acid (P₂O₅) from ammoniated phosphate 6%
 Soluble potash (K₂O) from muriate of potash 6%
 Potential acidity equivalent to 600 lbs of calcium carbonate per ton
 U.S. Process Pat. No. 3,076,700 O.M. Scott & Sons, Marysville, Ohio 43040

3625

Scotts **Halts Plus**
 crabgrass preventer plus lawn fertilizer
 with dandelion control

Halts Plus
 crabgrass preventer plus lawn fertilizer
 with dandelion control

Scotts