

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

MAY 3 0 1990

OFFICE OF PESTICIDES AND TOXIC SUBSTANCES

Mr. Vincent Snyder, Jr. The O. M. Scott & Sons Company 14111 Scottslawn Road Marysville, Ohio 43041

Dear Mr. Snyder:

Subject: Label Amendment per 2,4-D and MCPP Standards

Super Turfbuilder Plus 2 for Grass

EPA Registration Number 538-72

Crabgrass Preventer & D ndelion Control & Fertilizer

EPA Registration Number 538-77 Scotts Lawn Pro Weed and Feed EPA Registration Number 538-215

Private Label Weed & Feed

EPA Registration Number 538-220

Private Label Feed & Weed

EPA Registration Number 538 236

Your Submission Dated October 16, 1989

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable provided that you add the following:

- 1. Homeowner Reentry Statement: "Do not reenter or permit others to reenter treated areas until sprays have dried or dusts have settled."
- 2. Cleaning of Equipment Statement: "When cleaning equipment, do not pour the washwater on the ground; spray or drain over a large area away from wells and other water sources."

Please also note that there was a typo in the standard and under the Environmental Hazards it should read, "...Do not contaminate water when disposing of equipment washwaters.".

A stamped copy of each label is enclosed for your files.

Sincerely yours,

Joanne I. Miller Acting Product Manager (23) Fungicide-Herbicide Branch Registration Division (H7505C)

Enclosures

10/12/89 VS

Treats 5,000 sq ft (465 m^2)

(In Colorado treats 4,500 sq ft (418 m²)

ACCEPTED
with COMMENTS
in EPA Letter Dated:

MAY 3 0 1990

(Scotts (R))

Crabgrass Preventer and Dandelion Control Plus Fertilizer Under the Federal Insecticide, Fangaude, and Redemicide Act as amended, for the pesticide musticed under EPA Reg. No. 232-22

FOR ESTABLISHED LAWNS ONLY. DO NOT USE IF PLANTING GRASS SEED

Prevents crabgrass -- also barnyardgrass and foxtail

Controls dandelions and other weeds - see list on other side

Gives full feeding of Turf Builder — America's favorite fertilizer for developing thick, green lawns

Apply in the spring or in the fall

A SCOTTS(R) Lawn Pro(R) PRODUCT

Available only at authorized Lawn Pro stores

NET WEIGHT 22 1/2 LBS (10.21 kg)

20-6-6

KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION, avoid contact with skin, eyes, or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Wash thoroughly with soap and water after handling. May be harmful if swallowed. Avoid inhalation. Do not contaminate feed or foodstuffs. Wear long pants and a long-sleeved shirt when loading spreader and applying product.

Environmental Hazards: Do not apply when weather conditions favor drift from target areas. Drift or runoff may adversely affect non-target plants. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Do not contaminate washwaters.

Phenoxy herbicides such as MCPP generally will not reach groundwater from use as specified on product labels. To prevent contamination of water supplies, caution should be exercised when handling MCPP pesticides at mixing, loading, and disposal sites.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing. FESTICIDE DISPOSAL: Securely wrap original container in several layers of . newspaper and discard in trash. CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash. ACTIVE INGREDIENTS: S-(0,0-Diisopropyl phosphorodithioate) ester of 5.10% 0.76% 93.38% Total 100.00% RIGHT COLUMN EPA Reg No 538-77 EPA Est 538-OH-1 Crabgrass Preventer and Dandelion Control Plus Fertilizer 20-6-6 Guaranteed Analysis 1.3% ammoniacal nitrogen 12.0% water soluble nitrogen 6.7% water insoluble nitrogen Soluble potash (K₂0). Derived from: monoammonium phosphate, urea, methylene ureas, muriate of potash. The O M Scott & Sons Company Marysville, Ohio 43041

(Scotts)

Crabgrass Preventer and Dandelion Control plus Fertilizer

(Scotts)
(Lawn Pro (R))

GUSSETS:

LEFT GUSSET:

(Scotts)

Crabgrass Preventer and Dandelion Control plus Fertilizer

3627

RIGHT GUSSET:

(Scotts)

Crabgrass Preventer and Dandelion Control plus Fertilizer

3627

EASY OPEN BAG PULL WHITE TAPE

Treats 5,000 sq ft (465 m^2)

(In Colorado treats 4,500 sq ft (418 m²)

(Scotts (R))

Crabgrass Preventer and Dandelion Control plus Fertilizer

FOR ESTABLISHED LAWNS ONLY. DO NOT USE IF PLANTING GRASS SEED.

Prevents: crabgrass

foxtail

barnyardgrass

Controls actively growing:

aster
bittercress
black medic
buckhorn
bull thistle
buttonweed
carpetgrass
chickweed
chicory
cinquefoil
clover (white)
cudweed
curly dock

dandelion
English daisy
e eningprimrose
filaree
fleabane
ground ivy
hawkweed
healall
henbit
horseweed
knotweed
(seedling)
lambsquarters

mallow
moneywort
morningglory
mustard
pennywort
pepperweed
pigweed
plantain
prickly lettuce
puncturevine
purslane
ragweed

scarlet pimpernel shadflower shepherdspurse smartweed sowthistle stitchwort thymeleaf sandwort vetch yellow rocket

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- apply in <u>spring</u> (between second and fifth mowing) at regular rate to prevent crabgrass and to control actively growing weeds (listed above). Apply at Scotts Spreader (Standard, Automatic or Precision Flow Control Model) setting 6 3/4 (Treats 5,000 sq ft)
 In Colorado apply at setting 7 (treats 4,500 sq ft)
- apply in <u>fall</u> (September-October) or in the spring (between the second and fifth mowing) at heavy rate to prevent barnyardgrass and foxtail in addition to crabgrass. The heavy rate application also controls actively growing weeds (listed above).

- DO slightly overlap spreader wheel tracks for complete coverage.
- DO apply only when lawn is wet from dew, rain or thorough watering (very important so that the particles will stick to the weed leaves instead of falling to the soil).
- DO withhold watering lawn for at least 24 hours <u>after</u> application (to avoid washing particles off the weed leaves).
- DO apply on a calm day.
- DON'T use on lawn of creeping bentgrass, carpetgrass. St. Augustinegrass, dichondra or improved varieties of bermudagrass.
- **DON'T** apply on newly seeded or sodded areas until the grass has received its fourth mowing.
- DON'T seed or sod for 4 growing months after application.
- DON'T apply to shrubs, flowers, fruit or vegetable plants.
- DON'T make application at less than four month intervals.
- DON'T rake or aerify <u>after</u> application to avoid disturbing the crabgrass prevention barrier in the soil.
- DON'T use this product to control crabgrass or other wild grasses already up and growing. Scotts recommends SUMMER CRABGRASS CONTROL to control actively growing crabgrass.
- **DON'T** expect control of dandelions overnight. A month of good growing weather may be required for complete control.

A SCOTTS(R) LAWN PRO(R) PRODUCT
Available only at authorized Lawn Pro stores

3627

Scotts Policy No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

SCOTTS...the lawn people . Marysville, Ohio 43041

Free Bulletin Service

As a Scotts user, you are entitled to a free subscription to Lawn Care, which has been helping lawnowners for over 50 years.

Unless you already receive Lawn Care, send us this coupon and we'll mail you the seasonal issues prepared especially for your region.

CITY

Cut out and mail to Scotts, Marysville, Ohio 43041

STATE

ZIP

1982 (c) THE O M SCOTT & SONS COMPANY.

ALL RIGHTS RESERVED.

3627 (Scotts (R)) Crabgrass Preventer and Dandelion Control plus FertilizerBuilder