

**Fertilizer with
pre-emergence weed control**

8463

**USE THESE SPREADER SETTINGS
to ensure proper distribution**

48 LBS (22.0 Kg) TREATS 11,000 SQ. FT.
(1 ACRE 1022 sq.m.) AT NORMAL RATE

SPREADER	PTO SPEED	COVERAGE	SPREADER SETTING NORMAL RATE
Scotts (Drop Type)	3 mph	overlap wheels	6
Scotts Rotary	3 mph	8 feet	H
Scotts 1000 8 ft	4.5 mph	overlap wheels	5
Lely WTR Model	4.5 mph	16 feet	4 : IV
Lely HR (PTO Model)	4.50 rpm 4.5 mph	16 feet	4 : IV
Gandy 8 ft A Series	4.5 mph	overlap wheels	19
42 Model	2.5 mph	overlap wheels	32

For spring and summer use

When seeding bare ground. Apply just after planting grass seed in April, May or early June.

When seeding into thin turfgrass areas. Apply just after planting grass seed sometime between the first and fifth mowings of the year (before most dandelions are in the puffball stage). Make a followup treatment in 4 to 6 weeks.

After application water with a gentle spray to thoroughly moisten soil without flooding it.

Does not control dandelions, crabgrass or other weeds already established and growing at time of application.

Precautions

Can be used on only the following varieties of bentgrass: Penncross, Seaside, Astoria, Nemesilla, C-1, C-7, and C-19. Other varieties may be adversely affected.

Not for use on bermudagrass, zoysia or if bermudagrass seed is to be planted. Do not apply on dichondra, or similar ground covers.

ProTurf Division, O M Scott & Sons, Marysville, Ohio 43040

ACCEPTED

Jan. 23, 1976

UNDER THE FERTILIZER ACT
PUNISHABLE AND
FOR ECONOMIC
ED UNDER NO. *538-15*
TO AFTER PER


8463

8623 poa annua control plus fertilizer

8623 poa annua control plus fertilizer

8623 poa annua control plus fertilizer

NET WEIGHT 37¹/₄ LBS




poa annua control plus fertilizer

Scotts

ProTurf
BRAND

27-0-13

poa annua control plus fertilizer



poa annua control plus fertilizer

FOR PROFESSIONAL USE ONLY
FOR USE ON LAWN AND ORNAMENTAL TURFGRASS ONLY

**annua control
fertilizer**

**annua control
fertilizer**

27-0-13 poa annua control plus fertilizer

**FOR PROFESSIONAL USE ONLY
FOR USE ON LAWN AND ORNAMENTAL TURFGRASS ONLY**

8623

8623

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed or inhaled. Avoid skin and eye contact. In case of skin contact, wash with soap and water. In case of eye contact, wash with large quantities of water.

Apply only as specified on this label. Do not reuse empty container; destroy when empty.

Active ingredients 3,5-dichloro N-(1,1-dimethyl-2-propynyl) benzamide 32%

Inert ingredients 99.68%

EPA Reg No 538-84 AA Total 100.00%

Net Weight 37¹/₄ lbs ProTurf Poa Annua Control Plus Fertilizer 27-0-13 guaranteed analysis

Total nitrogen (N), not less than 27%

nitrate nitrogen, not less than 0%

ammoniacal nitrogen, not less than 0%

water soluble organic nitrogen, not less than 18.0%

water insoluble nitrogen, not less than 9.0%

Available phosphoric acid (P₂O₅), not less than 0%

insoluble phosphoric acid, not less than 0%

Water soluble potash (K₂O), not less than 13%

Total available primary plant food, not less than 40%

Chlorine maximum 0.12%

Derived from urea, methylene ureas, potassium sulfate

Potential acidity equivalent to 1,000 lbs calcium carbonate per ton

US Pat No 3,231,363, 3,705,094 Florida Reg No 643-8623 Filed 1973 Product of USA

ProTurf Division, O M Scott & Sons Marysville, Ohio 43040

Oakland, Calif. 94604

8623

ACCEPTED

April 11, 1973

UNDER THE FEDERAL INSECTICIDE,
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO *538-84*


8623 poa annua control plus fertilizer

8623 poa annua control plus fertilizer

TO OPEN BAG
PULL WHITE TAPE



27-0-13 poa annua control plus fertilizer



poa annua control
plus fertilizer

For use on bermudagrass only.

Apply to moist or dry foliage. Water thoroughly after application to move the active ingredient into the rootzone.

For control of poa annua, apply at Normal Rate any time it is actively growing after germination in the fall thru the spring.

For elimination of winter overseeded cool season grasses and conversion to bermudagrass, on golf course tees and greens, apply at Normal Rate in the spring when weather favors bermudagrass regrowth.

For control of Kentucky bluegrass and bentgrass, in areas other than tees and greens, apply at Double Rate any time they are actively growing.

USE THESE SPREADER SETTINGS to ensure proper distribution

37 LBS TREATS 11,000 SQ FT (1/3 ACRE) AT NORMAL RATE
37 LBS TREATS 5,500 SQ FT (1/6 ACRE) AT DOUBLE RATE

SPREADER	GROUND OR PTO SPEED	WIDTH OF COVERAGE	SPREADER SETTING NORMAL RATE	SPREADER SETTING DOUBLE RATE
Scotts (Drop Type)	3 mph	overlap wheels	6	8
Scotts Rotary	3 mph	8 feet	H	K
Scotts 1000-8 ft	4.5 mph	overlap wheels	3	6
Lely-WTR & WFR Models	4.5 mph	18 feet	5 III	6 III
Lely-HR (PTO Model)	450 rpm @ 4.5 mph	18 feet	5 III	6 III
Gandy 8 ft A Series	4.5 mph	overlap wheels	15	21
42 model	2.5 mph	overlap wheels	33	39

Precautions

Do not use on dishes, lawns, or areas where it is not intended.