


FRONT: 800 N

PACKAGE COPY FOR TURF BUILDER WITH HALTS


04/07/92 VS/cr



(Scotts(R))

TURF BUILDER WITH HALTS

crabgrass preventer with lawn fertilizer



(ILLUS.)

prevents crabgrass - also barnyardgrass, goosegrass, foxtail, chickweed, purslane, lovegrass, witchgrass, lambsquarters, pigweed (redroot), and spurge (spotted and prostrate)

gives full feeding of Turf Builder

If you are planting grass seed, use Starter Fertilizer with Crabgrass Preventer instead of this product

NET WEIGHT 22 1/2 LBS (10.21 kg)

20-5-5

KEEP OUT OF REACH OF CHILDREN
CAUTION
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling. If in eyes: Flush with plenty of water. Call a physician if irritation persists. In case of contact, flush eyes with water for 15 minutes, for skin, wash with plenty of soap and water. Get medical attention if irritation persists.

Environmental Hazards: Keep out of lakes, streams or ponds. Do not contaminate waters used for irrigation or domestic purposes. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment wastewaters.

BEST AVAILABLE COPY

FRONT CONTINUED:

IMPORTANT! If the pesticide comes into contact with skin, wash off with soap and water. Always wash hands, face, and arms with soap and water before smoking, eating, drinking, or toileting.

AFTER USE: Before removing gloves, wash them with soap and water. Take off all work clothes and shoes. Shower using soap and water. Do not reuse contaminated clothing. Clothing worn during use must be laundered separately from household articles.

Groundwater Advisory: Tetrachloroterephthalic acid, a breakdown product of Dacthal, is known to leach through soil as a result of agricultural turf uses and has been found in groundwater which may be used for drinking water. Users are advised not to apply Dacthal to sand or loamy sand soils where the water table (groundwater) is close to the surface and where these soils are very permeable, i.e. well drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of groundwater used for drinking water.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

ACTIVE INGREDIENT:

DCPA (dimethyl tetrachloroterephthalate)	6.30%
INERT INGREDIENTS:	93.70%
Total	100.00%

EPA Reg No 538-87

EPA Est 538-OH-1

Turf Builder with Halts
crabgrass preventer with lawn fertilizer

20-5-5

Guaranteed Analysis

Total nitrogen (N)	20%
1.3% ammoniacal nitrogen	
12.0% water soluble nitrogen	
6.7% water insoluble nitrogen	
Available phosphoric acid (P ₂ O ₅)	5%
Soluble potash (K ₂ O)	5%

Derived from: monoammonium phosphate, methylene ureas, urea, muriate of potash.

The O M Scott & Sons Company
Marysville, Ohio 43041

(c) 1992, The O M Scott & Sons Company. All rights reserved.

BEST AVAILABLE COPY

GUSSETS:

LEFT GUSSET:

(Scotts)

TURF BUILDER WITH
HALTS

crabgrass preventer with lawn fertilizer

RIGHT GUSSET:

(Scotts)

TURF BUILDER WITH
HALTS

crabgrass preventer with lawn fertilizer

BACK:

PULL TAB
and remove for
pour spout
(ILLUS.)
Easy
Open Bag
PULL WHITE TAB

treats 5,000 sq. ft. (465 m²)

TBWH 3057
5M
PROOF
OF
PURCHASE
(Scotts)

(Scotts(R))

TURF BUILDER WITH
HALTS

crabgrass preventer with lawn fertilizer

prevents crabgrass - also barnyardgrass,
goosegrass, foxtail, chickweed, purslane, lovegrass,
witchgrass, lambsquarters, pigweed (redroot),
and spurge (spotted and prostrate)

gives full feeding of Turf Builder

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Apply in late winter or spring before the third or fourth mowing of the year before temperatures are regularly in the 80's.

Apply in April for best spurge results.

Lawn foliage may be moist or dry but should not be so tall as to touch the bottom of the spreader.

Apply at Scotts Spreader (Standard, Automatic
or Precision Flow Control Model) setting 7
(Treats 5,000 sq. ft.)

Slightly overlap spreader wheel tracks for complete coverage. Rain, snow or freezing weather after application does not affect results.

BACK CONTINUED:

Precautions

Use only when wearing the following protective clothing: Wear long-sleeved shirt and long-legged pants and chemical resistant gloves. ✓

On newly seeded or sodded areas, wait until after the grass has required mowing 2 times.

After use, delay any seeding, sodding or sprigging for 3 growing months.

Do not use on bentgrass and dichondra.

Avoid any raking or aerifying after application which would disturb the soil surface.

This product is not a control for crabgrass or other weeds already up and growing.

3057

Scotts Policy No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.
Scotts...the lawn people
Marysville, Ohio 43041

0 (UPC)

32247 XXXXX

(NOTE: The description below will be inverted.)

3057

(Scotts) TURF BUILDER WITH
HALTS
crabgrass preventer with lawn fertilizer

Treats 5,000 sq ft

1815R