

225



Scotts ProTurf **NEW** insecticide one



Scotts ProTurf **NEW** insecticide one

FOR PROFESSIONAL USE ONLY

8825


NET WEIGHT 55½ LBS

**CAUTION: KEEP OUT OF REACH OF CHILDREN**  
 Harmful if swallowed. Avoid breathing of dust. Avoid contact with skin, eyes and clothing. Avoid contamination of feed and foodstuffs. Wash thoroughly after handling. May be absorbed through skin. As directed water lawn after application and allow to dry before permitting children and pets on treated area.  
 Fish in waters treated with this product may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not contaminate water by washing of equipment or disposal of wastes.  
 Apply this product only as specified in this label. Do not reuse empty container. Dispose of by burning with waste or burning. Stay away from smoke or fumes.  
 Active ingredient: O,O-Dimethyl O-(2-isopropyl-4-methyl-5-pyrimidinyl) phosphorothioate 4.50%  
 Inert ingredients 95.50%  
 Total: 100.00%  
 EPA Reg. No. 538-91 Product Code: LINA  
 ProTurf Division, Scotts & Sons, Marysville, Ohio 43040

8825



8825



Controls white grubs such as Japanese beetle, European chafer, Southern chafer, Phyllophaga (May or June beetle), and also the following insects:

- |               |                |                    |
|---------------|----------------|--------------------|
| armyworms     | crickets       | leafhoppers        |
| Bermuda mites | cutworms       | mole crickets      |
| billbugs      | earwigs        | (in Florida)       |
| chiggers      | fleas          | ticks              |
| chinchbugs    | fla beetles    | sod webworms       |
| clover mites  | (in Dichondra) | (lawn moth larvae) |

**USE THESE SPREADER SETTINGS to ensure proper distribution**  
 55½ LBS TREATS 22,000 SQ FT (½ ACRE) AT NORMAL RATE

SPREADER	GROUND OR PTO SPEED	WIDTH OF COVERAGE	SPREADER SETTING (normal rate)
Scotts (Drop Type)	3 mph	overlap wheels	5
Scotts Rotary	3 mph	7 feet	F
Lely WTR & WFR Models	4.5 mph	16 feet	6
Lely 400 (PTO Model)	4.50 rpm	16 feet	6
Gandy 8 ft A Series	4.5 mph	overlap wheels	16
42 Model	2.5 mph	overlap wheels	31

**When to use**

For control of insect damage apply when activity is first observed or when chewed or brown grass indicates damage from these insects. Repeat at signs of renewed insect activity.

For grub control, make an application when damage is first noticed. Grub activity and damage is most likely from late July thru early October, but can also occur in the spring.

For mole cricket control, apply whenever activity is observed. The best time to apply is in May or June.

**How to apply**

Apply to dry foliage. Distribute over the entire turf area. Water after application to remove granules from the leaves.

For chinchbug control water sufficiently to carry material into the thatch layer of the turf.

For grub, mole cricket and billbug control water in thoroughly to carry the material into the soil.

**Precautions**

As directed, water turf after application and allow to dry before permitting use of treated area.  
ProTurf Division, O M Scott & Sons, Marysville, Ohio 43040