

538-92

7-23-74

1 of 5

FRONT:

Lawn Insect Control plus Fertilizer

Treats 5,000 sq ft/\$13.95

In Colorado treats 4,000 sq ft

(Scotts (R))

Lawn  
Insect  
Control

plus Fertilizer

**ACCEPTED**

JUL 23 1974

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 538-92 SUBJECT  
TO ATTACHED COMMENTS.

controls white grubs, sod webworms,  
chinchbugs—and other lawn insects  
listed on back panel.

gives your lawn a full feeding of  
Scotts long lasting fertilizer.

A PROBLEM-SOLVING PRODUCT BY SCOTTS, THE LAWN PEOPLE

NET WEIGHT 15½ LBS

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid breathing of dust. Avoid contact with skin, eyes and clothing. Avoid contamination of feed and foodstuffs. Wash thoroughly after handling. May be absorbed through skin. As directed water lawn after application and allow to dry before permitting children and pets on treated area.

This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label. Do not reuse container. Destroy when empty.

Active ingredient: 0,0-Diethyl 0-(2-isopropyl-4-methyl-6-pyrimidinyl) phosphorothioate

Inert ingredients:

	3.60%
	96.40%
Total	100.00%

2045

EPA Reg No 538-92

EPA Est 538-OH-1

Product of USA

Net Weight 15½ lbs    Lawn Insect Control plus Fertilizer 28-6-4    guaranteed analysis\*

Total nitrogen . . . . . 28%

1.3% ammoniacal nitrogen from ammoniated phosphate

17.3% water soluble nitrogen from urea and methylene ureas

9.4% water insoluble nitrogen from methylene ureas

Available phosphoric acid (P<sub>2</sub>O<sub>5</sub>) from ammoniated phosphate 6%

Soluble potash (K<sub>2</sub>O) from potassium sulfate 4%

Potential acidity equivalent to 1200 lbs calcium carbonate per ton.

\*In Michigan reads "minimum guaranteed analysis"

US Pat Nos 3,231,363; 3,705,794    Other Pat Pend    O M Scott & Sons, Marysville, Ohio 43040

XXXX

(Scotts (R)) Lawn Insect Control plus Fertilizer

GUSSETS:

(Scotts (R))

Lawn Insect Control plus Fertilizer

XXXX

XXXX

Lawn Insect Control plus Fertilizer

(Scotts (R))

4 of 5

(Scotts (R)) Lawn Insect Control plus Fertilizer

BACK:

XXXX

(Scotts (R))  
Lawn Insect  
Control

plus Fertilizer

✓ controls insects

✓ feeds the lawn

Controls white grubs —  
Japanese beetle, European chafer, Southern  
chafer, Phyllophaga (May or June beetle).

Also controls the following insects in grass or dichondra lawns:

- |               |                             |
|---------------|-----------------------------|
| armyworms     | earwigs                     |
| Bermuda mites | fleas                       |
| billbugs      | flea beetles (in Dichondra) |
| chiggers      | leafhoppers                 |
| chinchbugs    | mole crickets (in Florida)  |
| clover mites  | ticks                       |
| crickets      | sod webworms                |
| cutworms      | (lawn moth larvae)          |
|               | vegetable weevils           |

A PROBLEM-SOLVING PRODUCT BY SCOTTS, THE LAWN PEOPLE

HOW TO USE

DO apply when insect activity or damage (chewed or browned leaves) if first observed in the lawn.

For grubs, the most likely period is from late July through early October; the next most likely period is Spring.

For mole crickets, the best time to apply is in May or June.

DO apply when lawn is dry.

DO water lawn after application to wash granules from the lawn foliage. If treating for grubs, water thoroughly (so that active ingredients will be carried into the rootzone).

DO make a repeat application of Scotts Lawn Insect Control (with or without fertilizer) if there are signs of renewed insect activity. (Normally, application gives effective insect control for approximately 6 weeks.)

DO apply at Scotts Spreader (Standard or Automatic Models) setting 5½ in Colorado use setting .... X

DON'T treat just the browned areas of lawn. To prevent further damage, treat entire lawn.

DON'T use any other lawn control product for at least one week after application.

5045

BACK CONTINUED:

- DON'T allow traffic on lawn after application until granules are watered off lawn foliage and lawn has dried.
- DON'T use on fruit or vegetable plantings.
- DON'T apply with a rotary-type spreader.

Free-bulletin-service

As a user of this Scotts lawn product, you are entitled to a free subscription to Lawn Care, our service bulletin which has been helping lawnowners for over 40 years.

NAME (please print) \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY \_\_\_\_\_

STATE \_\_\_\_\_ ZIP \_\_\_\_\_

(ILLUS.)

Unless you already receive LAWN CARE, send us this coupon and we'll mail you the seasonal issues prepared especially for your region of the country.

Cut out and mail to SCOTTS, the lawn people, Dept 62, Marysville, Ohio 43040

XXXX

**Scotts No-Quibble Guarantee**  
 If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.  
 SCOTTS...the lawn people  
 Marysville, Ohio 43040

XXXX

(Scotts (R)) Lawn Insect Control plus Fertilizer