

FRONT:



Treats 5,000 sq. ft. (465m<sup>2</sup>)

SCOTTS  
LAWN PRO (LOGO)

ANNUAL  
PROGRAM

(ILLUS.)

STEP 3

of 4 easy steps  
to a better lawn.

Insect Control plus Fertilizer

NET WEIGHT 15-1/2 lbs (7.03 kg)

28-6-4

KEEP OUT OF REACH OF CHILDREN  
CAUTION  
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION. Harmful if swallowed. May be absorbed through the skin. Do not get in eyes, on skin, or on clothing. Avoid inhalation. If on skin: remove contaminated clothing and wash affected areas with soap and water. If in eyes: flush eyes with plenty of water. Call a physician if irritation persists. Wash thoroughly after handling and before eating or smoking. Do not contaminate feed or foodstuffs. Water treated area after application and allow to dry before permitting use.


Note to Physician: Diazinon is a cholinesterase inhibitor. Atropine is antidotal if symptoms of cholinesterase inhibition are present.

Environmental Hazards: This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Storage and Disposal: Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a clean, dry place. Reseal opened bags by folding top down and securing.

CONTAINER DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.



FRONT CONTINUED:

ACTIVE INGREDIENTS:

Diazinon 0,0-Diethyl 0-(2-isopropyl-4-methyl-6  
pyrimidinyl) phosphorothioate . . . . .

3.60%

INERT INGREDIENTS: . . . . .

96.40%

Total

100.00%

EPA Reg No 538-92 EPA Est 538-OH-1

Product of USA

Insect Control plus Fertilizer

28-6-4

643-1121

GUARANTEED ANALYSIS

Total nitrogen (N) . . . . . .28%

1.3% ammoniacal nitrogen

17.3% urea, methylene ureas nitrogen

9.4% water insoluble nitrogen

Available phosphoric acid (P<sub>2</sub>O<sub>5</sub>) . . . . . 6%

Soluble potash (K<sub>2</sub>O) . . . . . 4%

Derived from monoammonium phosphate, urea, methylene ureas and potassium sulfate.

US Pat No 3,705,794

Other Pat Pend

The O M Scott & Sons Company

Marysville, Ohio 43041

6.5K 20 3

RIGHT GUSSET

SCOTTS  
LAWN PRO (LOGO)

ANNUAL  
PROGRAM

STEP 3

LEFT GUSSET

SCOTTS  
LAWN PRO (LOGO)

ANNUAL  
PROGRAM

STEP 3

BACK:

SCOTTS LAWN PRO (LOGO)

Annual Program

Now it is easy for you to have a better lawn

- . SAVE MONEY - Why even consider a Lawn Care Service? Scotts Annual Program will give you a beautiful lawn for less money.
- . GUARANTEED RESULTS - Each Step is designed to the specific season to give you a healthier, greener lawn.
- . SIMPLE and EASY - No more guesswork. You simply apply the right product - one step at a time.
- . START ANYTIME - You can start into the Program anytime of the year. Just check the month and select the appropriate Step listed below.

Step 1. Early Spring February - April

Crabgrass Preventer plus Fertilizer - prevents crabgrass while providing deep, thick greening for 2 months.

Step 2. Late Spring April - June

Weed Control plus Fertilizer - controls dandelions, clover, chickweed and other broadleaf weeds while greening your lawn for 2 more months.

STEP 3. SUMMER JUNE - AUGUST

INSECT CONTROL plus FERTILIZER - CONTROLS WHITE GRUBS, CHINCH BUGS, SOD WEBWORMS, AND OTHER LAWN INSECTS PLUS KEEPS YOUR LAWN GREEN THROUGH THE SUMMER.

Step 4. Fall August - November

Fertilizer - specially formulated for the Fall - the best time to develop a stronger root system for a healthier, thicker lawn. Helps your lawn green up even quicker next Spring.

STEP 3 DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- . Apply when lawn is dry.
- . Water lawn after application to wash granules from the lawn foliage. If treating for grubs, water thoroughly so active ingredients will be carried into the root zone.

BACK CONTINUED:

- . For best results on grub control, apply from mid-July through August.
- . Allow at least 4-6 weeks between program applications.
- . Don't use on fruit or vegetable plantings.
- . Do not allow traffic on your lawn until it has dried.

Tips on Spreading

- . Treat entire lawn.
- . First apply 2 header strips.
- . Overlap spreader application area to avoid strips of untreated lawn.
- . Shut off spreader when you reach the header strip or any time you stop.

(ILLUS.)

- . Application Rate  
Scotts PF, Standard or Automatic 6

If you have Questions

We designed this program to make having a better lawn as simple and easy as possible. But you may still have some questions about your lawn during the year. If so, you can contact the Scotts Lawn Pro retailer where you bought this program. They are ready to answer your questions and provide any help or information that you may need.

OR

You can get the answers by talking directly with one of Scotts lawn counselors. Simply dial this toll-free number 800-543-TURF (in Ohio 800-762-4010).

SCOTTS POLICY  
No-Quibble Guarantee

If for any reason you are not satisfied with results after using any Scotts product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you back a refund check promptly.