

JUN 12 1990

Mr. Vince Snyder
O.M. Scott & Sons Company
14310 Scottslawn Road
Marysville, OH 43041

Subject: Amendment - Revise per Registration Standard
Lawn Insect Control plus Fertilizer
EPA Reg. No. 538-92
Your submission dated May 5, 1990

Dear Mr. Snyder:

The amendment referred to above, submitted in connection with a registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable provided the following revision is made prior to release for shipment under the amended label:

- 1) Under the Diazinon Registration Standard, the only tick claim that is supported by data is control of brown dog ticks (as appears on your label for "Lawn Insect Control", EPA Reg. No. 538-187). Accordingly, revise the pest claim "ticks" in the listing of pests under "Controls insects and feeds your lawn" on the back panel of the label to read "brown dog ticks". If you wish to add additional tick species claims to your labels, and you have appropriate supporting data available, then you may submit such data to the Agency for review to support such an amendment.

A stamped copy of the label is enclosed for your records. Please submit five (5) copies of the revised finished label prior to release for shipment under the amended label. Please refer to the Diazinon Registration Standard, as amended, for release for shipment and channels of trade dates for diazinon products bearing appropriately amended labels.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

FRONT:

LAWN INSECT CONTROL
PLUS FERTILIZER
05/02/90 VS

(Scotts(R))
(Lawn Pro(R)) step™3

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUN 12 1990

Treats 5,000 sq ft (Bag)
Treats 1,000 sq ft (Shaker Container)

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.

(Scotts)
(Lawn Pro)
(R)

Scotts Best
Annual Program

SCOTTS POLICY
No-Quibble
Guarantee
SEE BACK FOR DETAILS

step™3

of 4 easy steps to
a better lawn

(ILLUS.)

Lawn Insect Control
Plus Fertilizer

BEST AVAILABLE COPY

Corrects most lawn insect problems

For use on Lawn and Turfgrasses only

This product must not be used on golf courses and sod farms

NET WEIGHT 15 1/2 LBS (bag)
NET WEIGHT 3.1 LBS (Shaker Container)

28-6-4

KEEP OUT OF REACH OF CHILDREN
CAUTION
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION. Harmful if swallowed. May be absorbed through the skin. Do not get in eyes, on skin, or on clothing. Avoid inhalation. If on skin: remove contaminated clothing and wash affected areas with soap and water. If in eyes: flush eyes with plenty of water. Call a physician if irritation persists. May cause contact sensitization following repeated contact with skin in susceptible individuals. Avoid repeated contact with skin. If sensitization reactions result, consult a physician. Wash thoroughly after handling and before eating or smoking. Do not contaminate feed or foodstuffs. Do not allow children or pets on treated areas until granules have been watered into the soil and grass or soil has dried.

Note to Physician: Diazinon is a cholinesterase inhibitor. Atropine is antidotal if symptoms of cholinesterase inhibition are present.

Environmental Hazards: This product is highly toxic to birds, fish and other wildlife. Birds, especially waterfowl feeding or drinking on treated areas may be killed. Because of the migratory habits of certain Atlantic Coast waterfowl, do not apply this product to lawns in Nassau County, New York, between November 1 and May 20. Do not exceed maximum permitted label rates. Application rates above those recommended significantly increase potential hazards to birds and waterfowl. Avoid overlapping granules. Where irrigation (watering) is recommended in the directions or if waterfowl, i.e., ducks or geese, can be expected in the treated area after treatment (except spot treatment), apply a minimum of 0.25 inch of water immediately after applying this product. Stop irrigation before puddling occurs. Keep out of lakes, streams, ponds, tidal marshes and estuaries.

Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Runoff may be hazardous to aquatic organisms in neighboring areas.

Shrimp or crab may be killed at application rates recommended on this label. Do not apply where fish, shrimp, crab and other aquatic life are important. Do not contaminate water when disposing of equipment washwaters.

STORAGE: Store in a clean, dry place. Reseal opened (container) or (bag by folding top down and securing).

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag (or container). Discard bag (or container) in trash.

ACTIVE INGREDIENT:

Diazinon [O,O-Diethyl O-(2-isopropyl-methyl-4 pyrimidinyl) phosphorothioate]	3.60%
INERT INGREDIENTS:	96.40%
Total	100.00%

EPA Reg No 538-92 EPA Est 538-OH-1
Lawn Insect Control plus Fertilizer

28-6-4

Guaranteed Analysis

Total nitrogen (N)	28%
1.3% ammoniacal nitrogen	.
17.3% urea, methylene ureas nitrogen	.
9.4% water insoluble nitrogen	.
Available phosphoric acid (P ₂ O ₅)	6%
Soluble potash (K ₂ O)	4%

Derived from monoammonium phosphate, urea, methylene ureas and potassium sulfate.

US Pat No 3,705,794

Other Pat Pend

Produced in USA

The O M Scott & Sons Company
Marysville, Ohio 43041

RIGHT GUSSET

(Scotts (R))
(Lawn Pro)
(R)

Scotts Best
Annual
Program

step™3

SCOTTS POLICY
No-Quibble
Guarantee
SEE BACK FOR DETAILS


LEFT GUSSET

(Scotts (R))
(Lawn Pro)
(R)

Scotts Best
Annual
Program

step™3

SCOTTS POLICY
No-Quibble
Guarantee
SEE BACK FOR DETAILS



SCOTT'S FERTILIZER

PULL TAB
and remove for
pour spout
(ILLUS.)
Easy
Open PULL HERE

Treats 5,000 sq ft (Bag)
Treats 1,000 sq ft (Shaker Container)

(Scotts (R))
(Lawn Pro)
(R)

Scotts Best
Annual
Program

PROOF
OF
PURCHASE
(Scotts)

Now it's easy for you to have a better lawn

Save money

Why even consider a lawn care service? Scotts Annual Program will give you a beautiful lawn for about half the cost.

Start anytime

You can start into the Annual Program anytime of the year. Just check the month and select the appropriate Step listed below.

Simple and easy

No more guesswork. You simply apply the right product - one Step at a time.

Guaranteed results

Each Step is designed to the specific season to help give you a healthier, greener lawn.

(ILLUS.)

(The 4 Steps listed below will be placed horizontally in one row.)

step™1. Early Spring February-April

Crabgrass Preventer plus Fertilizer - prevents crabgrass, foxtail, spurge, oxalis, chickweed and other annual weeds while providing deep, thick greening for 2 months. This is Scotts best fertilizer plus crabgrass preventer. In the Pacific Northwest, Step™ is "Moss Control plus Fertilizer".

step™2. Late Spring April-June


Weed Control plus Fertilizer - controls broadleaf weeds while greening your lawn for up 2 more months. This is Scotts best weed and feed.

step™3. Summer June-August

Insect Control plus Fertilizer - controls white grubs, chinch bugs, sod webworms and other lawn insects plus keeps your lawn green through the Summer.

step™4. Fall August-November

Lawn Fertilizer - specially formulated for the Fall - the best time to develop a stronger root system for a healthier, thicker lawn. Helps your lawn green up even quicker next Spring. This is Scotts best fall fertilizer.



BEST AVAILABLE COPY


step™3 DIRECTIONS FOR USE

LEFT COLUMN:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Application

- . Water the lawn thoroughly, allow to dry, and then apply product.
- . Water lawn after application to wash granules from the lawn foliage. If treating for grubs, or mole crickets, water thoroughly so active ingredients will be carried into the root zone.
- . For best results on grub control, apply from mid-July through August.
- . Don't use on fruit or vegetable plantings.
- . Do not allow traffic on your lawn until it has dried.
- . Allow at least 4-6 weeks between program applications.
- . Some lawn situations may require a supplemental application of Scott Lawn Insect Control (without fertilizer). You may call Scotts Toll-free to ask about your lawn (see below).



PULL TAB
and remove for
pour spout

(ILLUS.)

Easy
Open PULL HERE

Treats 5,000 sq ft

(Scotts(R)) Lawn Insect Control
Plus Fertilizer

PROOF
OF
PURCHASE
(Scotts)

Controls insects and feeds the lawn.

ants	cutworms	leafhoppers	white grubs
armyworms	earwigs	mole crickets	(Japanese beetle,
Bermuda mites	European crane	sod webworms	European chafer,
billbugs	fly larvae	(lawn moth larvae)	Masked chafer,
chiggers	(leatherjackets)	ticks	Phyllophaga - May
chinch bugs	fleas	vegetable weevil	or June beetle)
clover mites	flea beetles	(in dichondra)	
crickets	(in dichondra)		

Directions for use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

LEFT COLUMN

DO apply when insect activity or damage (chewed or browned leaves) is first observed in the lawn.

NOTE: For Grub Control:

Northern States-The most likely period for grubs is late July through September, but in some cases grubs are active in the spring. An application for spring grub activity requires a repeat summer-early fall application for effective control.

Southern States-Apply during July-August. A second application may be needed six weeks later. Applications made later in the year, when grubs are more mature, are less effective.

For chinch bugs start treatments when daily high temperatures are 80°F or above and repeat at 6 week intervals.

For mole crickets, the best time to apply is in May to July.

DO apply when lawn is dry. For white grubs and mole crickets, water thoroughly, let lawn dry and then apply product.

DO water lawn after application to wash granules from the lawn foliage. If treating for grubs or mole crickets, water thoroughly (so that active ingredients will be carried into the rootzone).

BEST AVAILABLE COPY

RIGHT COLUMN

DO make a repeat application of Scotts Lawn Insect Control (with or without fertilizer) if there are signs of renewed insect activity. (Normally, application gives effective control for approximately 6 weeks.)


Application Rate	Scotts Drop Spreaders	Scotts EasyGreen™ Rotary	Scotts SpeedyGreen™ Rotary
(treats 5,000 sq ft)	6	26	5

DON'T treat just the browned areas of lawn. To prevent further damage, treat entire lawn.

DON'T use any other lawn control product for a least one week after application.

DON'T allow traffic on lawn after application until granules are watered off lawn foliage and lawn has dried.

DOi'T use on fruit or vegetable plantings.



(The following instructions to be used on 5,000 sq ft bag only).

Tips on Spreading

Scotts Drop:

- . Treat entire lawn.
- . First apply 2 header strips.
- . Overlap spreader application area to avoid strips of untreated lawn.
- . Shut off spreader when you reach the header strip or any time you stop.

(ILLUS.)

(ILLUS.)

EasyGreen™ Rotary:

- . Slide shut-off lever to the right, application automatically starts and stops when you do.
- . Avoid misses by making each pass about 30 inches from the previous one so some overlapping occurs.

Speedy Green™ Rotary:

- . Shut off spreader anytime you stop.
- . Avoid misses by making each pass about 5 feet from the previous one so some overlapping occurs.

Scotts Spreader Settings

Scotts Drop* Spreader	6	Scotts EasyGreen™ Rotary	26	Scotts Speedy Green™	5
-----------------------------	---	--------------------------------	----	----------------------------	---

Additional Spreader Settings (Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

Cyclone Rotary (Model B) . . . 3 1/2

Central Drop (#205) 7


Sears Drop (#19810) 5

Ortho Drop (#5000) 6

Greenview Drop (Spread II) . . . 3

Precision Drop 5

(Red Devil)



(The following instructions to be used on 1,000 sq ft shaker container only).

APPLICATION RATE (Actual Size) contents of this package covers a
25 ft. by 40 ft. area (1,000 sq. ft.)

Picture of
shaker carton

Use lightweight
shaker carton to
sprinkle evenly
over lawn as shown.

Picture of dime

If you have questions

We designed this Program to make having a better lawn as simple and easy as possible. But you may still have some questions about your lawn during the year. If so, you can contact the Scotts Lawn Pro retailer where you bought this Program. They are ready to answer your questions and provide any help or information that you may need.—OR—You can get the answers by talking directly with one of Scotts lawn counselors. Simply dial this toll-free number 1-800-543-TURF (in Ohio 1-800-762-4010).

**Scotts Policy
No-Quibble Guarantee**

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

0 (UPC)

SCOTTS...the lawn people
MARYSVILLE, OHIO 43041

(c) 1989, The O M Scott & Sons Company. All rights reserved.

(Description below will be inverted.)

(Scotts (R))
(Lawn Pro)
(R)

step™ 3

