

42H4

Treats up to 5,000 sq ft



WESTERN
**Lawn Insect
Control
plus Fertilizer**



A
UNDE
FULG
FOR
ED U
TO A

[538-94]

Treats up to 5,000 sq ft



WESTERN
**Lawn Insect
Control
plus Fertilizer**

- ✓ controls lawn moth larva (sod webworms),
flea beetles, cutworms
- chinchbugs vegetable weevils crickets grasshoppers
ants brown dog ticks earwigs
- ✓ gives your lawn a feeding of Scotts long lasting fertilizer

For use on grass or dichondra lawns

A PROBLEM-SOLVING PRODUCT BY SCOTTS, THE LAWN PEOPLE

How To Use

- DO** use anytime activity or damage is noticed or suspected, to control any insect listed above.
- DO** apply at Scotts Spreader (Standard or Automatic Model) setting **5** when treating for flea beetles, sod webworms, vegetable weevils, earwigs and cutworms. At this setting, contents will treat 5,000 sq ft of lawn area.
- DO** apply at Scotts Spreader (Standard or Automatic Model) setting **7** when treating for chinchbugs, ants, ticks, crickets and grasshoppers. At this setting, contents will treat 2,500 sq ft of lawn area.
- DO** overlap spreader wheel tracks so no strips are missed.
- DO** use as soon as daily temperatures reach 80° or above, to prevent chinchbug damage. Repeat treatment at two-month intervals.
- DO** water lawn thoroughly after application when treating for chinchbugs.
- DO** sprinkle lawn lightly after application when treating for all other controllable insects, to remove particles from grass blades.
- DON'T** spot treat damaged areas only—apply over entire lawn area to provide complete protection.
- DON'T** use when grass is wet and so tall it touches bottom of spreader (let lawn dry before making application).
- DON'T** mow for 24 hours after application.
- DON'T** allow children or pets on lawn area until grass has dried off (after watering in).
- DON'T** use any other control product (such as weed control) for one week after application.

Free bulletin-service

As a user of the Scotts lawn product, you are entitled to a free subscription to Lawns, our service bulletin which has been helping lawnowners for over 40 years.

If you've already received Lawns, send us this coupon and we'll mail you the seasonal issues prepared especially for your region of the country.

NAME _____
ADDRESS _____
CITY _____
STATE _____

42H4

Scotts No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

SCOTTS ... the lawn people
MARIETTA, OHIO 43040


UNDER THE FEDERAL FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC CONTROL SUBJECT TO ATTACHED COMMENTS.

INSECTICIDE ACT FOR ECONOMIC CONTROL SUBJECT TO ATTACHED COMMENTS.



WESTERN

Lawn Insect Control plus Fertilizer



WESTERN
Lawn Insect Control plus Fertilizer

- ✓ controls lawn moth larva (sod webworms), flea beetles, cutworms- and other insects listed on other side.
- ✓ gives your lawn a feeding of Scotts long lasting fertilizer

For use on grass or dichondra lawns

A PROBLEM-SOLVING PRODUCT BY SCOTTS, THE LAWN PEOPLE.

NET WEIGHT 14½ LBS

30-5-3

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. May be absorbed through skin. Avoid inhalation or contact with skin, eyes and clothing. Do not apply by hand. Wash thoroughly with soap and water after using. Flush contaminated eyes with plenty of water and get medical attention if irritation persists. Wash contaminated clothing before re-use. Avoid contamination of food and foodstuffs. As directed, water lawn after application and allow to dry before permitting children or pets on treated areas. Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine is antidotal.

This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply where runoff is likely to occur. Apply this product only as specified on this label.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

Active ingredient: Chlorpyrifos, 0, 0-diethyl 0-(3, 5, 6-trichloro-2-pyridyl) phosphorothioate	0.55%		
Inert ingredients	99.45%		
EPA Reg No: 538-94-AA	EPA Est: 538-OH-1	Product of USA	Total 100.00%
Net Weight 14½ lbs	Western Lawn Insect Control plus Fertilizer	30-5-3	guaranteed analysis
Total nitrogen (N)			30%
1.2% ammoniacal nitrogen from ammoniated phosphate			
18.8% water soluble nitrogen from urea and methylene ureas			
10.0% water insoluble nitrogen from methylene ureas			
Available phosphoric acid (P ₂ O ₅) from ammoniated phosphate			5%
Soluble potash (K ₂ O) from potassium sulfate			3%
Potential acidity equivalent to 1200 lbs calcium carbonate per ton			
US Process Pat Nos 3,231,363, 3,705,794	Other Pat Pend	O M Scott & Sons, Marysville, Ohio 43040	

42H4

42H4



WESTERN
Lawn Insect Control plus Fertilizer



WESTERN
**Lawn Insect
 Control
 plus Fertilizer**

✓ controls lawn moth larva (sod webworms),
 flea beetles, cutworms

chinchbugs vegetable weevils crickets grasshoppers
 ants brown dog ticks earwigs

✓ gives your lawn a feeding of Scott's long lasting fertilizer

For use on grass or dichondra lawns

A PROBLEM-SOLVING PRODUCT BY SCOTT'S, THE LAWN PEOPLE

How To Use

DO use anytime activity or damage is noticed or suspected, to control any insect listed above.

DO apply at Scott's Spreader (Standard or Automatic Model) setting **5** when treating for flea beetles, sod webworms, vegetable weevils, earwigs and cutworms. At this setting, contents will treat 5,000 sq ft of lawn area.

DO apply at Scott's Spreader (Standard or Automatic Model) setting **7** when treating for chinchbugs, ants, ticks, crickets and grasshoppers. At this setting, contents will treat 2,500 sq ft of lawn area.

DO overlapspreader wheel tracks so no strips are missed.

DO use as soon as daily temperatures reach 80° or above, to prevent chinchbug damage. Repeat treatment at two-month intervals.

DO water lawn thoroughly after application when treating for chinchbugs.

DO sprinkle lawn lightly after application when treating for all other controllable insects, to remove particles from grass blades.

DON'T spot treat damaged areas only—apply over entire lawn area to provide complete protection.

DON'T use when grass is wet and so tall it touches bottom of spreader (let lawn dry before making application).

DON'T mow for 24 hours after application.

DON'T allow children or pets on lawn area until grass has dried off (after watering in).

DON'T use any other control product (such as weed control) for one week after application.

Free bulletin-service

As a user of this Scott's lawn product, you are entitled to a free subscription to Lawn Care, our service bulletin which has been helping lawnmowers for over 40 years.

Unless you already receive Lawn Care, send us this coupon and we'll mail you the seasonal issues prepared especially for your region of the country.

Circle and mail to SCOTT'S, 40 West Pepper, Dept. 40, Marysville, Ohio 43040.

NAME (please print)

ADDRESS

CITY


STATE

42H4

Scott's No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

SCOTT'S the lawn people
 MARYSVILLE, OHIO 43040



WESTERN
**Lawn Insect
 Control
 plus Fertilizer**

42H4