FAI -19

FRONT:

ACCEPTED

APR 1 0 1987

1986 PACKAGE COPY FOR XXXXX WESTERN INSECT CONTROL PLUS FERTILIZER

05/13/85 AR 10/10/86 RZ 09/05/85 AR 10/24/86 RZ 09/09/85 AR 12/19/86 RZ

538-94

(Scotts (R))
(Lawn Pro )

step 3

(R)
XXXXX (placed vertically) (Above copy is to be inverted.)

Treats 5,000 sq ft  $(465m^2)$ 

(Scotts ) (Lawn Pro) (R)

Annual Program

SCOTTS POLICY
No-Quibble
Guarantee
SEE BACK FOR DETAILS

step 3

of 4 easy steps to a better lawn

(ILLUS.)

Western Insect Control plus Fertilizer

NET WEIGHT 15 5/8 LBS (7.09 kg)

24-3-3

KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. May be absorbed through the skin. Do not apply by hand. Wash thoroughly with soap and water after using. Wash contaminated clothing before reuse. Avoid contamination of feed and foodstuffs. As directed, water lawn after application and allow to dry before permitting children and pets on treated areas. Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is antidotal.

Statement of Practical Treatment:

If in Eyes: Flush with plenty of water. Get medical attention if irritation persists.

<u>Environmental Hazards</u>: This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

BEST AVAILABLE COPY

#### FRONT CONTINUED:

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

ACTIVE INGREDIENT:

Chloroveifos D. O-Diethyl O-(3. 5.6-trichloro-2-pyridyl)

#### RIGHT COLUMN

The O M Scott & Sons Company Marysville, Ohio 43041

**GUSSETS:** 

RIGHT GUSSET

(Scotts (R)) (Lawn Pro ) XXXXX (R) Annual Program

step 3

SCOTTS POLICY
No-Quibble
Guarantee
SEE BACK FOR DETAILS

LEFT GUSSET

(Scotts (R))
(Lawn Pro )
(R)

Annual Program

step 3

SCOTTS POLICY
No-Quibble
Guarantee

XXXXX

SEE BACK FOR DETAILS

# BACK:

PULL TAB
and remove for
pour spout
(ILLUS.)
Easy
Open PULL HERE

Treats 5,000 sq ft (465m<sup>2</sup>)

STP3 XXXXX 5M PROOF OF PURCHASE (Scotts)

(Scotts (R)) (Lawn Pro ) (R)

Annual Program

Now it's easy for you to have a better lawn

Save money

Start anytime

Why even consider a lawn care service? Scotts Annual Program will give you a beautiful lawn for less money. You can start into the Annual Program anytime of the year. Just check the month and select the appropriate Step listed below.

Simple and easy

Guaranteed results

No more guesswork. You simply apply the right product - one Step at a time. Each Step is designed to the specific season to help give you a healthier, greener lawn.

(ILLUS.)

(The 4 Steps listed below will be placed horizontally in one row.)

step 1. Early Spring February-April

Crabgrass Preventer plus Fertilizer - prevents crabgrass, foxtail, spurge, oxalis, chickweed and other annual weeds while providing deep, thick greening for 2 months.

step 2. Late Spring April-June

Weed Control plus Fertilizer - controls dandelions, clover, chickweed and other broadleaf weeds while greening your lawn for 2 more months.

step 3. Summer June-August

Western Insect Control plus Fertilizer - corinols chinch bugs, sod webworms, cutworms, and other lawn insects plus keeps your lawn green through the Summer.

step 4. Fall August-November

Lawn Fertilizer - specially formulated for the Fall - the best time to develop a stronger root system for a healthier, thicker lawn. Helps your lawn green up even quicker next Spring.

### BACK CONTINUED:

# step3 DIRECTIONS FOR USE

#### LEFT COLUMN:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

# Application

- . Apply when lawn is dry.
- . Water lawn lightly after application to wash granules from the lawn foliage. If treating for chinch bugs, water more thoroughly after application (1/4 to 1/2 inch of water).
- . For best results on chinch bugs, begin treatments as soon as maximum temperatures are regularly in the 80°'s.
- . Don't use on vegetable gardens.
- . Do not allow children or pets on your lawn until it has dried.
- Allow at least 4-6 weeks between program applications.

#### Tips on Spreading

### Scotts Drop:

- . freat entire lawn.
- . First apply 2 header strips.

(ILLUS.) (ILLUS.)

- . Overlap spreader application area to avoid strips of untreated lawn.
- . Shut off spreader when you reach the header strip or any time you stop.

## BACK CONTINUED:

# EasyGreen<sup>TM</sup> Rotary:

- Slide shut-off lever to the right, application automatically starts and stops when you do
- Avoid misses by making each pass about 30 inches from the previous one so some overlapping occurs

Scotts Spreader Settings

Scotts Drop Spreaders 6

Scotts EasyGreen<sub>TM</sub> Rotary

26

# If you have questions

We designed this Program to make having a better lawn as simple and easy as possible. But you may still have some questions about your lawn during the year. If so, you can contact the Scotts Lawn Pro retailer where you bought this Program. They are ready to answer your questions and provide any help or information that you may need.—OR—You can get the answers by talking directly with one of Scotts lawn counselors. Simply dial this toll—free number 1—800—543—TURF (in Ohio 1—800—762—4010).

XXXXX

Scotts Policy No-Quibble Guarantee

if for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

0 (UPC)

32247 XXXXX

SCOTTS...the lawn people MARYS/ILLE, OHIO 43041

(c) 1987, The O M Scott & Sons Company. All rights reserved.

(Description below will be inverted.)

(Scotts (R))
(Lawn Pro )

step 3

(R)

XXXXX (placed vertically)