

Lawn Disease
Preventer



Treats up to 2,500 sq ft



6634



Lawn Disease Preventer

For use on Kentucky bluegrass, mixtures of bluegrass and fescue, perennial ryegrass, St. Augustine, bahia or centipedegrass

A problem-solving product from Scott's, the lawn people

Prevents or stops these fungus diseases:

leafspot	snowmold	rust
stripe smut	(gray and pink)	brownpatch
	dollarspot	

How To Use

- DO** when treating for leafspot, dollarspot, snowmold, apply at Scott's Spreader (Standard or Automatic Model) setting **7** (at this setting contents treat 2,500 sq ft) apply in fall, and early spring to prevent leafspot and dollarspot prior to the first snowfall to prevent snowmold.
- DO** when treating for stripe smut, rust, or brownpatch, apply at Scott's Spreader (Standard or Automatic Model) setting **10 1/2** (at this setting contents treat 1,250 sq ft) apply in fall and spring to prevent stripe smut, or brownpatch.
- DO** overlap spreader wheel tracks so no strips are missed.
- DO** make a second application one month after the first when treating to control active disease.
- DO** apply when foliage is dry. If temperature is 80° or above, sprinkle to rinse granules off the grass blades.
- DON'T** use this product on bentgrass, Dichondra, zoysia, or bermudagrass.
- DON'T** use this product on mixed lawns of bluegrass and fine fescue where the fescue is the desired variety.
- DON'T** use this product in California on turf other than bluegrass and then only in the period from late fall thru early spring.
- DON'T** use any other control product (such as a weed control) for one week after application of this product.

When treating for leafspot, dollar spot, snowmold, apply at Scott's Spreader (Standard or Automatic Model) setting **7** (at this setting contents treat 2,500 sq ft)

apply in fall, and early spring to prevent leafspot and dollar spot, prior to the first snowfall to prevent snowmold.

DO when treating for stripe smut, rust, or brownpatch, apply at Scott's Spreader (Standard or Automatic Model) setting **10 1/2** (at this setting contents treat 1,250 sq ft)

apply in fall and spring to prevent stripe smut, or brownpatch

DO overlap spreader wheel tracks so no strips are missed

DO make a second application one month after the first when treating to control active disease

DO apply when foliage is dry. If temperature is 80° or above, sprinkle to rinse granules off the grass blades

DON'T use this product on bentgrass, Dichondra, zoysia, or bermudagrass

DON'T use this product on mixed lawns of bluegrass and fine fescue where the fescue is the desired variety.

DON'T use this product in California on turf other than bluegrass and then only in the period from late fall thru early spring

DON'T use any other control product (such as a weed control) for one week after application of this product

What to expect

Repeat applications may be required one month after the first, when fungus activity persists

The action of Lawn Disease Preventer or any other fungicide can only prevent or arrest fungus activity. It can not undo damage which occurred prior to application.

A slight (and temporary) yellowing of grass may occur following application under certain conditions. However, with normal care (mowing, feeding, watering) grass will quickly return to normal.

Free bulletin-service

As a user of this Scott's lawn product, you are entitled to a free subscription to Lawn Care and Service Bulletin which has been helping homeowners for over 20 years.

I have you already checked and I am sure you will find this bulletin and its information for lawn care most helpful especially in your region of the country.

NAME _____

ADDRESS _____

CITY _____

STATE _____

Scotts No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

SCOTT'S - the lawn people
GREENVILLE, MISSOURI

12/8/75

6634



Lawn Disease Preventer