

538-98


8/22/1974

Page 123

FRONT:



NET WEIGHT 64½ LBS (29.3 Kg)



(Scotts (R))

ProTurf

30-5-3

fertilizer plus insecticide III

For use on lawn and turfgrasses only

NET WEIGHT 64½ LBS (29.3 Kg)

FOR PROFESSIONAL USE ONLY

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. May be absorbed through skin. Avoid inhalation or contact with skin, eyes, and clothing. Do not apply by hand. Wash thoroughly with soap and water after using. Flush contaminated eyes with plenty of water and get medical attention if irritation persists. Wash contaminated clothing before re-use. Avoid contamination of food and foodstuffs. As directed, water lawn after application and allow to dry before permitting children or pets on treated areas. Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine is antidotal.

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Apply this product only as specified on this label. Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

Active ingredient: Chlorpyrifos 0,0-diethyl-0-(3,5,6-trichloro-2-pyridyl) phosphorothioate	0.55%
Inert ingredients:	99.45%
Total	100.00%


EPA Reg No 538-98-AA	EPA Est No 538-OH-1	Product of USA
Net Weight 64½ lbs	ProTurf Fertilizer Plus Insecticide III 30-5-3	guaranteed analysis*
Total nitrogen (N)		30%
1.2% ammoniacal nitrogen from ammoniated phosphate		
18.8% water soluble nitrogen from urea and methylene ureas		
10.0% water insoluble nitrogen from methylene ureas		
Available phosphoric acid (P ₂ O ₅) from ammoniated phosphate		5%
Soluble potash (K ₂ O) from potassium sulfate		3%
Potential acidity equivalent to 1200 lbs calcium carbonate per ton		

*In Michigan reads "minimum guaranteed analysis"

U S Process Pat No's 3,231,363; 3,705,794 Other Pat Pend
ProTurf Division, O M Scott & Sons

Marysville, Ohio 43040

GUSSETS:



2 20 3

(Scotts)
ProTurf


Fertilizer Plus Insecticide III

86A4

86A4

Fertilizer Plus Insecticide III

(Scotts)
ProTurf



(Scotts (R))

ProTurf

30-5-3

fertilizer
plus insecticide III

For use on lawn and turfgrasses only

Fertilizes turf and controls these insects:

ants	earwigs
brown dog ticks	flea beetles (in dichondra)
chinchbugs	grasshoppers
crickets	sod webworms (lawn moth larvae)
cutworms	vegetable weevils (in dichondra)

USE THESE SPREADER SETTINGS
TO ENSURE PROPER DISTRIBUTION

64½ LBS (29.3 Kg) treats 22,000 sq ft (½ Acre/2045 sq.m.) at NORMAL RATE
64½ LBS (29.3 Kg) treats 11,000 sq ft (¼ Acre/1022 sq.m.) at DOUBLE RATE

	GROUND or PTO SPEED	WIDTH OF COVERAGE	SPREADER SETTINGS	
			NORMAL RATE	DOUBLE RATE
Scotts (Drop type)	3 mph	Overlap wheels	5	7
Rotary	3 mph	8 ft	H	K
Lely - WTR & WFR	4.5 mph	20 ft	4 IV	6 IV
Lely - HR	450 rpm	20 ft	4 IV	6 IV
(PTO Model) @	4.5 mph			
Gandy 8 ft Series A	4.5 mph	Overlap wheels	16	21
Gandy 42" Model	2.5 mph	Overlap wheels	31	37

DIRECTIONS FOR USE

Apply over entire area. Water after each application. Do not mow or collect clippings for 24 hours.

Chinchbug control - apply at DOUBLE RATE any time activity is noted. Water thoroughly after application to wash particles into zone of insect activity.

To prevent chinchbug damage - apply at DOUBLE RATE as soon as daily temperatures reach 80° or above. Water thoroughly following application. Repeat at 2 month intervals.

To control sod webworms, cutworms, earwigs, flea beetles and vegetable weevils - apply at NORMAL RATE whenever insect activity is observed or suspected. Sprinkle lightly after application to remove particles from leaves.

To control ants, ticks, crickets and grasshoppers - apply at DOUBLE RATE whenever activity is observed or suspected. Sprinkle lightly after application to remove particles from leaves.