

1498

1498

Scotts

ProTurf

30-5-3 fertilizer *plus* insecticide III

For use on lawn and turfgrass only

Fertilizes turf and controls these insects:

ants earwigs
brown dog ticks flea beetles (in dichondra)
chinchbugs grasshoppers
crickets sod webworms (lawn moth larvae)
cutworms vegetable weevils (in dichondra)

USE THESE SPREADER SETTINGS

to ensure proper distribution

64 Lbs (29.3 Kg) treats 22,000 sq ft (1 Acre/2045 sq m) at NORMAL RATE
64 Lbs (29.3 Kg) treats 11,000 sq ft (1 Acre/1022 sq m) at DOUBLE RATE

SPREADER	GROUND OR PTO SPEED	WIDTH OF COVERAGE	SPREADER SETTINGS NORMAL RATE	DOUBLE RATE
Scotts (Drop Type)	3 mph	overlap wheels	5	7
Scotts Rotary	3 mph	8 feet	H	K
Lely-WTR & WFR Models	4.5 mph	20 feet	4 IV	5 IV
Lely-HR (PTO Model)	450 rpm	20 feet	4 IV	5 IV
Gandy 8 ft A Series	4.5 mph	overlap wheels	16	21
Gandy 42 Model	2.5 mph	overlap wheels	21	37

DIRECTIONS FOR USE

Apply over entire area. Water after each application. Do not mow or collect clippings for 24 hours.

Chinchbug control - apply at DOUBLE RATE any time activity is noted. Water thoroughly after application to wash particles into zone of insect activity.

To prevent chinchbug damage - apply at DOUBLE RATE as soon as daily temperatures reach 80° or above. Water thoroughly following application. Repeat at 2 month intervals.

To control sod webworms, cutworms, earwigs, flea beetles and vegetable weevils - apply at NORMAL RATE whenever insect activity is observed or suspected. Sprinkle lightly after application to remove particles from leaves.

To control ants, ticks, crickets and grasshoppers - apply at DOUBLE RATE whenever activity is observed or suspected. Sprinkle lightly after application to remove particles from leaves.

ProTurf Division,
O M Scott & Sons Co

Marysville, Ohio 43040

TO OPEN BAG
SEE PAGE 101

ProTurf

fertilizer *plus*
insecticide III

86A4

86A4

1498

1498

1498

NET WEIGHT 64½ LBS (29.3 Kg)

Scotts

ProTurf

30-5-3 fertilizer *plus* insecticide III

For use on lawn and turfgrass only

FOR PROFESSIONAL USE ONLY

NET WEIGHT 64½ LBS (29.3 Kg)

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. May be absorbed through skin. Avoid inhalation. Do not inhale dust. If contact with skin, eyes, and clothing. Do not apply by hand. Wash thoroughly with soap and water after using. Flush contaminated eyes with plenty of water and get medical attention if irritation persists. Wash contaminated clothing before reuse. Avoid contamination of food and feedstuffs. As directed, water lawn after application and allow to dry before permitting children or pets on treated areas. Active ingredient is a cholinesterase inhibitor. Treats symptoms. Atropine is antidote.

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams, etc. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified in this label.

Apply this product only as specified in this label. Do not use empty container. Do not bury with waste or burning. Stay away from smoke or fumes.

Active ingredient: thiophan-methyl (0.025% of total weight)

Inert ingredients: 99.975%
Total 100.00%

EPA Reg. No. 538-98-AA EPA Est. No. 538-98-001

Net Weight 64½ lbs (29.3 Kg) Product Fertilizer Plus Insecticide III (30-5-3) as analyzed

Total nitrogen: 11.2%

11.2% ammoniacal nitrogen from ammoniated phosphate

15.8% water soluble nitrogen from urea and methylene urea

10.2% water soluble nitrogen from methylene urea

Available phosphoric acid (P₂O₅) from ammoniated phosphate 10%

Soluble potash (K₂O) from potassium sulfate 1%

Potential acidity equivalent to 200 lbs. aluminum sulfate per ton

The McGraw-Hill reads: minimum 2% as analyzed analysis

US Process Pat. Nos. 3,231,363; 3,705,794 Other Pat. Pend.

ProTurf Division, O M Scott & Sons Marysville, Ohio 43040

ProTurf

fertilizer *plus*
insecticide III

86A4

86A4

TO OPEN BAG
PULL WHITE TAPE



30-5-3 fertilizer *plus* insecticide III

For use on lawn and turfgrass only

Fertilizes turf and controls these insects:

ants	earwigs
brown dog ticks	flea beetles (in dichondra)
chinchbugs	grasshoppers
crickets	sod webworms (lawn moth larvae)
cutworms	vegetable weevils (in dichondra)

USE THESE SPREADER SETTINGS to ensure proper distribution

64½ Lbs (29.3 Kg) treats 22,000 sq ft (½ Acre/2045 sq m) at NORMAL RATE
64½ Lbs (29.3 Kg) treats 11,000 sq ft (¼ Acre/1022 sq m) at DOUBLE RATE

SPREADER	GROUND OR PTO SPEED	WIDTH OF COVERAGE	SPREADER SETTINGS	
			NORMAL RATE	DOUBLE RATE
Scotts (Drop Type)	3 mph	overlap wheels	5	7
Scotts Rotary	3 mph	8 feet	H	K
Lely-WTR & WFR Models	4.5 mph	20 feet	4 IV	6 IV
Lely-HR (PTO Model)	450 rpm @ 4.5 mph	20 feet	4 IV	6 IV
Gandy 8 ft A Series	4.5 mph	overlap wheels	16	21
Gandy 42" Model	2.5 mph	overlap wheels	31	37

DIRECTIONS FOR USE

Apply over entire area. Water after each application. Do not mow or collect clippings for 24 hours.

Chinchbug control - apply at DOUBLE RATE any time activity is noted. Water thoroughly after application to wash particles into zone of insect activity.


To prevent chinchbug damage - apply at DOUBLE RATE as soon as daily temperatures reach 80° or above. Water thoroughly following application. Repeat at 2 month intervals.

To control sod webworms, cutworms, earwigs, flea beetles and vegetable weevils - apply at NORMAL RATE whenever insect activity is observed or suspected. Sprinkle lightly after application to remove particles from leaves.

To control ants, ticks, crickets and grasshoppers - apply at DOUBLE RATE whenever activity is observed or suspected. Sprinkle lightly after application to remove particles from leaves.

ProTurf Division,
O M Scott & Sons Co

Marysville, Ohio 43040



fertilizer *plus*
insecticide III

INSECTICIDE III

For use on lawn and turfgrass only

FOR PROFESSIONAL USE ONLY

NET WEIGHT 64½ LBS (29.3 Kg)

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. May be absorbed through skin. Avoid inhalation or contact with skin, eyes, and clothing. Do not apply by hand. Wash thoroughly with soap and water after using. Flush contaminated eyes with plenty of water and get medical attention if irritation persists. Wash contaminated clothing before re-use. Avoid contamination of food and foodstuffs. As directed, water lawn after application and allow to dry before permitting children or pets on treated areas. Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine is antidotal.

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Apply this product only as specified on this label. Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

Active ingredient: Chlorpyrifos 0,0-diethyl-0-(3,5,6-trichloro-2-pyridyl)

phosphorothioate	0.55%
Inert ingredients:	99.45%
	Total 100.00%

EPA Reg No 538-98-AA EPA Est No 538-OH-1

Product of USA

Net Weight 64½ lbs ProTurf Fertilizer Plus Insecticide III 30-5-3 guaranteed analysis*

Total nitrogen (N) 30%

1.2% ammoniacal nitrogen from ammoniated phosphate

18.8% water soluble nitrogen from urea and methylene ureas

10.0% water insoluble nitrogen from methylene ureas

Available phosphoric acid (P₂O₅) from ammoniated phosphate 5%

Soluble potash (K₂O) from potassium sulfate 3%

Potential acidity equivalent to 1200 lbs calcium carbonate per ton

*In Michigan reads "minimum guaranteed analysis"

US Process Pat No's 3,231,363; 3,705,794 Other Pat Pend

ProTurf Division, O M Scott & Sons

Marysville, Ohio 43040

86A4

86A4

86A4