



REREGISTERED

ACCEPTED
AND RECOMMENDED
in L.A. Law 1-1-82

OCT 1 1982

Under the authority of the
Federal Insecticide, Fungicide,
and Rodenticide Act, this product is
registered under EPA Reg. No.
635-70



Fungicide II

FUNGICIDE II

Fungicide II



- prevents and controls pythium blight and gray snow mold

NET WEIGHT 32³/₄ lbs (14.86 kg)

KEEP OUT OF REACH OF CHILDREN
CAUTION
PRECAUTIONARY STATEMENTS

Environmental Hazards: Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

Hazard to Humans and Domestic Animals: May irritate eyes, nose, throat, and skin. Avoid breathing dust. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing with water before reuse. Do not take food or drink while using this product.

ACTIVE INGREDIENT	
Triphenyltin chloride	1.4
Dimethylbenzene	1.25
NET INGREDIENTS	
TOTAL	2.65
Inert Ingredients	
22.21	
TOTAL	
32.86	


8797

8797

For Professional Use Only

8797

Fungicide II



FUNGICIDE II

8797



Fungicide II

Directions for use

For information on Federal law to use this product, please refer to the label on the spreader.

Prevents and controls:
Fythum blight
Gray snow mold

Whenever used on greens and fairways, apply to moist foliage in the morning or evening. Irrigate lightly just before traffic resumes to avoid buildup of material on shoes, golf balls, or maintenance equipment.

To prevent Pythum blight apply at RECOMMENDED RATE to moist foliage when high temperatures and humidity favor development. Repeat at 5-7 day intervals as long as these weather conditions persist.

To control Pythum blight apply at RECOMMENDED RATE to moist foliage as soon as disease activity is observed. Repeat at 5-7 day intervals during high temperature and humidity conditions.

In case of severe disease attack at DOUBLE RATE to moist foliage and continue RECOMMENDED RATE applications at 5-7 day intervals during high temperature and humidity conditions.

On new seedlings apply at RECOMMENDED RATE after sowing seed. At first signs of disease apply to moist foliage of newly germinated grass and repeat at 7-10 day intervals if evidence of disease persists.

When using for control Pythum blight do not fertilize or water heavily until disease activity is arrested. Prolonged contact with foliage enhances effectiveness.

Gray snow mold apply at RECOMMENDED RATE to dry or moist foliage prior to first heavy snow (early winter). Repeat in midwinter if turf is free of snow. A final treatment in late winter as the snow melts extends protection.

In areas where snow coverage is present the entire winter apply at the DOUBLE RATE prior to the first snow and at the RECOMMENDED RATE when snow melts in the spring.

Storage and Disposal
Do not contaminate water, food or feed by storage or disposal.

STORAGE Store in a clean, dry place. Reseal opened bags by folding top down and securing.

PESTICIDE DISPOSAL Pesticide or container that cannot be reused according to label instructions must be disposed according to applicable Federal, State or local procedures.

CONTAINER DISPOSAL Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration, if allowed by State and local authorities.

ProTurf Division The P.M.S. Scott's Company
Marysville, Ohio 43041

Suggested Spreader Settings

For proper distribution, calibrate spreader before application.

Apply 1.0 lb. Fungicide II per 1000 sq. ft. at RECOMMENDED RATE.
Apply 2.0 lb. Fungicide II per 1000 sq. ft. at DOUBLE RATE.

Spreader	Amount Spread	Width of Coverage	Spreader Setting	
			RECOMMENDED	DOUBLE
Hand Broadcast	1.0 lb.	Use all wheels	1	2
Hand Broadcast	2.0 lb.	" "	2	4
Walk Behind Broadcast	1.0 lb.	" "	1	2
Walk Behind Broadcast	2.0 lb.	" "	2	4

820645



538-103

Procurf Fungicide II

1/1/72
13

O. M. Scott & Sons
Marysville, OH 43041

Based on your response to the Registration Standard Guidance Package, EPA has reregistered the product listed above. Enclosed is a copy of your label stamped "Accepted." This registration is granted under the authority of section 3(g) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended.

As you are aware, as part of your response to the Guidance Package, you agreed to submit to the Agency additional data which are required of you under the authority of FIFRA section 3(c)(2)(B). Failure to submit these data within the agreed time frames may result in suspension of the registration of your product. If any problems arise during the development of these data, you should inform us as soon as possible.

H. M. Jacoby
Henry M. Jacoby
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767)

Enclosure