



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

APR 20 1994

Vincent Snyder, Jr.
O.M. SCOTT 7 SONS CO.
14111 SCOTTSLAWN RD
MARYSVILLE, OH 43041

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

SUBJECT:

Label Amendment Submission of 01/31/94 in Response to PR Notice 93-7

EPA Reg. No. 538-103 PROTURF FUNGICIDE II

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully REMOVES THE PRODUCT FROM THE SCOPE of PR Notice 93-7 once the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

As required by section 6(f)(1) of FIFRA, Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements), the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. and The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,

Ames Tompkins, Deputy Chief Registration Support Branch

Registration Division (7505W)

Enclosures



Recycled/Recyclable Printed with Soy/Canota Ink on page: that contains at least 50% recycled fiber

196

FRONT:

PROTURF FUNGICIDE V 87135

06/25/93 VS/cr 01/28/94 VS/cr

Fungicide V

87135

(NOTE: The description above will be inverted.)

(Scotts(R))
ProTurf(R)
BRAND

Fungicide V

o prevents and controls Pythium blight and gray snow mold

Net Weight 32.75 lbs (14.86 kg)

KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: May irritate eyes, nose, throat and skin. Avoid breathing dust. Avoid contact with skin, eyes, and clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Do not graze or feed clippings from treated areas to livestock.

<u>Environmental Hazards</u>: Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

ACCEPTED
with COMMENTS
In EPA Letter Dated

APR 20 1994

Under the Federal Insecticide, Fundicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

3.56

FRONT CONTINUED:

ACTIVE INGREDIENT:

Chloroneb (1,4-dichloro-2,

5-dimethoxybenzene). 93.75% 100.00%

Total

EPA Reg. No. 538-103

EPA Est 538-OH-1

Product of USA

ProTurf Division, The O M Scott & Sons Company 14111 Scottslawn Road Marysville, Ohio 13041

(c) 1993. The O M Scott & Sons Company. All rights reserved.

Recommended for Use by Professional Turfgrass Managers

87135

Fungicide V

RIGHT GUSSET

87135

(Scotts_(R))
ProTurf_(R)
BRAND

Fungicide V

456

LEFT GUESSET

(Scotts_(R)) ProTurf_(R) BRAND Fungicide V

87135

BACK:

Fungicide V

87135

(NOTE: The description above will be inverted.)

(Scotts(R))
ProTurf(R)
BRAND

Fungicide V

TO OPEN BAG PULL WHITE TAG ي کر چ

Directions for use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Prevents and controls:

Pythium blight

gray snow mold

Whenever used on greens and fairways, apply to moist foliage in the morning or evening. Sprinkle lightly just before traffic resumes to avoid pickup of material on shoes, golf balls, or maintenance equipment.

<u>To prevent Pythium blight</u> -- apply at the RECOMMENDED RATE to moist foliage when high temperature and humidity favor development. Repeat at 5-7 day intervals as long as these weather conditions persist.

<u>To control Pythium blight</u> — apply at the RECOMMENDED RATE to moist foliage as soon as disease activity is observed; repeat at 5-7 day intervals during high temperature and humidity conditions.

In case of severe disease attack, apply at the DOUBLE RATE to moist foliage and continue RECOMMENDED RATE applications at 5-7 day intervals during high temperature and humidity conditions.

On new seedings, apply at the RECOMMENCED RATE after sowing seed; at first signs of disease, apply to moist foliage of newly germinated grass and repeat at 7-10 day intervals if evidence of disease persists.

When treating to control Pythium blight, do not fertilize or water heavily until disease activity is arrested; prolonged contact with foliage enhances effectiveness.

<u>Gray snow mold</u> — apply at the RECOMMENDED RATE to dry or moist foliage prior to the first heavy snow (early Winter). Repeat in mid-Winter if turf is free of snow. A final treatment in late Winter as the snow melts extends protection.

In areas where snow cover is present the entire Winter, apply at the DOUBLE RATE prior to the first snow and at the RECOMMENDED RATE when snow melts in the Spring.

Storage and disposal

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

ProTurf Division
The O. M. Scott & Sons Company
Maryville, Ohio 430401

Suggested Spreader Settings To provide proper distribution calibrate spreader before application.

32.75 lbs. treats 11,000 ft 2 (1/4 acre) at the RECOMMENDED RATE 32.75 lbs. treats 5,500 ft 2 (1/8 acre) at the DOUBLE RATE

SPREADER	GROUND OR PTO SPEED	WIDTH OF COVERAGE	SPREADER SE RECOMMENDED	TTING DOUBLE
Scotts Drop	3 mph	overlap wheels	6	8
Scotts Rotaries R-7*, R-7X* PT-10*, PT-11*	' 3 mph	8 feet	G	K
R-8 (cone 8)	3 mph	9 feet	М	Q
Lely Models (see below)	4.5 mph	16 feet	4-1/2 III	6 III

Lely models WTR, WFR, HR and 1250. PTO at 450 rpm.

Metric coverage: 14.86 kg treats 1022 m^2 at the RECOMMENDED RATE and 511 m^2 at the DOUBLE RATE.