



# Insecticide III 8868



# Insecticide III



Insecticide III

ACCEPTED  
AUG 1 1 1981  
Use of this product is in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 538-111

Insecticide III



# Insecticide III

controls surface feeding turfgrass insects

Net Weight 28 1/8 lbs (12.75 kg)

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals: CAUTION. May cause eye irritation. Avoid contact with eyes, skin, or clothing. Avoid inhalation. Harmful if swallowed. May be absorbed through the skin. Do not apply by hand. Wash thoroughly with soap and water after using. Flush contaminated eyes with plenty of water and get medical attention if irritation persists. Wash contaminated clothing before reuse. Avoid contamination of feed and foodstuffs. As directed, water lawn after application and allow to dry before permitting children or pets on treated areas. Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is antidote.

Environmental Hazards: This product is toxic to fish,

birds, and other wildlife. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

ACTIVE INGREDIENT: Chlorpyrifos O, O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate ..... 1.34%  
INERT INGREDIENTS ..... 98.66%  
Total 100.00%

EPA Reg No 538-111 EPA Est 538-0H-1  
Product of USA

ProTurf Division, The O M Scott & Sons Company  
Marysville, Ohio 43041

© 1987 The O M Scott & Sons Company. All rights reserved.

For Professional Use Only

# 8868

Insecticide III

## Directions for use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

### For use on turfgrass or dichondra.

Controls chinch bug and other insects listed below:

ant grasshopper  
brown dog tick Hyperodes weevil  
cricket sod webworm  
cutworm (lawn moth  
larvae)  
earwig (larvae)  
flea beetle vegetable weevil  
(in dichondra) (in dichondra)

Apply over entire area. Overlap spreader wheel tracks so no strips are missed. Water as recommended after each application to wash product particles into the zone of insect activity. Do not mow or collect clippings for 24 hours after treatment.

CHINCH BUG control - apply at DOUBLE RATE any time activity or damage is noticed. Water thoroughly (1/4 to 1/2 inch) after application.

CHINCH BUG prevention - apply at DOUBLE RATE as soon as daily temperatures reach 80° or above and repeat at 2 month intervals. Water thoroughly (1/4 to 1/2 inch) after each application.

SOD WEBWORM, CUTWORM, EARWIG, FLEA BEETLE and VEGETABLE WEEVIL control - apply at NORMAL RATE whenever insect activity is observed or

suspected. Sprinkle lightly after application to remove product particles from the leaves.

ANT, TICK, CRICKET and GRASSHOPPER control - apply at DOUBLE RATE whenever insect activity is observed or suspected. Sprinkle lightly after each application to remove particles from leaves.

HYPERODES WEEVIL control - apply at HEAVY RATE as soon as grass greens in the spring and repeat in one month. Water lightly after application.

### Storage and disposal

Do not contaminate water, food, or feed by storage, disposal, or cleaning of equipment. Open dumping is prohibited.

Storage: Store in a clean, dry place. Reseal opened bags by folding top down and securing.

Pesticide Disposal: Pesticide or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State, or local procedures under the Resource Conservation and Recovery Act.

Container Disposal: Dispose of bags according to approved Federal, State, or local procedures under the Resource Conservation and Recovery Act.

ProTurf Division  
The O M Scott & Sons Company  
Marysville, Ohio 43041

### Suggested Spreader Settings

to provide proper distribution calibrate spreader before application  
28 1/8 lbs (12.75 kg) treats 22,000 m<sup>2</sup> (1/2 acre/2044 m<sup>2</sup>) at NORMAL RATE  
28 1/8 lbs (12.75 kg) treats 11,000 m<sup>2</sup> (1/4 acre/1022 m<sup>2</sup>) at DOUBLE RATE  
28 1/8 lbs (12.75 kg) treats 8,250 m<sup>2</sup> (1/8 acre/ 767 m<sup>2</sup>) at HEAVY RATE

SPREADER Scotts (Drop Type) Scotts Rotary Lely-WTR & WFR Models Lely-His (PTO Model)	GROUND OR PTO SPEED 3 mph 3 mph 4.5 mph 450 rpm (4.5 mph)	WIDTH OF COVERAGE overlap wheels 3 feet 18 feet 18 feet	SPREADER SETTINGS		
			NORMAL	DOUBLE	HEAVY
			3 1/2"	5 1/2"	8"
			C 1/2"	F	G 1/2"
			4E	5E	5 1/2E
			4E	5E	5 1/2E

538-111

08/11/1981

1/1