

ONLY

3.9 Kg)

.. e poa annua contro

8779

SPREADER	PTO SPEED	COVERAGE	HATE	HATE
Scotts (Drop Type)	3 mph	overlap wheels	6	5 .
Scotts Rotary	3 mph	8 feet	G	F
Lely-WTR &	·			
WFR Models	4.5 mph	16 feet	7 IV	5 iv
Lely-HR	450 rpm	16 feet	7 iv	5 IV
(PTO Model)	□ 4 5 mph			
Gandy 8 ft A Series	4.5 mph	overlap wheels	18	16
Gandy 42 Model	2.5 mph	overlap wheels	39	32

FOR USE ON ESTABLISHED BLUEGRASS ONLY

Apply either to moist or dry foliage any time Poa annua is actively growing from late spring through early fall. For best control temperatures should be consistently in the 70's or higher and soil moisture should be adequate for active growth. Normally 3-4 weeks are required for control under these conditions. In cooler weather a repeat application in 8-10 weeks may be required for satisfactory control.

On organic soils, such as muck or peat, apply at the NOR-MAL RATE. On mineral soils apply at LIGHT RATE.

CAUTION-Poa annua content in bluegrass is often greater than it appears. Its removal may produce a thin overall turf. Time and adequate maintenance will be required to regrow a dense turf. In certain areas this product may cause temporary discoloration of bluegrass sod.

PRECAUTIONS

Treated sod should not be cut sooner than ten weeks after treatment. (Normally bluegrass sod is not cut after mid-November.)

Do not use on bentgrass and fescues or fescue mixtures. Avoid application when frost or freezing weather is expected. In general applications should not be made after mid-September.

On newly seeded bluegrass application should be withheld until after the third mowing. Treated areas should not be seeded for at least three months.

ProTurf Division OM Scott & Sons Marysville, Ohio 43040

8779

4778

K-O-G


4778

K-O-G weed control

\$774


K-O-G weed control

NET WEIGHT 351/2 LBS (16.1 Kg)



TO-G Weed





K-O-G Weel

control

NEW K-O-G weed control

FOR PROFESSIONAL USE ONLY

NET WEIGHT 35½ LBS (16.1 Kg)

CAUTION: KEEP OUT OF REACH OF CHILDREN

Avoid contact with skin, eyes or clothing. In case of contact, flush with plenty of water; for eyes, get medical attention. Do not contaminate domestic or irrigation waters. Do not store near fertilizers, insecticides, fungicides, seeds or foodstuffs. Avoid application on garden plants, flowers, and rootzone areas of trees and shrubs.

Do not reuse container. Destroy by burying in a safe place away from water supplies. Do not burn.

Active ingredient: Dicamba (2-Methoxy-3,6-dichlorobenzoic acid) 0.70%

Total 100.00%


ProTurf Division, O M Scott & Sons

Product of USA Marysville, Ohio 43040

8774

Weed control





ACCE

UNDER THE FEDERAL
FUNGICIDE AND ROD
FOR ECONOMIC POISC
ED UNDER NO
PATTACHED COMMI

NEW ProTurf K-0-G weed control

USE THESE SPREADER SETTINGS to ensure proper distribution

35'2 LBS (16.1 Kg) TREATS 44,000 SQ FT (1 ACRE/4089 sq m) AT QUARTER RATE 35'2 LBS (16.1 Kg) TREATS 22,000 SQ FT ('2 ACRE/2045 sq m) AT HALF RATE 35'2 LBS (16.1 Kg) TREATS 11.000 SQ FT ('4 ACRE/1022 sq m) AT NORMAL RATE 35'2 LBS (16.1 Kg) TREATS 5,500 sq ft ('4 ACRE/511 sq m) AT DOUBLE RATE

SPREADER			SPREADER SETTINGS			
	GROUND OR PTO SPEED	WIDTH OF COVERAGE	QUARTER RATE	HALF RATE	NORMAL RATE	RATE .
Scotts (Drop Type)	3 mph	overlap wheels	31/4	41/4	61/2	81/2
Scotts Rotary	3 mph	8 feet	D	F	1	L
Lely-WTR &						
WFR Models	4.5 mph	16 feet	4 ш	5½ III	7 m	8⅓ ш
Lely—HR (PTO Model)	450 rpm @4.5 mph	16 feet	4 m	5⅓ Ш	7 ш	8⅓ Ш
Gandy 8 ft A Series	4.5 mph	overlap wheels	12	151/2	20	26
Gandy 42" Model	2.5 mph	overlap wheels	24	30	37	45

FOR BENTGRASS PUTTING GREENS

For bentgrass putting greens apply at QUARTER RATE to moist foliage for control of clover and chickweed. Repeat treatment in 3 weeks if needed. (Treats 44,000 sq ft)

FOR USE ON OTHER TURFGRASS AREAS

Turfgrass areas other than greens apply to moist or dry foliage at—