

Reg no: 538-112

PM-25

1 of 7

PROTURF K-O-G WEED CONTROL

#8774

02/09/85 HJB 02/19/86 JF

01/31/86 JF 05/13/87 SM

FRONT:

K-O-G
Weed Control

8774

(NOTE: The description above will be inverted.)

(Scotts(R))
ProTurf(R)
BRAND


K-O-G
Weed
Control

. provides postemergence weed control

Net Weight 35 1/2 lbs (16.10 kg)

LEFT COLUMN

KEEP OUT OF REACH OF CHILDREN
WARNING
PRECAUTIONARY STATEMENTS



Hazards to Humans and Domestic Animals: WARNING, causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear goggles or face shield. Harmful if swallowed. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid inhalation.

If in eyes: Flush with plenty of water. Get medical attention.

If swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol.

Environmental Hazards: Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

FRONT CONTINUED:

291

RIGHT COLUMN

ACTIVE INGREDIENT:

Dicamba (2-Methoxy-3,6-dichlorobenzoic acid)

0.70%

INERT INGREDIENTS:

99.30%

Total

100.00%

EPA Reg No 538-112
Product of USA

EPA Est 538-OH-1

ProTurf Division, The O M Scott & Sons Company
Marysville, Ohio 43041

(c) 1987. The O M Scott & Sons Company. All rights reserved.

Recommended for Use by Professional Turfgrass Managers

8774

K-0-G
Weed Control

GUSSETS:

3 97

RIGHT GUSSET

8774

(Scotts(R))
ProTurf(R)
BRAND

K-0-6
Weed Control

LEFT GUSSET

Scotts(R)
ProTurf(R)
BRAND

K-0-6
Weed Control

8774 (Packaging Calendar)

BACK:

K-0-6
Weed Control

8774

(NOTE: The description above will be inverted.)

TO OPEN BAG
PULL WHITE TAPE

(Scotts(R))
ProTurf(R)
BRAND

K-0-6
Weed Control

Directions for use

LEFT COLUMN

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Apply any time weeds are actively growing. Do not apply when ground is frozen.

For bentgrass putting greens

For bentgrass putting greens apply at QUARTER RATE to moist foliage for control of clover and chickweed. Repeat treatment in 3 weeks if needed. (Treats 44,000 ft²).

For use on other turfgrass areas

Turfgrass areas other than greens apply to moist or dry foliage at--

HALF RATE to control clover (treats 22,000 ft²).

NORMAL RATE to control knotweed, chickweed (common and mouse-ear), sheep sorrel and black medic (treats 11,000 ft²).

DOUBLE RATE to control wild onion and garlic, curly dock, ground ivy, Canada thistle, cudweed, yarrow and horseweed. For control of yarrow and wild onion and garlic start treatments in either spring or fall and repeat at 6 month intervals for a total of 2 or 3 applications as needed (treats 5,500 ft²).

Note

Avoid application on rootzone areas of trees and shrubs.

BACK CONTINUED:

597

RIGHT COLUMN

Do not apply when ground is frozen.

Delay planting grass seed until after a heavy rain or watering and not sooner than two weeks after treatment.

On new plantings delay treatment until after the second mowing.

Not for use on St Augustinegrass or Dichondra.

Avoid application to garden plants, flowers, and rootzone areas.

Storage and disposal

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

ProTurf Division
The O M Scott & Sons Company
Marysville, Ohio 43041

Suggested Spreader Settings
to provide proper distribution calibrate spreader before application

35 1/2 lbs treats 44,000 ft² (1 acre) at the QUARTER RATE
 35 1/2 lbs treats 22,000 ft² (1/2 acre) at the HALF RATE
 35 1/2 lbs treats 11,000 ft² (1/4 acre) at the NORMAL RATE
 35 1/2 lbs treats 5,500 ft² (1/8 acre) at the DOUBLE RATE

<u>SPREADER</u>	<u>GROUND SPEED</u>	<u>WIDTH OF COVERAGE</u>	<u>SPREADER SETTINGS</u>			
			<u>QUARTER RATE</u>	<u>HALF RATE</u>	<u>NORMAL RATE</u>	<u>DOUBLE RATE</u>
Scotts Drop Type	3 mph	overlap wheels	3 3/4	4 3/4	6	8 1/2
Scotts Rotaries						
R-7, R-7X	3 mph	8 ft	A 1/2	C 1/2	F 1/2	K 1/2
R-8 (cone 8)	3 mph	9 ft	I	J	M	Q 1/2
Lely Models						
(See below)	4.5 mph	16 ft	3 III	3 1/2 III	4 1/2 III	7 III

Lely Models WTR, WFR, HR and 1250. PTO at 450 rpm.
 Metric coverage: 16.10 kg treats 4088 m² at the QUARTER RATE, 2044 m² at the HALF RATE, 1022 m² at the NORMAL RATE, 511 m² at the DOUBLE RATE.

8774

K-0-6
Weed Control

0613o/0760U

Suggested Spreader Settings
to provide proper distribution calibrate spreader before application

35 1/2 lbs treats 44,000 ft² (1 acre) at the QUARTER RATE
 35 1/2 lbs treats 22,000 ft² (1/2 acre) at the HALF RATE
 35 1/2 lbs treats 11,000 ft² (1/4 acre) at the NORMAL RATE
 35 1/2 lbs treats 5,500 ft² (1/8 acre) at the DOUBLE RATE

<u>SPREADER</u>	<u>GROUND SPEED</u>	<u>WIDTH OF COVERAGE</u>	<u>SPREADER SETTINGS</u>			
			<u>QUARTER RATE</u>	<u>HALF RATE</u>	<u>NORMAL RATE</u>	<u>DOUBLE RATE</u>
Scotts Drop Type Scotts Rotaries	3 mph	overlap wheels	3 3/4	4 3/4	6	8 1/2
R-7, R-7X	3 mph	8 ft	A 1/2	C 1/2	F 1/2	K 1/2
R-8 (cone 8)	3 mph	9 ft	I	J	H	Q 1/2
Lely Models (See below)	4.5 mph	16 ft	3 III	3 1/2 III	4 1/2 III	7 III

Lely Models WTR, WFR, HR and 1250. PTO at 450 rpm.
 Metric coverage: 16.10 kg treats 4088 m² at the QUARTER RATE, 2044 m² at the HALF RATE, 1022 m² at the NORMAL RATE, 511 m² at the DOUBLE RATE.

8774

K-0-G
Weed Control

06130