Page gellow & 7

MAGENCY STANDS

# Best available copy UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

SEP 30 1997

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Chris Wible
The Scotts Company
14111 Scottslawn Road
Marysville, OH 43041

Dear Mr. Snyder:

Subject: KOG Weed Control

EPA Registration No. 538-112

Application Dated October 22, 1996

The labeling referred to above, submitted in connection with registration under the Insecticide, Fungicide, and Rodenticide Act, as amended, is accepted with the following provision:

- 1. Under "hazards to Human and Domestic Animals" revise the statement to read as follows:
  - a. Warning, causes substantial but temporary eye injury. Harmful if absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin. Wear goggles or face shield. Harmful if swallowed. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid inhalation.
- 2. Make the following revisions to the "Statement of Practical Treatment:"
  - a. IF IN EYES: Hold eyelids open and flush with a steady gentle stream of water for 15 minutes. Get medical attention.
  - b. If ON SKIN: Wash with plenty of soap and water. Get medical attention.
  - c. IF SWALLOWED: Call a doctor or get medical attention. Do not induce vomiting or give anything by mouth to an unconscious person. Drink promptly a large quantity of milk, eggwhites, gelatin solution, or if these are not available, drink large of water. Avoid alcohol.

5, Coake

- 3. Add "Note to Physician":
  - a. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Submit five (5) copies of the revised draft label, incorporating our comments from this letter.

Sincerely yours,

Joanne I. Miller Product Manager 23 Herbicide Branch Registration Division (7505C)

PT PROTURF K-O-G WEED CONTROL (S-3027)ACCEPTED with COMMENTS #8695 In EPA Letter Dated 10/30/89 SC 11/17/89 CR "ZED SU" 11/27/89 ES 01/20/93 CR 01/26/93 RH 03/15/93 PG Under the Federal Insecticide. 04/22/93 VS 09/24/93 VS Fundicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 5.38 1/2 09/27/93 CR 01/21/94 PG 02/02/94 SC 07/11/94 CR 12/09/94 TM 12/16/94 ES 06/06/95 SC 01/22/96 GK 09/30/96 KL 5/24/96 DS

[FRONT]

K-0-G

Weed Control

8695

[NOTE: The description above inverted.]

Elements and provide comment requestions

(Scotts<sub>®</sub>)
ProTurf<sub>®</sub>

BRAND

K-O-G Weed Control

provides postemergence weed control

Net Weight 35.50 lbs. (16.10 kg)

KEEP OUT OF REACH OF CHILDREN WARNING PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: WARNING, causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear goggles or face shield. Harmful if swallowed. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid inhalation.

If in eyes: Flush with plenty of water. Get medical attention.

<u>If swallowed</u>: Drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol.

Environmental Hazards: Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water-by cleaning of equipment or disposal of wastes.

EPA Reg. No. 538-112

Product of U.S.A.

EPA Est. No. 538-OH-1 (S)

EPA Est. No. 32802-MO-01 (B)

EPA Est. No. 32802-WI-1 (A)

Subscript used is first letter of run code on end of package

Distributed by:
Professional Business Group
The Scotts Company
14111 Scottslawn Rd.
Marysville, OH 43041
©1996, The Scotts Company. World rights reserved.

[BACK]

### Directions for use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Apply any time weeds are actively growing. Do not apply when ground is frozen.

## For bentgrass putting greens

For bentgrass putting greens apply at QUARTER RATE to moist foliage for control of clover and chickweed. Repeat treatment in 3 weeks if needed. (Treats 44.000 sq. ft.).

# For use on other turfgrass areas

For turfgrass areas other than greens, apply to moist or dry foliage at--

HALF RATE to control clover (treats 22,000 sq. ft.).

NORMAL RATE to control knotweed, chickweed (common and mouse-ear), sheep sorrel and black medic (treats 11,000 sq. ft.).

DOUBLE RATE to control wild onion and garlic, curly dock, ground ivy, Canada thistle, cudweed, yarrow and horseweed. For control of yarrow and wild onion and garlic start treatments in either spring or fall and repeat at 6 month intervals for a total of 2 or 3 applications as needed (treats 5,500 sq. ft.).

#### Precautions

# Avoid application on rootzone areas of trees and shrubs.

Do not apply when ground is frozen.

FILE IM FOR EULYMORES AND COURTS CORRESS FLODGMIUMS

Delay planting grass seed until after a heavy rain or watering and not sooner than two weeks after treatment.

On new plantings delay treatment until after the second mowing.

Not for use on St. Augustinegrass or Dichondra.

Avoid application to garden plants, flowers, and roctzone areas.

For use on fine fescue or bentgrass turf maintained at a height of 1/2 inch or above, use at the HALF RATE or QUARTER RATE setting.

Do not apply to slopes next to lakes or waterways or on slopes above beds used for trees or ornamental plantings.

Do not apply this product to turf under stress from drought, insects, disease, cold temperatures, high temperatures of above 85°F on cool season grasses, or poor fertility, as injury may result.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Suggested Spreader Settings
To provide proper distribution, calibrate spreader before application.

35.50 lbs. treats 44,000 sq. ft. (1 acre) at the QUARTER RATE 35.50 lbs. treats 22,000 sq. ft. (1/2 acre) at the HALF RATE 35.50 lbs. treats 11,000 sq. ft. (1/4 acre) at the NORMAL RATE 35.50 lbs. treats 5,500 sq. ft. (1/8 acre) at the DOUBLE RATE

			SPREADER SETTINGS			
SPREADER	GROUND SPEED	WIDTH OF COVERAGE	QUARTER RATE	HALF RATE	NORMAL RATE	DOUBLE RATE
Scotts				_		
Drop Type	dqm E	overlap wheels	2	3	4 1/4	5 3/4
Scotts						
Rotaries						
R-7, R-7X	3 mph	8 feet	A	B 1/2	£	H 1/2
R-8A (cone 9)	3 mph	9 feet	G 1/2	H 1/2	J	M
Lely Models						
(See below)	4.5 mph	18 feet	2 III 2 3/	4 <b>I</b> II :	3 1/2 III	4 3/4 III
Vicon						
Model (02)	4.5 mph	18 feet	8	12	17	26
Model (03)	4.5 mph	10 feet	6	9	12	18
Gandy 30"	dgm E	overlap wheels	15	20	24	30

Lely Models WTR, WFR, HR and 1250. PTO at 450 rpm. UPC

Metric coverage: 16.10 kg treats 4088 m $^2$  at the QUARTER RATE, 2044 m $^2$  at the HALF RATE, 1022 m $^2$  at the NORMAL RATE, 511 m $^2$  at the DOUBLE RATE.

Recommended For Use By Professional Turfgrass Managers

8695

[Pkg. Date]

IMPORTANT NOTICE: DISCLAIMER AND LIMITATION OF LIABILITY This product has been researched to provide necessary data to support its uses listed on the label. The user should always follow the label directions and exercise his judgement and caution when using the product under his growing conditions. NO WARRANTY OR REPRESENTATION IS MADE, EXPRESS, OR IMPLIED, CONCERNING THE RESULTS TO BE OBTAINED FROM THE USE OF THIS PRODUCT IF NOT USED IN ACCORDANCE WITH DIRECTIONS OR ESTABLISHED SAFE PRACTICE. The exclusive remedy of the user or Buyer, and the limit of liability of The Scotts Company or its affiliates, for any and all losses, injuries or damages resulting from the use or handling of this product shall be the purchase price paid by the user or Buyer for the quantity of this product involved. The Buyer and users are deemed to have accepted the terms of this Notice, which may be varied only by agreement in writing, signed by a duly authorized representative of The Scotts Company.

Professional Business Group The Scotts Company Marysville, OH 43041