

nematocide

nematocide

for use only on bahia, bermuda, centipede,
St Augustine and zoysiagrass turf

nematocide

FOR PROFESSIONAL USE ONLY

Not for use or storage in or around the home

8813

NET WEIGHT 50½ LBS (22.9 Kg)

WARNING: KEEP OUT OF REACH OF CHILDREN

Poisonous if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. Do not get in eyes or on skin. Wear protective clothing including natural rubber gloves and goggles.

Do not breathe fumes or dust. Avoid prolonged exposure in enclosed vehicles when transporting product. After use wash hands, arms, and face thoroughly with soap and warm water before eating or smoking. Wash all clothing with soap and hot water immediately after use.

Do not contaminate feed or food. Do not allow livestock to graze on treated turf. When turf is being treated keep all unprotected persons and pets out of the area until after water has been applied and granules have been thoroughly washed into the soil and the area is thoroughly dry.

This product is toxic to fish and wildlife. Birds and other wildlife feeding in treated areas may be killed. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy bag either by burning it completely using extreme caution not to inhale smoke by staying a safe distance away or by burying the bag 18 inches deep in an isolated location away from water supplies.

SYMPTOMS OF POISONING: A sense of tightness in chest, sweating, stomach pains, vomiting, diarrhea, contraction of pupils.

FIRST AID: Call a physician immediately in case of poisoning. If swallowed, induce vomiting by giving a tablespoon of salt or a teaspoon of mustard in a glass of warm water. Administer milk or water freely in case of vomiting until vomit fluid is clear. Never give anything by mouth to an unconscious person. If not breathing, give mouth to mouth artificial respiration.

In case of skin contact, immediately remove all contaminated clothing, and wash skin with soap and water. Wash clothing before reuse. Discard contaminated shoes. For eyes, flush with plenty of water for at least 15 minutes. Call a physician immediately in all cases of suspected poisoning.

NOTE TO PHYSICIAN: This product is a cholinesterase inhibitor. Warning symptoms include weakness, headaches, tightness of chest, blurred vision, non reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.

Administer atropine, 2 mg intramuscularly or intravenously. Repeat dose every 3 to 8 minutes until signs of atropinization occur. Give pralidoxime chloride (Protopam or 2-PAM) 2.5 gm in 100 cc of sterile water intravenously slowly in 15 to 30 minutes or by deep intramuscular injection of 1 gram in 3 cc of distilled water. Repeat every half hour if respiration weakens or muscle fasciculation or convulsion recur. Clear chest by postural drainage. Artificial respiration may be necessary. Observe patient continuously for 48 hours. Allow no further exposure until cholinesterase regeneration has taken place as determined by blood test. Repeated exposure to cholinesterase inhibitors may, without warning, cause increasing susceptibility to very small doses of any cholinesterase inhibitor.

Active ingredient (O-Ethyl S,S-dipropyl phosphorodithioate) 5.00%
Inert ingredients 95.00%
Total 100.00%

EPA Reg No 538-113 EPA Est 812 GA 1 Product of USA
Distributed by ProTurf Division, O M Scott & Sons Co
Marysville, Ohio 43040

8813

ACCEPTED



September 12, 1979

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO 538-113

8813



nematocide

App
acti
vere
sum
Wate
mov

Do n
Do n
esta
Do g
bent
whe
seed
Do g
treat
Do n
A str
ing t
See
con
Dist
O M