

538-122

2
U



ACCEPTED
OCT - 4 1979
L.A. No. 538-122



SCOTT'S Super Bonus

for dichondra
(in California only)
Controls weeds and lawn insects
Keeps your dichondra in greater beauty
Do not use on grass lawns

SCOTT'S Lawn Pro

Lawn Pro

NET WEIGHT (50 LB) (11.3 kg) 25-0-0

SCOTT'S
Lawn Pro



SCOTT'S AVAILABLE

538-122

ACCEPTED
OCT - 4 1979
U.S. POSTAGE
PAID
PERMIT NO. 538-122

SCOTT'S
Super Bonus
for dichondra
(in California only)
Controls weeds and lawn insects
Fertilizes your dichondra to grow heavy
and lush - keeps your lawn healthy
Don't see any weeds!

Super Bonus
for dichondra
Controls weeds and lawn insects
Fertilizes your dichondra to grow heavy
and lush - keeps your lawn healthy
Don't see any weeds!

71A
71B
71C
71D
71E
71F
71G
71H
71I
71J
71K
71L
71M
71N
71O
71P
71Q
71R
71S
71T
71U
71V
71W
71X
71Y
71Z

Lawn Pro

Lawn Pro

NET WEIGHT (24 LBS 6.75 kg) 25-0-0
Fertilizer
Contains 25% Nitrogen, 0% Phosphorus, 0% Potassium
Contains 1.5% Iron, 0.5% Manganese, 0.5% Zinc, 0.5% Boron, 0.5% Copper, 0.5% Molybdenum, 0.5% Sulfur
Contains 0.5% Calcium, 0.5% Magnesium, 0.5% Silicon, 0.5% Selenium, 0.5% Vanadium, 0.5% Nickel, 0.5% Cobalt, 0.5% Strontium, 0.5% Barium, 0.5% Rubidium, 0.5% Cesium, 0.5% Francium, 0.5% Actinium, 0.5% Thorium, 0.5% Protactinium, 0.5% Uranium, 0.5% Neptunium, 0.5% Plutonium, 0.5% Americium, 0.5% Curium, 0.5% Berkelium, 0.5% Californium, 0.5% Einsteinium, 0.5% Fermium, 0.5% Mendelevium, 0.5% Nobelium, 0.5% Lawrencium, 0.5% Rutherfordium, 0.5% Dubnium, 0.5% Seaborgium, 0.5% Bohrium, 0.5% Hassium, 0.5% Meitnerium, 0.5% Darmstadtium, 0.5% Roentgenium, 0.5% Copernicium, 0.5% Tennessine, 0.5% Oganesson

Super Bonus
for dichondra
Controls weeds and lawn insects
Fertilizes your dichondra to grow heavy
and lush - keeps your lawn healthy
Don't see any weeds!

Super Bonus

Super Bonus

71

71A



SYSTEMIC Insecticide enters a plant through its roots, systemic action and is transported to all parts of the plant through natural growth and sap flow. Working from inside the plant it kills sucking insects that feed on the plant.

FLOWERS

Control aphids, leaf bug, leaf miner, leafhoppers, mealybugs, whiteflies on Agave, Cactus, Coleus, Geranium, Hibiscus, Marigold, Petunia, and other flowers.

BEFORE PLANTING: Apply 1/2 rounded teaspoon to each hole before planting. Or broadcast on soil and water thoroughly after application.

IN THE ROW: Apply 1/2 rounded teaspoon the product per foot of row in the seed furrow. Work into the soil and water thoroughly. **Established Plants:** Apply 2 rounded teaspoons per foot of row in narrow band near base of plants. Work into soil and water thoroughly. **Individual Plants:** Apply 2 rounded teaspoons around base of plant, work into soil and water thoroughly.

POTTED PLANTS: Apply 1/2 rounded teaspoon per 6 inch pot. Mix thoroughly into top soil and water thoroughly.

Repeat applications at 4 to 6 week intervals, if needed.

FRUITS

Control aphids, leaf miner, sawfly, scale, leafy stem miner, leafhoppers, mealybugs, webworm, caterpillars, grasshopper, and leaf miner, soft scale, leaf beetle, thrips, whiteflies on Apple, Birch, Camellia, Juniper, Pear, Rhododendron, Rose, Tree and other shrubs.

Apply 1/2 rounded teaspoon to each fruit. Work into the soil and water thoroughly. Distribute the granules evenly from the base of the fruit, the drip line and base of the plant. Work into the soil and water thoroughly. Repeat applications at 4 to 6 week intervals, if needed.

VEGETABLES

DO NOT ALLOW SEED TO COME IN CONTACT WITH GRANULES AT ANY TIME. DO NOT APPLY WITHIN THE NUMBER OF DAYS OF HARVEST SHOWN AFTER CROP NAME.

BEANS: Control aphids, leafhoppers, Mexican bean beetle, larvae, mealybugs, thrips. Apply 1/2 rounded teaspoon per foot of row at planting time only. Apply as a band on each side of the row.

BRUSSELS SPROUTS, BROCCOLI, CABBAGE, CAULIFLOWER: Control aphids, leaf beetles, leafhoppers, mealybugs, thrips. Apply 1/2 rounded teaspoon per foot of row at planting time only. Apply as a band on each side of the row.

side dressing after plants become established. Do not apply more than 1/2 rounded teaspoon per season for Brussels sprouts or cauliflower. Make only 1 application per season for Broccoli, Cabbage, Individual Tomato plants. Mix 2 level teaspoons with soil in the transplant hole before setting out plant.

CITRUS FRUIT: Control aphids, leafhoppers, mealybugs, thrips. Apply 1/2 rounded teaspoon per foot of row in the seed furrow. Work into the soil and water thoroughly. **Established Plants:** Apply 2 rounded teaspoons per foot of row in narrow band near base of plants. Work into soil and water thoroughly. **Individual Plants:** Apply 2 rounded teaspoons around base of plant, work into soil and water thoroughly.

POTTED PLANTS: Apply 1/2 rounded teaspoon per 6 inch pot. Mix thoroughly into top soil and water thoroughly.

TOMATOES: Control aphids, leaf beetles, leafhoppers, leaf miners, mealybugs, thrips. Apply 1/2 rounded teaspoon per foot of row at planting time only. Apply as a band on each side of the seed furrow. Individual Tomatoes: Mix 2 rounded teaspoons with soil in the transplant hole before setting out plant.

BEST DOCUMENT AVAILABLE