

Scotts

Vegetable Garden Insecticide

Use with confidence until the day of harvest.

Fast, effective results. Provides quick knockdown and control of many troublesome vegetable garden insects.

Easy to Use. Apply with any type garden sprayer.

No-Quibble Guarantee. If for any reason you are not satisfied, send evidence of purchase and Scotts will refund your money.

EASY TO USE!

When. As soon as insects first appear. Repeat weekly or as needed.

Where. Thoroughly cover entire plant, especially upper and lower leaf surfaces.

How • Mix 3 tablespoons in 1 gallon of water.

- Use medium or fine spray.
- Flush sprayer with clean water before and after each use.
- Prepare only the amount of spray needed. Storing mixture over 24 hours is not recommended.

Insects Controlled: ASPARAGUS: Asparagus Beetle. • BEANS: Aphids, Leafhoppers, White Fly, Mexican Bean Beetle, 12-spotted Cucumber Beetle. • BROCCOLI, CABBAGE, BRUSSELS SPROUTS, CAULIFLOWER: Aphids, Cabbage Looper, Cross-striped Cabbage Worm, Diamondback Moth Larvae, Flea Beetle, Harlequin Bug, Imported Cabbageworm, Stink Bug. • CELERY: Green Peach Aphid, Cabbage Looper, Leaf Tier. • EGGPLANT: Blister Beetle, Colorado Potato Beetle, Flea Beetle, Green Peach Aphid. • LETTUCE: Cabbage Looper, Green Peach Aphid, Diamondback Moth Larvae, Imported Cabbageworm. • MUSTARD GREENS, KALE, COLLARDS, TURNIPS: Imported Cabbageworm, Diamondback Caterpillar, Aphids, Cabbage Looper. • PEPPERS: Green Peach Aphid. • POTATOES: Aphids, Colorado Potato Beetle, Flea Beetle, Leafhopper. • RADISH: Aphids, Flea Beetle. • SPINACH: Aphids, Cabbage Looper, Webworm. • TOMATOES: Green Peach Aphid, Colorado Potato Beetle, Stink Bug, Flea Beetle.

Precautions

- Do not use on day of harvest
- Wash vegetables before eating
- Do not apply with a sprayer used for herbicide application

CAUTION: Harmful if swallowed.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy by perforating or crushing and burying in a safe place.

Active Ingredients:

Pyrethrins	1.00%
*Piperonyl Butoxide, technical.....	10.00%
Petroleum distillate	79.00%

Inert Ingredients: 10.00%

Total 100.00%

*Equivalent to 8.00% (butylcarbityl) (6-propylpiperonyl) ether and to 2.00% related compounds.

ACCOUNT
538-127
FEB 21

USE THE BEST

[538-127 - two sheets]

NEW!



Vegetable Garden Insecticide

Controls many insects in vegetable gardens (see list)

CAN USE UNTIL THE DAY OF HARVEST



CAUTION: KEEP OUT OF REACH OF CHILDREN
See back for additional cautions

NET CONTENTS 1 pt. liquid (16 fl. oz.)

Scotts Vegetable Garden Insecticide

Use with confidence until the day of harvest. Fast, effective results. Provides quick knockdown and control of many troublesome vegetable garden insects.
Easy to use. Apply with any type garden sprayer.
No-Quibble Guarantee. If for any reason you are not satisfied, send evidence of purchase and Scotts will refund your money.

EASY TO USE!

When. As soon as insects first appear. Repeat weekly or as needed.

Where. Thoroughly cover entire plant, especially upper and lower leaf surfaces.

How. Mix 3 tablespoons in 1 gallon of water.

- Use medium or fine spray.
- Flush sprayer with clean water before and after each use.
- Prepare only the amount of spray needed.
- Storing mixture over 24 hours is not recommended.

Insects Controlled: ASPARAGUS: Asparagus Beetle • BEANS: Aphids, Flea Beetles, White Fly, Mexican Bean Beetle, 12-spotted Cucumber Beetle • BROCCOLI, CABBAGE, BRUSSELS SPROUTS, CAULIFLOWER: Aphids, Cabbage Looper, Cross-striped Cabbage Worm, Diamondback Moth Larvae, Flea Beetle, Imported Cabbageworm, Imported Cabbageworm, Striped Cabbageworm, Turnip Root Aphid, Imported Cabbageworm, Leaf Miner • CELERY: Green Peach Aphid, Cabbage Looper, Leaf Miner • EGGPLANT: Flea Beetle, Colorado Potato Beetle, Flea Beetle, Green Peach Aphid • LETTUCE: Cabbage Looper, Green Peach Aphid, Diamondback Moth Larvae, Imported Cabbageworm • SPINACH, GREENS, KALE, COLLARDS, TURNIPS: Imported Cabbageworm, Diamondback Moth Larvae, Caterpillar, Aphids, Cabbage Looper • PEAS: Green Peach Aphid • POTATOES: Aphids, Colorado Potato Beetle, Flea Beetle, Leafhopper • RADISH: Aphids, Flea Beetle • PINEAPPLE: Aphids, Cabbage Looper, Weevil • TOMATOES: Green Peach Aphid, Colorado Potato Beetle, Flea Beetle, Flea Beetle

Precautions

- Do not use until day of harvest.
- Wash vegetables before eating.
- Do not apply with a sprayer used for herbicide application.

CAUTION: Harmful to fish and aquatic life. Do not apply to streams or ponds. Do not apply to waterways. Do not apply to crops treated with other pesticides. Do not apply to crops treated with other pesticides. Apply this product only as directed on the label. Do not use empty container. Destroy by perforating or crushing and burying in a landfill.

Active Ingredients:

Pyrethrins	1.00%
*Piperonyl Butoxide, technical	10.00%
Petroleum distillate	79.00%
Inert Ingredients:	10.00%

Total 100.00%

*Equivalent to 8.00% (butylcarbityl) (6-propylpiperonyl) ether and 2.00% related compounds.

O. M. Scott & Sons

EPA Reg. No. 538-127 • EPA Est. 34486-0H-1

Marysville, Ohio 43040 6805

ACCEPTED
538-127



Vegetable Garden Insecticide

Controls many insects in vegetable gardens (see list)

CAN USE UNTIL THE DAY OF HARVEST



KEEP OUT OF REACH OF CHILDREN

See back for additional cautions

NET CONTENTS 1 pt. liquid (16 fl. oz.)

©1975, O. M. Scott & Sons

EPA Reg. No. 538-127 • EPA Est. 34486-OH-1

O M Scott & Sons
Marysville, Ohio 43040 68C5



Vegetable Garden Insecticide

Use with confidence until the day of harvest.
Fast, effective results. Provides quick knockdown and control of many troublesome vegetable garden insects.
Easy to use. Apply with any type garden sprayer.
No-Quibble Guarantee. If for any reason you are not satisfied, send evidence of purchase and Scotts will refund your money.
EASY TO USE!

When. As soon as insects first appear. Repeat weekly or as needed.

Where. Thoroughly cover entire plant, especially upper and lower leaf surfaces.

How • Mix 3 tablespoons in 1 gallon of water.

- Use medium or fine spray.
- Flush sprayer with clean water before and after each use.
- Prepare only the amount of spray needed.
- Storing mixture over 24 hours is not recommended.

Insects Controlled: ASPARAGUS: Asparagus Beetle. • BEANS: Aphids, Leafhoppers, White Fly, Mexican Bean Beetle, 12-spotted Cucumber Beetle. • BROCCOLI, CABBAGE, BRUSSELS SPROUTS, CAULIFLOWER: Aphids, Cabbage Looper, Cross-striped Cabbage Worm, Diamondback Moth Larvae, Flea Beetle, Harlequin Bug, Imported Cabbageworm, Stink Bug. • CELERY: Green Peach Aphid, Cabbage Looper, Leaf Tier. • EGGPLANT: Blister Beetle, Colorado Potato Beetle, Flea Beetle, Green Peach Aphid. • LETTUCE: Cabbage Looper, Green Peach Aphid, Diamondback Moth Larvae, Imported Cabbageworm. • MUSTARD GREENS, KALE, COLLARDS, TURNIPS: Imported Cabbageworm, Diamondback Caterpillar, Aphids, Cabbage Looper. • PEPPERS: Green Peach Aphid. • POTATOES: Aphids, Colorado Potato Beetle, Flea Beetle, Leafhopper. • RADISH: Aphids, Flea Beetle. • SPINACH: Aphids, Cabbage Looper, Webworm. • TOMATOES: Green Peach Aphid, Colorado Potato Beetle, Stink Bug, Flea Beetle.

Precautions

- Do not use on day of harvest
- Wash vegetables before eating
- Do not apply with a sprayer used for herbicide application

CAUTION: Harmful if swallowed.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy by perforating or crushing and burying in a safe place.


Active Ingredients:

Pyrethrins	1.00%
*Piperonyl Butoxide, technical	10.00%
Petroleum distillate	79.00%

Inert Ingredients: 10.00%

Total 100.00%

*Equivalent to 8.00% (butylcarbityl) (6-propylpiperonyl) ether and to 2.00% related compounds.



[538-127]

NEW!



Vegetable Garden Insecticide

Controls many insects in vegetable gardens (see list)

CAN USE UNTIL THE DAY OF HARVEST



CAUTION: KEEP OUT OF REACH OF CHILDREN
See back for additional cautions

NET CONTENTS 1 qt. liquid (32 fl. oz.)

Manufactured by
O. M. Scott & Sons
Marysville, Ohio 43040

© 1975, O. M. Scott & Sons

ASPARAGUS
BEANS
BROCCOLI
CABBAGE
CAULIFLOWER
CELERY
EGGPLANT
LETTUCE
MUSTARD GREENS
KALE
COLLARDS
TURNIPS
PEPPERS
POTATOES
RADISH
SPINACH
TOMATOES

ASPARAGUS
BEANS
BROCCOLI
CABBAGE
CAULIFLOWER
CELERY
EGGPLANT
LETTUCE
MUSTARD GREENS
KALE
COLLARDS
TURNIPS
PEPPERS
POTATOES
RADISH
SPINACH
TOMATOES



Vegetable Garden Insecticide

Use with confidence until the day of harvest.
Fast, effective results. Provides quick knockdown and control of many troublesome vegetable garden insects.
Easy to Use. Apply with any type garden sprayer.
No-Quibble Guarantee. If for any reason you are not satisfied, send evidence of purchase and Scotts will refund your money.
EASY TO USE!

When. As soon as insects first appear. Repeat weekly or as needed.
Where. Thoroughly cover entire plant, especially upper and lower leaf surfaces.
How • Mix 3 tablespoons in 1 gallon of water.
• Use medium or fine spray.
• Flush sprayer with clean water before and after each use.
• Prepare only the amount of spray needed. Storing mixture over 24 hours is not recommended.

Insects Controlled: ASPARAGUS: Asparagus Beetle. • BEANS: Aphids, Leafhoppers, White Fly, Mexican Bean Beetle, 12-spotted Cucumber Beetle. • BROCCOLI, CABBAGE, BRUSSELS SPROUTS, CAULIFLOWER: Aphids, Cabbage Looper, Cross-striped Cabbage Worm, Diamondback Moth Larvae, Flea Beetle, Harlequin Bug, Imported Cabbageworm, Stink Bug. • CELERY: Green Peach Aphid, Cabbage Looper, Leaf Tier. • EGGPLANT: Blister Beetle, Colorado Potato Beetle, Flea Beetle, Green Peach Aphid. • LETTUCE: Cabbage Looper, Green Peach Aphid, Diamondback Moth Larvae, Imported Cabbageworm. • MUSTARD GREENS, KALE, COLLARDS, TURNIPS: Imported Cabbageworm, Diamondback Caterpillar, Aphids, Cabbage Looper. • PEPPERS: Green Peach Aphid. • POTATOES: Aphids, Colorado Potato Beetle, Flea Beetle, Leafhopper. • RADISH: Aphids, Flea Beetle. • SPINACH: Aphids, Cabbage Looper, Webworm. • TOMATOES: Green Peach Aphid, Colorado Potato Beetle, Stink Bug, Flea Beetle.

Precautions
• Do not use on day of harvest
• Wash vegetables before eating
• Do not apply with a sprayer used for herbicide application

CAUTION: Harmful if swallowed.
This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty container. Destroy by perforating or crushing and burying in a safe place.

Active Ingredients:

Pyrethrins	1.00%
*Piperonyl Butoxide, technical	10.00%
Petroleum distillate	79.00%
Inert Ingredients:	10.00%
Total	100.00%

*Equivalent to 8.00% (butyl-c-butyl) (6-propylpiperonyl) ether and to 2.00% related compounds.

EPA Reg. No. 538-127 • EPA Est. 54486-0H-1

O. M. Scott & Sons
Marysville, Ohio 43040

538-127