



LL  
NB



**Scotts®**  
**stop**

**insects and disease**

Scotts® — dedicated to enhancing the natural beauty of your surroundings.

Look for other Scotts® STOP & GROW products for Flower, Shrub and Tree Care.



**Scotts Policy**  
**No-Quibble Guarantee**

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

Scotts®

Marysville, Ohio 43040



**stop**

**insects and disease**

8 CONVENIENT  
ONE GALLON  
PACKETS



**stop**

**insects and disease**

Control insects, mites and disease on flowers, shrubs and trees (see list on bottom)



**CAUTION: KEEP OUT OF REACH OF CHILDREN**

See side panel for additional precautionary statements

Distribution by O. M. Scott & Sons  
Marysville, Ohio 43040

NET WT. 6 OZ.

© 1975, O. M. Scott & Sons



**STOP**

**insects and disease**

— dedicated to enhancing the natural beauty of surroundings.

Look for other Scotts® STOP & GROW products for Flower, Shrub and Tree Care.




**Scotts Policy  
No-Quibble Guarantee**

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

Scotts®

Marysville, Ohio 43040



8 CONTAINERS  
ONE GALLON  
PACK

**STOP**

**insects and disease**

Control insects, mites and disease on flowers, shrubs and trees (see list on bottom)



**CAUTION: KEEP OUT OF REACH OF CHILDREN**

See side panel for additional precautionary statements

Distribution by O. M. Scott & Sons  
Marysville, Ohio 43040

NET WT. 6 oz.

© 1975, O.M. Scott & Sons

This one product will control all of these insects, mites and diseases. Spraying at 10-day intervals is recommended to prevent problems throughout the growing season.

INSECTS	DISEASES	PLANTS
Aphids, flea beetles, leafhoppers, mealy bug, mites, thrips	Blackspot, powdery mildew	Flowers (roses, asters, larkspur, begonia, dahlia, chrysanthemum, calendula, delphinium, carnation, gladioli, gerbera, hydrangea, snapdragon, zinnia) and ornamental shrubs and trees (boxwood, birch, lilac, douglas fir, azalea, rhododendron).
Omnivorous leaf tiers, scale crawlers (cottony-cushion, euonymus, lecanium, pine needle, pit scale, San Jose, soft)	Powdery mildew	Ornamental shrubs and trees (azalea, euonymus, oak, maple, juniper, boxwood, holly, willow, pine, poplar)
Leafminers, whiteflies, Holly bud moth, aphids, mites, obscure root weevil	Leafspot, ascochyta blight, powdery mildew, botrytis blight	Arboretum, azalea, birch, boxwood, holly, oak, rhododendron spruce and flowers (geraniums, chrysanthemums)
Bagworms, European pine shoot moth, webworms (Juniper and mimosa)	Apple scab, powdery mildew, brownspot ( <i>Scirrhia</i> ), Canker ( <i>Sclerotinia</i> ), needle cast, tip blight and phoma spp.	Many deciduous and evergreen shrubs and trees (arborvitae, fir, juniper, maple, pine, locust, mimosa, crabapple, mountain ash, hawthorn) and conifers



# insects and disease

## PRECAUTIONARY STATEMENTS

### CAUTION:

Harmful if swallowed or inhaled. Avoid breathing vapors of dust or spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. In case of contact immediately flush eyes or skin with plenty of water. Avoid storage near and contamination of feed and "foodstuffs." Do not use on household pets or humans. Keep out of reach of domestic animals.

This product is toxic to birds, fish and wildlife. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift or runoff from areas treated. Apply the product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on plants. Protective information may be obtained from your Cooperative Agriculture Extension Service.

Do not reuse empty container. Destroy empty container by burning or burying in a safe place away from water supplies. Stay away from smoke and fumes.

### ACTIVE INGREDIENTS:

10-O-d-ethyl-0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate	13.25%
Chlorothalonil (2,4,5,6-tetrachloroisophthalonitrile)	26.50%
2,4-D-nitro-6-octyl* phenylcrotonate	3.04%
2,6-Dinitro-4-octyl* phenylcrotonate	3.04%
Nitrooctyl* phenols (principally dinitro)	0.21%
[1,1-bis (chlorophenyl)-2,2,2-trichloroethanol]	6.50%
INERT INGREDIENTS:	50.50%
Total	100.00%

\*Karatthane (a mixture of 1-methylheptyl, 1-ethylhexyl and 1-propylpentyl isomers)

EPA Reg. No. 538-134-AA  
EPA Est. 34637 OH-1

C. M. Scott & Sons  
Marysville, Ohio 43040



2

8405

TO CLOSE

INSERT TAB HERE



# insects and disease

## ADVANTAGES OF SCOTT'S STOP INSECTS AND DISEASE

**Effective control.** Stops many insects, mites and diseases. Controls those problems (listed on bottom), even when you don't realize you have them.

**Broad usage.** For use on flowers (including roses), ground covers, shrubs and trees. Reduces the need to have a different product for each plant's problem.

**Convenient.** Premeasured packets do away with the guesswork and the mess.

**Easy to use.** Works in any commonly available hose-end or tank-type garden sprayer.

**No Quibble Guarantee.** See side panel.

### Directions for use:

#### EASY TO USE!

**When:** Treat active problems (see list) as soon as they appear. Respray at 7-10 day intervals (5 days in severe cases) until the problem is controlled.

Prevent problems by spraying before they appear. Repeat at 10 day intervals throughout the growing season.

Spray when the air is still and the temperature is below 85°F. Respray after heavy rains.

**Where:** Spray lower and upper leaf surfaces and branches to the dripping point; be sure to penetrate dense foliage.

#### How:

- Each packet makes 1 gallon of spray
- Cut or tear packet along dotted line and pour powder into sprayer containing water to the 1 gallon mark. Allow to set for 1 minute.
- Shake or stir to get powder into suspension. Agitate sprayer occasionally during use to prevent settling.
- Use medium-fine spray
- Flush sprayer with clean water after use.

#### Limitations:

- Do not use hot water in sprayer.
- Do not store diluted spray.
- Do not apply with a sprayer used for herbicide application.
- Do not use in the home or on potted plants or in vegetable gardens.
- Do not use on ferns, poinsettia, hibiscus, papaya, pilea, gardenia and orchids since plant injury may occur.



Pour contents of convenient packet into sprayer containing water to the one gallon mark.

68G6