JUN 17 1993

Mr. Vincent Snyder, Jr.
The O. M. Scott and Sons Company
14310 Scottslawn Road
Marysville, Ohio 43041

Subject: Revised Labeling and Confidential Statement of Formula Summer Insect and Disease Control Plus Lawn Fertilizer EPA Registration Number 538-140 Your Applications Dated March 23 and May 5, 1993

Dear Mr. Snyder:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, is acceptable provided that you make the labeling changes indicated below before you release the product for shipment bearing the amended labeling:

- 1. Add uirections for "If swallowed..." to the Statement of Practical Treatment. (You have included the statement "Harmful if swallowed" in the Hazards to Humans and Domestic Animals section.)
- 2. On page 5, in the section headed "Advantages," delete "Safe feeding." (Our objection is to the word "safe." We feel that the word can be misleading on labeling for any product containing toxic substances such as insecticides. You may wish to suggest alternate wording. The remainder of the claim, "...won't burn lawn when applied as directed," is acceptable.)

Submit five (5) copies of your final printed labeling before you release the product for shipment.

We will accept the revised Confidential Statement of Formula, dated May 4, 1993. Note, however, that the ranges of the certified upper and lower limits for the active ingredients are somewhat greater than what we would normally expect. We

would expect the upper and lower limits of chlorpyrifos to be 0.83% and 0.68% respectively, and the upper and lower limits of throphanate-methyl to be 5.78% and 5.23% respectively. We have enclosed 7 copy of 40 CFR 158.175 for your guidance.

Sincerely yours,

DHE

Dennis H. Edwards, Jr. Product Manager (19) Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosures

ACCEPTED
with COMMENTS
in EPA Letter Dated

JUN 1 7 1993

Under the Federal Invertidite, Functide, and Redesticide Ast as amended, for the posteida registered under EPA Rog. No. Scotts Lawn Pro Summer Insect and Disease Control plus Lawn Fertilizer #2025 (S-4521) 02/16/93 DJS 03/18/93 SR/CR

03/16/93 DJS 03/18/93 SR/CR 03/22/93 CR 03/23/93 SR

[FRONT]

2025

(Scotts®)

Lawn Pro® Summer Insect and Disease Control plus Lawn Fertilizer

[NOTE: DESCRIPTION ABOVE WILL BE INVERTED]

Treats and feeds 2,500 sq. ft.

SCOTTS POLICY
No-Quibble
GuaranteeTM
SEE BACK FOR DETAILS

(Scotts®)
Lawn Pro®

Summer Insect and Disease Control plus Lawn Fertilizer

[PHOTOS: INSECTS & DISEASES]

[PHOTO: GRASS]

controls insects
and diseases
to help prevent brown spots
in your lawn

Thicker, greener turf -- satisfaction guaranteed

For use on home lawns only. Not for use on sod farms.

(Scotts®) Lawn Pro® PRODUCT
Available only at authorized Lawn Pro stores

NET WEIGHT 5.50 LBS. (2.49 kg)

KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTIONARY STATEMENTS

25.-2-3

Hazards to Humans and Domestic Animals: Harmful if swallowed. May be absorbed through skin. Avoid contact with eyes, skin, or clothing. Do not apply by hand. Wash thoroughly with soap and water after using. Wash containinated clothing before re-use. Avoid contamination of feed or foodstuffs. As directed, water lawn after application and allow to dry before permitting children or pets on treated areas. Do not feed clippings from treated turf to livestock and poultry.

Statement of Practical Treatment

)

If in eyes: Flush with water for at least 15 minutes.

If on skin: Wash thoroughly with soap and water. Contact a physician if irritation persists.

Note to physician: Insecticide active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is antidotal.

Environmental Hazards: This pesticide is toxic to birds, fish, and aquatic invertebrates. Birds feeding in treated areas may be killed. Clean up spilled product to reduce exposure to wildlife. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwater or rinsate. Do not apply where runoff is likely to occur. Apply this product only as specified on this label.

ACTIVE INGREDIENT:					
Dimethyl 4,4'-o-phenylenebis-3-thioallophnate. Chlorpyrifos, 0,0-Diethyl 0-(3,5,6-trichloro-2	2-pyridyl)				
phosphorothioate	0.75%				
INERT INGREDIENTS:	<u>93.75</u> %				
	Total 100.00%				
EPA Reg. No. 538-140	EPA Est. No. XXX				
Lawn Pro® Summer Insect and Disease Control					
plus Lawn Fertilizer	25-2~3				
Guaranteed Analysis Total nitrogen (N)					
Total nitrogen (N)	25%				
0.4% ammoniacal nitrogen					
13.5% urea nitrogen					
10.7% water soluble organic nitrogen*					
0.4% water insoluble nitrogen					
Available phosphoric acid (P2O5)					
Soluble potash (K ₂ 0)	. 29				
2-1-1-1					

Derived from: monoammonium phosphate, urea, methylene ureas, and potassium chloride.

* Contains 7.5% slowly available nitrogen from methylenediurea and dimethylenetriurea nitrogen.

U.S. Patent No. X,XXX,XXX

Product of USA

)

The O. M. Scott & Sons Company 14111 Scottslawn Rd. Marysville, OH 43041

[RIGHT GUSSET]

2025

A SCOTTS Lawn Pro® PRODUCT

Treats and feeds 2,500 sq. ft.

(Scotts®)

Lawn Pro® Summer Insect and Disease Control plus Lawn Fertilizer

SCOTTS POLICY
No-Quibble
GuaranteeTM
SEE BACK FOR DETAILS

[LEFT GUSSET]

Treats and feeds 2,500 sq. ft.

(Scotts®)

Lawn $Pro_{\mathbb{R}}$ Summer Insect and Disease Control plus Lawn Fertilizer

SCOTTS POLICY
No-Quibble
GuaranteeTM
SEE BACK FOR DETAILS

A SCOTTS Lawn Pro® PRODUCT

2025

[BACK]

PULL TAB and remove for pour spout (ILLUS.) PULL HERE

Treats and feeds 2,500 sq. ft.

(Scotts®)

Lawn $Pro_{\mathbb{R}}$ Summer Insect and Disease Control plus Lawn Fertilizer

Advantages

- Three products in one -- provides disease control, insect control, and feeding
- Prevents and controls important summer lawn diseases -dollar spot, Fusarium blight (Fusarium spp.), summer patch
 (Magnaporthe poae), and necrotic ring spot (Leptosphaeria
 korrae)
- Ontrols surface-feeding lawn insects and pests -- chinch bugs, sod webworms (lawn moth larvae), and flea beecles
- Safe feeding -- won't burn lawn when applied as directed
- ☐ Guaranteed -- Scotts No-Quibble Guarantee™

Directions for Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

When to use:

For disease control

Apply when disease activity is first noted Make a second application application to counteract the effects of new disease activity.

For disease prevention

Apply monthly during late spring and early summer months. If turf damage is noted after applications have been started, treat two weeks after the previous application, then continue the monthly prevention program.

For insect control

Apply when insect activity is first noted Make followup applications monthly until turf damage has stopped.

How to use:

)

Apply at the NORMAL rate. For best results, water thoroughly (1/2 to 1 inch) before application and again immediately after application. Maintain good watering practices (minimum of 1 inch per week) throughout the growing season. Disease development is enhanced if turf is allowed to come under drought stress.

Results to expect:

Control of damaging insects and active disese problems plus fertilization to aid in recovery of damaged turf. Damage to the gras3 from insects will stop within hours; control of insects may require a week, but no more than 2 weeks. If severe damage is noted before the first application, recovery of the turf may be slow or seeding may be required to fill in damaged areas.

SPREADER SETTINGS

		Scotts Drop Spreaders	Scotts EasyGreen _® Rotary	Scotts SpeedyGreen® Rotary
ODVAT	Damp			

NORMAL RATE (treats 2,500 6* 26-1/2* 5* sq. ft.)

[*Note to EPA: Spreader settings are approximate and may change at actual production run. EPA will be notified of any change.]

TIPS ON SPREADING WITH SCOTTS SPREADERS

Scotts Drop:

- Mow lawn before application if grass is tall enough to touch the bottom of spreader.
- First apply 2 header strips.

90710

Operate spreader the longest direction of the lawn. Overlap wheel tracks to ensure uniform feeding. □ Shut off spreader when you have reached the header strips or stopped. EasyGreen® Rotary: ∏ Slide shutoff lever to the right. Application automatically starts and stops when you do. Avoid misses by making each pass about 30 inches from the previous one, so some overlapping occurs. SpeedyGreen® Rotary: [] Shut off spreader anytime you stop. Avoid misses by making each pass about 5 feet from the previous one, so some overlapping occurs. Additional Spreader Settings (Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.) Cyclone Rotary (Model B)4 Central Drop (#205)6-1/2

Storage and disposal

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

Your Do-It-Yourself Lawn Care Headquarters

Scotts Lawn Pro retailers can provide you with the do-it yourself expertise and products to have a beautiful Scotts lawn simply and easily...for less money than hiring a lawn service. That's why we call them Lawn Pros!

Questions?

If you have questions you can talk directly with a Scotts Lawn Counselor. Simply call the toll-free number: 1-800-543-TURF.

Scotts Policy: No-Quibble GuaranteeTM

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

(Scotts®) ...the lawn people_{SM}
Marysville, Ohio 43041

@1993, The O.M. Scott & Sons Company. All rights reserved.

Proof of Purchase [UPC CODE] 0 32247 02025 X

(NOTE: DESCRIPTION BELOW WILL BE INVERTED)

(Scotts $_{\mathbb{R}}$)
Lawn Pro $_{\mathbb{R}}$ Summer Insect and Disease Control plus Lawn Fertilizer

2025