

NET WEIGHT 45 LBS. (20.4 Kg)



California fertilizer plus fungicide

Scotts
ProTurf

22-5-5
California fertilizer
plus fungicide

FOR USE ON SUMMER TURF DISEASES



California fertilizer plus fungicide

8503

ACCEPTED

DEC 1 1976

Under Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 033-155

USE INSTRUCTIONS: Apply to summer lawn areas in California during the summer months (May through September) at the rate of 1/2 lb. per 1,000 sq. ft. of lawn area. Water in thoroughly after application. For best results, apply to lawns that are well watered and mowed regularly. Do not apply to lawns that are dormant or have been recently mowed. Do not apply to lawns that are heavily shaded or to lawns that are heavily fertilized. Do not apply to lawns that are heavily irrigated. Do not apply to lawns that are heavily fertilized with other fertilizers. Do not apply to lawns that are heavily irrigated with other fertilizers. Do not apply to lawns that are heavily fertilized with other fertilizers. Do not apply to lawns that are heavily irrigated with other fertilizers.

8503

8503

22-5-5

California fertilizer plus fungicide

DIRECTIONS FOR USE

For use on summer turf diseases.

Fertilizes turfgrasses. Controls fungus activity causing brownpatch, leafspot, dollarspot, red thread and copper spot. Also controls moss.

SUGGESTED SPREADER SETTINGS

To provide proper distribution calibrate spreader before application.

45 LBS (20.4 Kg) TREATS 11,000 SQ FT (1/4 ACRE / 1022 SQ M) AT NORMAL RATE
45 LBS (20.4 Kg) TREATS 5,500 SQ FT (1/8 ACRE / 511 SQ M) AT DOUBLE RATE

SPREADER	GROUND OR PTO SPEED	WIDTH OF COVERAGE	SPREADER SETTING	
			NORMAL RATE	DOUBLE RATE
Scotts (Drop Type)	3 mph	overlap wheels	6%	8%
Scotts Rotary	3 mph	8 feet	1	N
Eely WTR & WTR Models	4.5 mph	16 feet	5 III	6% III
Eely HR (PTO Model)	4.5 mph	16 feet	5 III	6% III
Gandy 8 ft A Series Model	4.5 mph	overlap wheels	20	27

Apply to moist or dry grass. On dichondra apply to dry leaves and then sprinkle lightly to wash off particles.

On putting greens may be used every month at NORMAL RATE during growing season for prevention or control. Interim protection can be achieved with ProTurf Broad Spectrum Fungicide. Rinse surface lightly after application to avoid pickup on shoes, golf balls or maintenance equipment.

For all other areas use before fungus damage appears or when symptoms are first noticed. May be repeated every other month at NORMAL RATE. If disease is severe or more feeding is indicated apply at DOUBLE RATE.

To control moss apply anytime at NORMAL RATE to moist foliage. Follow up at two week intervals with ProTurf Broad Spectrum Fungicide as needed.