ACCEPTED

DEC 1 1978

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 538-154

538-154

12/1/1978

Page 1 of 1

Scotts

Summer Insect Control plus Fertilizer for lawns

controls these insects:

chinch bugs	sod webworms (lawn moth larvae)	cutworms	armyworms

plus a light feeding of Scotts slow release fertilizer.

NET WEIGHT 9⅝ LBS (4.25 Kg.) 24-3-3

KEEP OUT OF REACH OF CHILDREN
CAUTION
PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

Harmful if swallowed. May be absorbed through skin. Avoid inhalation or contact with skin, eyes and clothing. Do not apply by hand. Wash thoroughly with soap and water after using. Flush contaminated eyes with plenty of water and get medical attention if irritation persists. Wash contaminated clothing before reuse. Avoid contamination of feed and foodstuffs. As directed, water lawn after application and allow to dry before permitting children or pets on treated areas. Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine is antidotal.

Environmental Hazards

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Active ingredient: Chlorpyrifos [0,0-diethyl-0-(3,5,6-trichloro-2-pyridyl) phosphorothioate] 0.92%
Inert ingredients: 99.08%
Total 100.00%

EPA Reg No 538-154 EPA Est 538-OH-1 Product of USA
Summer Insect Control plus Fertilizer for lawns 24-3-3

Guaranteed Analysis

Total nitrogen (N) 24%
0.7% ammoniacal nitrogen
15.6% water soluble nitrogen
7.7% water insoluble nitrogen
Available phosphoric acid (P_2O_5) 3%
Soluble potash (K_2O) 3%
Derived from: monoammonium phosphate, methylene urea, urea, muriate of potash
Potential acidity equivalent to 500 lbs calcium carbonate per ton.
US Process Pat No 3,076,700 US Composition Pat No 3,085,069
O M Scott & Sons Marysville, Ohio 43040

4308

Scotts Summer Insect Control plus Fertilizer for lawns

4308

Scotts Summer Insect Control plus Fertilizer for lawns

4308

Scotts Summer Insect Control plus Fertilizer for lawns

Treats 5,000 sq ft (465 sq meters)

4308

Scotts Summer Insect Control plus Fertilizer for lawns

Treats 5,000 sq ft (465 sq meters)

EASY OPEN BAG PULL WHITE STRING

Scotts Summer Insect Control plus Fertilizer for lawns

controls these summer lawn damaging insects:

chinch bugs	cutworms
sod webworms (lawn moth larvae)	armyworms

plus a light feeding of Scotts slow release fertilizer.

How To Use

General Classification

It is in violation of Federal law to use this product inconsistent with its labeling.

DO apply at the first sign of insect activity in early summer. Repeat at 4 to 8 week intervals if renewed insect activity is observed.

DO apply at Scotts Spreader (Standard, Automatic or Precision Flow Control Model) setting ..... 5½ (treats 5,000 sq ft)

DO water thoroughly (¼" to ½") after application for chinch bugs; sprinkle lightly to wash granules from lawn foliage after treating for sod webworms, cutworms or armyworms.

DO overlap spreader wheel tracks so no strips are missed.

DO apply over entire lawn area to provide complete protection.

DO'NT use this product to control white grubs or billbugs. Instead use Scotts Lawn Insect Control.

DO'NT mow or collect clippings for 24 hours after treatment.

DO'NT allow children or pets on lawn area until grass has dried.

DO'NT use any other lawn control product for at least one week after application.

DO'NT use within one week before or after seeding bluegrass.

DO'NT use with a rotary-type spreader.

DO'NT use on fruit or vegetable plantings.

What to expect

This product will stop damage from chinch bugs, sod webworms, cutworms and armyworms as it simultaneously aids in thickening the lawn. Complete control of these insects may require from one to two weeks. In cases of severe insect damage, a late summer or early fall seeding may be necessary to reestablish a good lawn. In all cases, once insects are under control, you are urged to follow a regular schedule of fertilizing, watering and mowing.

Storage and disposal

Do not store near food to be used for human or animal consumption. Do not reuse empty container. Wrap container and put in trash collection.

Free bulletin service

As a home user, you are entitled to a free subscription to Lawn Care, which has been helping homeowners for over 30 years.

Unless you already receive Lawn Care, send us this coupon and we'll send you the seasonal notes prepared especially for your region.

NAME (PRINT PLEASE)
ADDRESS
CITY
STATE ZIP

Scotts Policy
No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will send you a refund check promptly.

SCOTTS ... do your people