ACCEPTED

MAY 1 7 1993

Under the Federal Insecticide.
Fungicide, and Bodenticide Act.
as amended, for the pesticide
registered under
EPA Reg. No. 538-154

Scotts Lawn Pro
Insect Control plus Lawn Fertilizer
#3575 (S-4522)
02/10/93 DJS 03/24/93 CR/SR

100-14T

[FRONT]

3575

(Scotts_®)

Lawn Prom Insect Control plus Lawn Fertilizer

[NOTE: DESCRIPTION ABOVE WILL BE INVERTED]

PM 17

Treats and feeds 5,000 sq. ft.

SCOTTS POLICY
No-Quibble
GuaranteeTM
SEE BACK FOR DETAILS

(Scotts_®)
Lawn Pro_®

Insect Control plus Lawn Fertilizer

[PHOTOS: INSECTS]

[PHOTO: GRASS]

Controls insects
to help prevent brown spots

Thicker, greener turf -- satisfaction guaranteed

(Scotts®) Lawn Pro® PRODUCT
Available only at authorized Lawn Pro stores

NET WEIGHT 9.37 LBS. (4.25 kg)

27-2-3

KEEP OUT OF REACH OF CHILDREN CAUTION
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION, causes moderate eye irritation. Avoid inhalation. Harmful if swallowed. Avoid contact with eyes or clothing. May be absorbed through the skin. Do not apply by hand. Wash thoroughly with soap and water after handling. Wash contaminated clothing before reuse. Avoid contamination of feed or foodstuffs. As directed, water lawn after application and allow to dry before permitting children or pets on treated areas. Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is antidotal.

Statement of Practical Treatment:

If in eyes: Flush with plenty of water. Get medical attention if irritation persists.

Environmental Hazards: This pesticide is toxic to fish, birds, and aquatic invertebrates. Birds feeding in treated areas may be killed. Clean up spilled product to reduce exposure to wildlife. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on the label.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

ACTIVE INGREDIENT:

Chlorpyrifos	, 0,0-Diethyl 0-(3,5,6-trichloro-2-pyridy)	l)
phosphorothic	oate	0.92%
INERT INGREDIEN	TTS:	99.08%
	Total	100.00%

EPA Reg. No. 538-154 EPA Est No. XAX

Lawn Pro® Insect Control plus Lawn Fertilizer 27-2-3

Guaranteed Analysis

Total nitrogen (N)	27%
0.5% ammoniacal nitrogen	
14.5% urea nitrogen	
11.5% water soluble organic nitrogen*	
0.5% water insoluble nitrogen	
Available phosphoric acid (P2O5)	2%

Derived from: monoammonium phosphate, urea, methylene ureas, and potassium chloride.

* Contains 8.0% slowly available nitrogen from methylenediurea and dimethylenetriurea nitrogen.

U.S Patent No. 4,378,238

Product of USA

The O. M. Scott & Sons Company 14111 Scottslawn Rd. Marysville, OH 43041

[RIGHT GUSSET]

3575

A SCOTTS Lawn Pro® PRODUCT

Treats and feeds 5,000 sq. ft.

(Scotts®)

Insect Control plus Lawn Fertilizer Lawn Prog

SCOTTS POLICY No-Quibble Guarantee" SEE BACK FOR DETAILS

[LEFT GUSSET]

Treats and feeds 5,000 sq. ft.

(Scotts®)

Insect Control plus Lawn Fertilizer Lawn Pro

SCOTTS POLICY No-Quibble $\textbf{Guarantee}^{\text{TM}}$ SEE BACK FOR DETAILS

A SCOTTS Lawn Pro® PRODUCT

3575



[BACK]

Basy Open PULL TAB and remove for pour spout (ILLUS.) PULL HERE

Treats and feeds 5,000 sq. ft.

(Scottsm)

Insect Control plus Lawn Fertilizer Lawn Prom

Advantages

- Controls damaging turfgrass surface insects and pests
- Greens quickly and encourages regrowth of damaged areas
 - -- light feeding of Scotts® slow-release nitrogen fertilizer
- Guaranteed -- Scotts No-Quibble Guarantee™
- Saves time -- controls insects and feeds your lawn with one product

Insects controlled

ants armyworm chinch bugs clover mites crickets cutworm

earwigs fleas grasshoppers sod webworms (lawn moth larvae) sow bugs ticks

Directions for Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

When to use: (control of active insects)

Apply at the first sign of insect activity.

Chinch bug activity is evidenced by yellowing and then browning of the grass. This often develops in localized areas, occasionally spreading through the entire lawn. On treated areas adjacent to heavily chinch-bug-infested areas, check for reinfestation at . about 4 to 8 weeks, depending on conditions. If renewed activity is observed, re-treat immediately.

Moths flying over the lawn is an indication of sod webworm, cutworm, and/or armyworm larval activity. Renewed activity of these insects may be encountered within 4 to 8 weeks in high incidence areas such as Kansas, Missouri, or Kentucky. In northern areas (such as the Dakotas, Minnesota, Wisconsin, etc.), one damaging generation is normally encountered.

How to use:

For chinch bugs, sod webworms, cutworms, and armyworms, apply at the NORMAL RATE.


For sod webworms, cutworms, and armyworms, water **lightly** after application to remove granules from the grass blades. For chinch bugs, water **thoroughly** (1/4 to 1/2 inch of water) after application.

Do not mow or collect clippings for 24 hours after treatment.

Allow one week between the application of this and other control products, except where a severe insect or disease attack requires immediate treatment. Allow at least 4 weeks between fertilizer applications. If an interim treatment is needed, use a control product without fertilizer.

Results to expect:

Control of damaging insects listed above, plus fertilization to aid in recovery of the turf. Control of insects may require a week, but will take no more than 2 weeks. If severe damage is noted before the first appllication, recovery of the turf may be slow or seeding may be required to fill in damaged areas.



6 -1

SPREADER SETTINGS

Scotts Scotts
Drop BasyGreen® SpeedyGreen®
Spreaders Rotary Rotary

NORMAL RATE (treats 5,000 sq. ft.)

3-1/2*

24-1/2*

2 *

[*Note to EPA: Spreader settings are approximate and may change at actual production run. EPA will be notified of any change.]

TIPS ON SPREADING WITH SCOTTS SPREADERS

Scotts Drop:

- Mow lawn if grass is tall enough to touch the bottom of spreader.
- First apply 2 header strips.
- Operate spreader the longest direction of the lawn.
- Overlap wheel tracks to ensure uniform feeding.
- Shut off spreader when you have reached the header strips or stopped.

EasyGreen® Rotary:

- Slide shutoff lever to the right. Application automatically starts and stops when you do.
- Avoid misses by making each pass about 30 inches from the previous one, so some overlapping occurs.

SpeedyGreen® Rotary:

- Shut off spreader anytime you stop.
- Avoid misses by making each pass about 5 feet from the previous one, so some overlapping occurs.





Additional Spreader Settings (Non-Scotts spreader settings are approximate. You may need to adjust for proper coverage.)

Cyclone Rotary (Model B)	3
Central Drop (#205)	6
Sears Drop (#19810)	
On the Drop (#5000)	5-1/2
Greenview Drop (#105)	
Precision Drop (Red Devil)	

Your Do-It-Yourself Lawn Care Headquarters

Scotts Lawn Pro retailers can provide you with the do-it-yourself expertise and products to have a beautiful Scotts lawn simply and easily...for less money than hiring a lawn service. That's why we call them Lawn Pros!

Questions?

If you have questions you can talk directly with a Scotts Lawn Counselor. Simply call the toll-free number: 1-800-543-TURF.

Scotts Policy: No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

(Scotts®) ...the lawn people_{SM}
Marysville, Ohio 43041

©1993, The O.M. Scott & Sons Company. All rights reserved.

Proof of Purchase [UPC CODE] 0 32247 03575 X

(NOTE: DESCRIPTION BELOW WILL BE INVERTED)

(Scotts_®)

Lawn Prom Insect Control plus Lawn Fertilizer

ί.

3575