SAVING AL PROTECTION	U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505P) Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, D.C. 20460	EPA Reg. Number: 538-155	Date of Issuance: OCT 1 2 2006	
	NOTICE OF PESTICIDE:	Term of Issuance	Unconditional	
	Registration X Reregistration	Name of Pesticid	·····	
(under FIFRA, as amended)		Scotts Turf	Scotts Turf Builder Plus Halts	
lame and Address	of Registrant (include ZIP Code):			
THE SCOTTS CONTINUE				
MARYSVILLE,				
	ng differing in substance from that accepted in connection with this ior to use of the label in commerce. In any correspondence on this			
n accordance with the A	h and the environment, the Administrator, on his motion, may at an Act. The acceptance of any name in connection with the registration ght to exclusive use of the name or to its use if it has been covered	n of a product under this.		
n accordance with the A giving the registrant a ri- broduct listed al aken under the Rodenticide Ac Reregistration u besticides. EPA product.	Act. The acceptance of any name in connection with the registration ght to exclusive use of the name or to its use if it has been covered esponse to the Reregistration Eligibility Doc bove. Enclosed is a copy of your label stamp authority of section 4 (g) (2) (c) of the Feder t, as amended. Inder this section does not eliminated the need a may require submission of data at any time	n of a product under this by others. cument(s), EPA h ped "Accepted". eral Insecticide, l ed for continual r to maintain the	Act is not to be construed as has reregistered the This action is Fungicide, and reassessment of	
n accordance with the A giving the registrant a ri- Based on your r product listed al aken under the Rodenticide Ac Reregistration u pesticides. EPA product.	Act. The acceptance of any name in connection with the registration ght to exclusive use of the name or to its use if it has been covered esponse to the Reregistration Eligibility Doc bove. Enclosed is a copy of your label stamp authority of section 4 (g) (2) (c) of the Fed t, as amended.	n of a product under this by others. cument(s), EPA h ped "Accepted". eral Insecticide, l ed for continual r to maintain the	Act is not to be construed as has reregistered the This action is Fungicide, and reassessment of	

.

FRONT:

Treats 5,000 sq ft (465 m²)

(Scotts®)

HALTS PLUS TURF BUILDER®

crabgrass preventer plus lawn fertilizer for established lawns

[ILLUS. CRABGRASS]

Prevents crabgrass also barnyardgrass, foxtail

plus fertilizes with a full feeding of Turf Builder®

Patented TRIONIZED® II formula gives quick, deep greening for two full months.

NET WEIGHT 17 5/6 lbs (7.85 kg)

YOUR SATISFACTION

GUARANTEED!!

(see back for details)

KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTIONARY STATEMENTS (see back panel)

ACTIVE INGREDIENT:		
Bensulide [†]	*****	4.78%
OTHER INGREDIENTS:		95.22%
	Total	100.00%

†CAS# 741-58-2

EPA Reg. No. 538-155 Halts plus Turf Builder®

US Pat. No. 4,378,238 The Scotts Company Marysville, Ohio 43041 ©2005. The Scotts Company. World rights reserved. EPA Est. 538-OH-1 XX-X-X

Product of USA

ACCEPTED OCT 1 2 2006

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

538-155

2/12

1

xx-x-x

GUSSETS:

RIGHT GUSSET:

Halts plus Turf Builder® America's Favorite crabgrass Preventer plus fertilizer Scotts®

XX-X-X

LEFT GUSSET:

XX-X-X

Halts plus Turf Builder® America's Favorite crabgrass preventer plus fertilizer XX-X-X

3/n

BACK PANEL:

Easy Open PULL HERE

Treats 5,000 sq ft (465 m²)

PROOF OF PURCHASE (Scotts®)

5M

(Scotts ® HALTS PLUS TURF BUILDER®)

crabgrass preventer plus lawn fertilizer

Advantages of Halts plus Turf Builder®

LEFT COLUMN

(Optional back panel claims)

Halts plus Turf Builder® - a tough crabgrass preventer. And our small, uniform granules cover you lawn completely to stop crabgrass before it starts. All this means that Halts plus Turf Builder® gives your lawn the best crabgrass prevention available.

<u>Scotts Trionized® II – formula provides more efficient nitrogen.</u> This means Halts plus Turf Builder® now gives quick, deep greening while feeding your lawn as it needs to be fed.

Halts plus Turf Builder® won't burn your lawn. The nitrogen in the Trionized II formula is buffered. This means Halts plus Turf Builder® greens your lawn quickly without the danger of burning.

<u>Halts plus Turf Builder® provides two full month of greening</u>. The nitrogen in Halts plus Turf Builder® is time-released to help keep a supply of this essential nutrient available to your lawn. This means that your lawn will stay thick and green for two full months.

<u>Each Halts plus Turf Builder® granule contains NPK and crabgrass.</u> We bond Scotts unique controlled-release nitrogen (N) with phosphorous (P) and potassium (K) and crabgrass preventer so your lawn receives a safe even feeding and effective crabgrass prevention.

(ILLUS.) Scotts Halts plus Turf Builder® EVERY GRANULE CONTAINS NPK and Crabgrass Preventer

Provides safe, even greening with uniform crabgrass prevention. (ILLUS.) Competitive Simple Mixture EACH GRANULE IS A SEPARATE PARTICLE

May cause surge growth, burning, uneven greening and spotty crabgrass prevention.

RIGHT COLUMN

AMERICA'S FAVORITES

Other great Turf Builder® products for your lawn.

If weeds are problem, use Turf Builder plus 2[®], America's favorite weed and feed. This product clears our dandelions and over 50 other broadleaf weeds while providing your lawn with a safe even feeding of fertilizer.

3

BACK CONT.

If you don't have weed problems, use Turf Builder®, America's favorite lawn fertilizer. Turf Builder® gives quick, deep greening without the danger of burning.

These great Turf Builder® products are developed specially by Scotts for the unique needs of your lawn – your satisfaction is unconditionally Guaranteed (see Scotts No-Quibble Guaranteed).

(ILLUS.) Turf Builder plus 2®

Fertilizer plus Broadleaf Weed Control

-OR-

Turf Builder® With Halts® Crabgrass Preventer	Turf Builder© With Plus 2© Weed Control
 Apply in early spring (FebApril) Prevents crabgrass and other annual weeds while feeding your lawn. (In the Pacific Northwest, substitute Turf Builder and Moss Control Granules. For St. Augustinegrass, substitute Bonus S. For dormant bermudagrass, substitute Halts.) 	 Apply in late spring (April-June) Kills dandelions and other broadleaf weeds while feeding your lawn. (For St. Augustinegrass substitute Turf Builder.)
Turf Builder With Insect Control	art Builder®
 Apply in summer (June-Aug.) Kills lawn damaging insects plus fleas while feeding your lawn. For grub control, apply Scotts® GrubEx® anytime from April to mid-August. 	 Apply in fall (AugNov.) Important time to feed for a thicker, greener lawn.

-OR-

Now it's easy for you to have a better lawn

Save money

Why even consider a lawn care service? Scotts Annual Program will give you a beautiful lawn for less money.

Or

Why even consider a lawn care service? Scotts Lawn Pro Annual Program will give you a beautiful lawn for about one-third the cost.

Simple and easy

No more guesswork. You simply apply the right product - one Step at a time.

Start anytime

You can start into the Annual Program anytime of the year. Just check the month and select the appropriate Step listed below.

Guaranteed results

Each Step is designed to the specific season to help give you a healthier, greener lawn.

Fertilizer

(ILLUS.) Turf Builder®

Step 1. Early Spring	Step 2. Late Spring	Step 3. Summer	Step 4. Fall
February-April	April-June	June-August	August-November
Crabgrass Preventer plus Fertilizer - prevents crabgrass, foxtail, spurge, oxalis, chickweed and other annual weeds while providing deep, thick greening for up to 2 months. This is Scotts best fertilizer plus crabgrass preventer. In the Pacific Northwest, Step TM 1 is "Moss Control plus Fertilizer".	Weed Control Plus Fertilizer - controls dandelions, clover, chickweed and other broadleaf weeds while greening your lawn for up to 2 more months. This is Scotts best weed and feed.	Insect Control plus Fertilizer - controls white grubs, chinch bugs, sod webworms and other lawn insects plus keeps your lawn green through the Summer.	Lawn Fertilizer - specially formulated for the Fall - the best time to develop a stronger root system for a more vigorous, thicker lawn. Helps your lawn green up even quicker next Spring. This is Scotts best fall fertilizer.

Super Winterizer

Additional Super Winterizer Feeding September – November 4 to 6 weeks after Early Fall fertilizer feeding. Apply as last feeding in fall to help prepare your lawn for winter.

LEFT COLUMN

Directions for use

It is a violation of Federal law to use this product in manner inconsistent with its labeling

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Application

- Apply in early Spring before the 3rd or 4th mowing or before temperatures are regularly in the 80's.
- Halts plus Turf Builder® can be applied when your lawn is either wet or dry.
- DO NOT SEED OR SOD FOR 4 MONTHS AFTER USING TURF BUIDLER PLUS HATLS®. The crabgrass barrier
 prevents grass seeds from sprouting.
- Do not apply this product in a way that will contact people or pets.

IMPORTANT: THIS PRODUCT WILL NOT WORK UNLESS IT IS WATERED RUN FOR 10-15 MINUTES. FOR SAFETY REASONS, WATER THIS PRODUCT IN AS SOON AS POSSIBLE FOLLOWING APPLICATION FOR 10-15 MINUTESAND, DO NOT ALLOW CHILDRN OR PETS ON TREATED AREAS UNTIL DRY FOLLOWING THE WATERING.

SPREADER

- This product may only be applied by a push-type spreader. Hand-held rotary broadcast spreaders are prohibited.
- Please do not use this product on areas where you plan to seed. This product can prevent seeds from germinating.
- The Scotts spreader provides excellent controlled application to protect these areas.

Spreader Settings

Application Rate	Treats (sq ft)	Scotts Drop Spreaders	Scotts EasyGreen® Rotary	Scotts ReadyGreen® Rotary
Prevent crabgrass	5,000	XX	xx	XX
Prevent barnyardgrass, foxtail and crabgrass	3,000	xx	xx	xx

IMPORTANT

Raking

You may rake your lawn lightly to remove grass clippings or debris. But please avoid breaking the soil surface in your lawn for 4 months after application. Heavy raking will disturb the crabgrass barrier and reduce the effectiveness of this product.

Also, please do not apply to newly seeded or sodded areas until after the second mowing.

Actively growing crabgrass

This product does not control actively growing crabgrass and other wild grasses.

(OPTIONAL SPREADER INFORMATION)

TIPS ON SPREADING WITH SCOTTS SPREADERS

Scotts Drop:

- First apply 2 header strips
- Operate spreader the longest way of the lawn
- Overlap wheels to insure uniform feeding
- Shut off spreader when you have reached the header strips or stopped
- Mow lawn first if grass is tall enough to touch the bottom of spreader

EasyGreen[™] Rotary:

- Slide shut-off lever to the right. Application automatically starts and stops when you do
- For complete coverage make each pass about 30 inches from the previous one so some overlapping occurs

SpeedyGreen[™] Rotary:

- Shut-off spreader anytime you stop.
- For complete coverage make each pass about 5 feet from the previous one so some overlapping occurs.
- Avoid applying product in flower beds adjacent to lawns

BACK CONT.

Guaranteed Analysis

Total nitrogen (N)	XX%
X.X% ammoniacal nitrogen	
X.X% methylenediurea and dimethylenetriurea nitrogen	
X.X% urea, other methylene ureas nitrogen	
X.X% water insoluble nitrogen	
Available phosphoric acid (P ₂ O ₅)	X%
Soluble potash (K ₂ O)	X%

Derived from: monoammonium phosphate, urea, methylene ureas, muriate of potash.

Information regarding the contents and levels of metals in this product is available on the internet at <u>http://www.regulatory-info-sc-com</u>

<u>Hazards to Humans and Domestic Animals</u>: CAUTION. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wear long-sleeved shirt and long pants, shoes and socks, and chemical resistant gloves (such as or made out of any water-proof material. Selection category A). Remove and wash contaminated clothing before reuse. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

FIRST AID

<u>If in eyes</u>: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

<u>If swallowed</u>: Call a poison control center immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

<u>If inhaled</u>: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling poison control center or doctor, or going for treatment. For emergency information call 1-800-225-2883.

Note to physician: Bensulide is a cholinesterase inhibitor. If signs and symptoms of cholinesterase inhibition develop, atropine sulfate is antidotal; 2-PAM (PROTOPAM) may also be given in conjunction with atropine but should not be used alone.

<u>Environmental Hazards</u>: This product is toxic to fish. This product may impair reproduction in birds if used during the breeding season. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target areas. Drift or runoff may adversely affect non-target plants.

STORAGE: Store in a clean, dry place. Reseal bag by folding top down and securing.

DISPOSAL: If Empty: Do not reuse this container. Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain. Lawn Questions? Questions, Comments, Information

Have questions or need advice?

Call Scott's toll-free consumer hotline: 1-800-543-TURF (In Ohio, 1-800-762-4010)

"Lawn Success Made Easy" visit Scotts website at www.scottslawn.com

Are you proud of your lawn?

If you have a lawn success story using Scotts products, we'd like to hear about it. Write to Scotts Consumer Service, 14111 Scottslawn Road, Marysville, Ohio 430401. Photos are welcome.

Open Monday through Saturday 9:00 am to 5:00 pm EST.

Scotts Policy No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

Scotts...the lawn people Marysville, Ohio 43041




OPTIONAL BACK PANEL FOR CLI FORMAT

BACK

For best results, apply Scotts[®] Annual Lawn Care Program.

- Start the program at any time.
- Allow 2 months between applications.

For lawns in the shaded areas, phone 1-800-543-TURF, [ART] or visit our web site at www.scottslawn.com for the Annual Lawn Care Program for your area.



KEY PRODUCT FACTS

Directions for Use It is a violation of federal law to use this product in a manner inconsistent Spreading Tips Scotts Drop Scotts Rotary Spreaders with its labeling. Spreaders Setting Apply header strips. Then Setting apply product in longest Scotts All metal direction of lawn. ⊇ Apply in early Spring before the 3rd or 4th SpeedyGreen[®] Х models Х Make each pass about 5 Make sure spreader wheel mowing or before completely overlaps feet from previous one to previous wheel mark. ensure an overlap. temperatures are regularly ART ART in the 80's. All plastic Scotts XX models $\not\subset$ Product can be applied EasyGreen[®] XX Make sure spreader wheel when your lawn is wet or completely overlaps Make each pass about 30 dry. inches from previous one previous wheel mark. \subset Set spreader to the setting to ensure an overlap. indicated by the chart on right before applying. Red Devil Drop (#FH-22 X **Additional Spreader** EZ Drop, Republic (#530)X Red Devil Rotary (#FH-22) X EZ Broadcast, Republic (#540) ... X Settings Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

Spreader Settings covers XXXX sq. ft.

9

What To Avoid

- Do not seed or sod until at least 4 months after using Halts plus Turf Builder®. The crabgrass barrier prevents grass seeds from sprouting.
- Do not apply this product in a way that will contact people or pets
- Do not apply to newly seeded or sodded areas until after the second mowing. -OR-
- Delay application on newly seeded, sodded or sprigged areas until new grass has been mowed at least two times.
- You may rake your lawn lightly to remove grass clippings or debris. But avoid breaking the soil surface in your lawn for 4 months after application. Heavy raking will disturb the crabgrass barrier and reduce the effectiveness of this product.

IMPORTANT: THIS PRODUCT WILL NOT WORK UNLESS IT IS WATERED IN FOR 10-15 NMINUTES. FOR SAFETY REASONS, WATER THIS PROUDCT IN AS SOON AS POSSIBLE FOLLOWING APPLICATION FOR 10-15 MINUTES AND, DO NOT ALLOW CHILDREN OR PETS ON TREATED AREAS UNTIL DRY FOLLOWING THE WATERING

Storage and Disposal

ART

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

 DISPOSAL: If Empty: Do not reuse this container. Place in trash or offer for recycling if available.
 If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

First Aid and Environmental Information



CAUTION! Keep out of the reach of children and pets.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

CAUTION. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wear long-sleeved shirt and long pants, shoes and socks, and chemical resistant gloves (such as or made out of any water-proof material. Selection category A). Remove and wash contaminated clothing before reuse. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.



Do not allow people (other than the applicator) or pets on treatment area during application, or after treatment until dust (if any) has settled watering-in as dried.

FIRST AID

<u>If in eyes</u>: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. <u>If on skin or clothing</u>: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

<u>If swallowed</u>: Call a poison control center immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

<u>If inhaled</u>: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.


Have the product container or label with you when calling poison control center or doctor, or going for treatment.

Environmental Hazards:

This product is toxic to fish. This product may impair reproduction in birds if used during the breeding season. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target areas. Drift or runoff may adversely affect non-target plants.



Questions / Information



methylene ureas, and potassium sulfate or

muriate of potash.

*contains XX% slowly available methylenediurea and dimethylenetriurea nitrogen.

U.S. Patent No. 4,378,238 Product of U.S.A. The Scotts Company 14111 Scottslawn Road Marysville, Ohio 43041 ©2000. The Scotts Company.

World rights reserved.

Phone toll-free 1-800-543-TURF

Visit our web site www.scottslawn.com

Scotts No-Quibble Guarantee™

If for any reason you are not satisfied with results after using any Scotts product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

