



ORTHO

Chickweed & Clover Control

CONTROLS
COMMON
CHICKWEED
MOUSEEAR
CHICKWEED
CLOVER
KNOTWEED
GROUND IVY
DANDELION
PLANTAIN
SHEPHERDSPURSE
MUSTARD
DICHONDRA
PIGWEEED
RAGWEED
LAMBSQUARTERS

Chevron Chemical Company



ORTHO Chickweed & Clover Control

HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING: This product may be harmful if swallowed or if it comes in contact with the eyes. In case of eye contact, flush with water for 15 minutes. In case of skin contact, wash with water. If swallowed, seek medical attention immediately. Note to Physicians: See package insert for full prescribing information.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic life. Do not apply to waterways or areas adjacent to water. Do not apply to lawns near waterways.

DIRECTIONS FOR USE: Read entire label directions and apply in accordance with label precautionary statements.

READ ENTIRE LABEL DIRECTIONS AND PRECAUTIONARY STATEMENTS: This product is a selective herbicide for the control of chickweed and clover in lawns. It is not effective against other weeds. Requires the use of a spray nozzle.

DIRECTIONS: Apply to lawns containing chickweed and clover. Apply to lawns containing chickweed and clover. Apply to lawns containing chickweed and clover.

HOW TO USE: Use a spray nozzle. Apply to lawns containing chickweed and clover. Apply to lawns containing chickweed and clover.

DO NOT WATER FOR 48 HOURS AFTER APPLICATION: Do not water lawns for 48 hours after application. Do not water lawns for 48 hours after application.

NEWLY SEEDED LAWNS: Do not apply to newly seeded lawns. Do not apply to newly seeded lawns.

DILUTION TABLE

Water to Use	Amount of Product to Add
1 gal	1/2 oz
2 gal	1 oz
4 gal	2 oz
8 gal	4 oz
15 gal	7 oz
40 gal	18 oz

IMPORTANT: Do not apply to lawns containing chickweed and clover. Do not apply to lawns containing chickweed and clover.

USE: Apply to lawns containing chickweed and clover. Apply to lawns containing chickweed and clover.

STORAGE: Store in a cool, dry place. Store in a cool, dry place.

DISPOSAL: Do not dispose of this product in waterways. Do not dispose of this product in waterways.

NOTICE: Do not use this product on lawns containing chickweed and clover. Do not use this product on lawns containing chickweed and clover.

BEST AVAILABLE COPY

1/16/87
1

Mr. Vincent Snyder, Jr.
O.M. Scott & Sons Company
14310 Scottslawn Road
Marysville, OH 43041

Dear Mr. Snyder:

Subject: Amendments - Additional Brand Names: Label Revisions
Turf Builder Plus 2 W/S for Grass
EPA Registration No. 538-160
Your Submission Dated January 15, 1987

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIRA), is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a. Delete "America's favorite weed & feed." Section 162.10(a)(5)(iv) of Title 40 of the Code of Federal Regulations prohibits false or misleading comparisons with other pesticides. This claim was previously accepted for EPA Registration No. 538-23.
 - b. In the Ingredient Declaration delete "MCPA:" and "MCPP:". These terms are not common chemical names accepted for these pesticides.
 - c. Modify "Keep out of lakes, streams, or ponds" to read:

Do not apply directly to any body of water.
 - d. In the label text use the complete brand name for this product.
2. Submit one (1) copy of your final printed labeling before you release the product for shipment.

90622:Mount for t:MF-15:EEPCO:1/16/87:1/28/87:Neocoro:VC

CONCURRENCES

SYMBOL	SURNAME	DATE						
								1/28/87

2

A stamped copy of the labeling is enclosed for your records.

The additional brand name "Turf Builder Plus 2E" is acceptable.

Sincerely yours,

Richard F. Mountfort *RFM*
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

Enclosure

2/11

FRONT:

TURF BUILDER plus 2 (N)

XXXXX

3

01/14/87 CR

(Scotts) Turf Builder plus 2 (N) America's favorite weed & feed

(NOTE: The above description will be inverted.)

XXXXX

TREATS 6,000 SQ FT (557 m²)

(Scotts (R))

SCOTTS POLICY
No-Quibble
Guarantee
SEE BACK FOR DETAILS

TURF BUILDER
plus 2 (R) (N)
BRAND

weed control plus lawn fertilizer

(ILLUS.)

Treated


Untreated

Clears out dandelions
and 25 other broadleaf weeds

plus fertilizes
with a feeding of Turf Builder (R)

Patented TRIONIZED (R) II formula
for developing thick, green lawns

Handwritten notes:
530-1600
059-137%



Handwritten signature: Engle

FRONT CONTINUED:

Net Weight 34 11/16 LBS (15.73 kg)

22-3-3

LEFT COLUMN

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: Causes eye irritation. Do not get in eyes, on skin, or on clothing. In case of contact immediately wash eyes or skin with plenty of water. Get medical attention if irritation persists. Harmful if swallowed. Avoid contamination of feed or foodstuffs.

Environmental Hazards: Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from target area.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

ACTIVE INGREDIENTS:

MCPA: 2-Methyl-4-chlorophenoxyacetic acid	0.59%
MCPP: 2-(2-Methyl 4-chlorophenoxy) propionic acid.	0.59%
INERT INGREDIENTS:	98.82%
Total	100.00%

RIGHT COLUMN

EPA Reg. No. 538-160
Turf Builder plus 2 (N)

EPA Est 538-OH-1
22-3-3

Guaranteed Analysis

Total nitrogen (N).	22%
1.2% ammoniacal nitrogen	
13.9% urea, methylene ureas nitrogen	
6.9% water insoluble nitrogen	
Available phosphoric acid (P ₂ O ₅).	3%
Soluble potash (K ₂ O).	3%

Derived from: monoammonium phosphate, urea, methylene ureas, muriate of potash.

U.S. Pat. No.

Product of USA

The O M Scott & Sons Company
Marysville, Ohio 43041

(c) 1987, The O M Scott & Sons Company. All rights reserved.

11/3/87

4

GUSSETS:

LEFT GUSSET

(Scotts (R))	TURF BUILDER plus 2 (R) (N) BRAND	America's favorite weed & feed	SCOTT'S POLICY No-Quibble Guarantee SEE BACK FOR DETAILS	XXXXX
--------------	---	--------------------------------------	---	-------

RIGHT GUSSET



XXXXX	(Scotts (R))	TURF BUILDER plus 2 (R) (N) BRAND	America's favorite weed & feed	SCOTT'S POLICY No-Quibble Guarantee SEE BACK FOR DETAILS
-------	--------------	---	--------------------------------------	---

(

5/10

BACK:

PULL TAB
and remove for
pour spout

(ILLUS.)

Easy
Open PULL HERE

TREATS 6,000 SQ FT (557 m²)

(Scotts (R)) TURF BUILDER

plus 2 (R) (N)
BRAND

weed control plus lawn fertilizer

TB+2 (N) - XXXXX
6M
PROOF
OF
PURCHASE
(Scotts)

Advantages of Turf Builder plus 2(R)

LEFT COLUMN

SUPERIOR QUALITY

SMALL LIGHTWEIGHT GRANULES MEAN BETTER WEED CONTROL. Most lawn weed controls must be absorbed through the weed's leaves to be effective. Turf Builder plus 2(R) granules are small and lightweight so they will stay on even the smallest weed leaves. And each Turf Builder plus 2(R) granule contains weed control and America's favorite lawn fertilizer.

SCOTTS TRIONIZED(R) II FORMULA PROVIDES A MORE EFFICIENT NITROGEN THAN EVER BEFORE. This means Turf Builder plus 2(R) now promotes quick, deep greening while feeding your lawn as it needs to be fed.

TURF BUILDER PLUS 2(R) PROVIDES UP TO TWO MONTHS OF GREENING. The nitrogen in Turf Builder plus 2(R) is time released to help keep a supply of this essential nutrient available to your lawn. This means that your lawn can stay thick and green for up to two months.

EACH TURF BUILDER PLUS 2(R) GRANULE CONTAINS NPK AND WEED CONTROL. We bond Scotts unique controlled-release nitrogen(N) with phosphorous(P) and potassium(K) and a weed control, so your lawn receives a safe even feeding, and effective weed control.

(ILLUS.)

Scotts
Turf Builder plus 2(R) (N)
EVERY GRANULE CONTAINS
NPK AND WEED CONTROL

Provides safe, even
greening with
uniform weed control

(ILLUS.)

Competitive Simple Mixture
EACH GRANULE IS A
SEPARATE CHEMICAL.

May cause uneven
greening and
spotty weed control

2/10

7

RIGHT COLUMN

WEEDS CONTROLLED

bindweed	English daisy	plantain
black medic	eveningprimrose	ragweed
buckhorn	fleabane	red sorrel
coast dandelion (catsear)	ground ivy	scarlet pimpernel
chickweed	healall	shepherdspurse
cinquefoil	henbit	threeseeded mercury
cudweed	mallow	white clover
dandelion	moneywort	wild carrot
	pepperweed	yellow rocket

OTHER GREAT TURF BUILDER(R) PRODUCTS FOR YOUR LAWN

To prevent crabgrass, use Turf Builder plus Halts(R). No one else has a tougher crabgrass preventer. This problem solver forms a protective barrier to stop ugly crabgrass before it starts.

If you don't have weed problems, use Turf Builder(R) America's favorite lawn fertilizer. Turf Builder(R) promotes quick, deep greening without the danger of burning.

These great Turf Builder(R) products are developed specially by Scotts for the unique needs of your lawn - your satisfaction is unconditionally Guaranteed.

(ILLUS.)

Turf Builder plus Halts(R)
Fertilizer plus Crabgrass Preventer

(ILLUS.)

Turf Builder(R)
Fertilizer

11

8

Easy To Apply

LEFT COLUMN

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

APPLICATION

- . Apply anytime weeds are actively growing (when daytime temperatures are consistently above 60°).
- . Apply on a calm day.
- . Apply to moist grass. To help particles stick to weed leaves the grass should be thoroughly watered or wet from dew *before* applying Turf Builder Plus 2(R).
- . Do not use this product on flowers, shrubs, fruit or vegetable plants or on creeping bentgrass, St. Augustine and dichondra lawns. On bermudagrass lawns, under certain conditions, some temporary discoloration may result.

✓

WATERING OR RAIN

Do not water your lawn for 24 hours *after* application. Water will wash the weed control off the weed's leaves and reduce the effectiveness of this product.

This product should not be applied if rain is expected within the next 24 hours.

SPREADER

Be careful when applying this product near shrubs, flower beds or vegetable gardens as contact with weed control may damage these desirable plants. The Scotts PF Drop Spreaders provide excellent controlled application to protect these areas. When using the EasyGreen™ Rotary Spreader take special care near desirable plants.

Spreader Settings

Scotts
Drop
Spreaders

Scotts
EasyGreen™
Rotary

(treats 6,000 sq ft)

XX

XX

2/15

RIGHT COLUMN

IMPORTANT

WHAT TO EXPECT

Weed stems and leaves will begin to twist and curl in a few days, but a month or more may be required for complete control.

This product will not prevent weed seeds from producing new plants.

EXTREME TEMPERATURES

Avoid applying when temperatures are consistently above 90 degrees.

SEEDING/SODDING

Wait until the new grass has been mowed at least four times before applying Turf Builder plus 2(R) weed control.

If you are planning to seed, you should wait at least one month after you have applied Turf Builder plus 2(R).

TIPS ON SPREADING WITH SCOTTS SPREADERS

Scotts Drop:

- First apply 2 header strips
- Operate spreader the longest way of the lawn (ILLUS.)
- Overlap wheels to insure uniform feeding
- Shut off spreader when you have reached the header strips or stopped (ILLUS.)
- Mow lawn first if grass is tall enough to touch the bottom of spreader

EasyGreen™ Rotary:

- Slide shut-off lever to the right. Application automatically starts and stops when you do

Avoid misses by making each pass about 30 inches from the previous one so some overlapping occurs