

U.S. EPA LU 1.37A
Active Ingredient Range

TURF BUILDER T 2 (W/S) BRAND
(F-9348)

01/14/87 CR
03/02/87 CR
03/05/87 CR
10/12/89 VS

PU23
538-160
Pg. 1 of 9

(Scotts (R)) TURF BUILDER weed control plus lawn fertilizer
plus 2(R) BRAND plus lawn fertilizer
FOR GRASS (W/S) XXXXX

(Note: Above description will be inverted.)

TREATS 5,000 SQ FT (465 m²)

SCOTTS POLICY
No-Quibble
Guarantee
SEE BACK FOR DETAILS

(Scotts (R))

TURF BUILDER

plus 2(R)
BRAND

FOR GRASS (W/S)

weed control plus lawn fertilizer

for use on bahia, bermuda, centipede, zoysia,
bluegrass, ryegrass or fescue lawns

(ILLUS.)
Treated

(ILLUS.)
Untreated

Clears out over 25 broadleaf weeds
plus fertilizes with Turf Builder(R)
America's favorite fertilizer for developing thick, green lawns.

DO NOT USE ON ST. AUGUSTINE, CARPETGRASS, DICHONDRA, OR LIPPIA.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUN 4 1990

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

538-160

Active Ingredient Range

(F-9348)

pg. 20/9

01/14/87 CR
03/02/87 CR
03/05/87 CR
10/12/89 VS

(Scotts (R)) TURF BUILDER weed control plus 2(R) BRAND plus lawn fertilizer FOR GRASS (W/S) XXXXX

(Note: Above description will be inverted.)

TREATS 5,000 SQ FT (465 m²)

SCOTT'S POLICY
No-Quibble
Guarantee
SEE BACK FOR DETAILS

(Scotts (R))

TURF BUILDER

plus 2(R)
BRAND

FOR GRASS (W/S)

*INFORM OTHER DEPT
change labels
53B-160*

weed control plus lawn fertilizer

for use on bahia, bermuda, centipede, zoysia,
bluegrass, ryegrass or fescue lawns

(ILLUS.)
Treated

(ILLUS.)
Untreated

Clears out over 25 broadleaf weeds
plus fertilizes with Turf Builder(R)
America's favorite fertilizer for developing thick, green lawns.

DO NOT USE ON ST. AUGUSTINE, CARPETGRASS, DICHONDRA, OR LIPPICIA.

PRODUCT CONTAINER

LEFT COLUMN

NET WEIGHT 26 LBS (11.79 kg)

24-3-3

KEEP OUT OF REACH OF CHILDREN

WARNING

PREWARNINGARY STATEMENTS

Hazards to Humans and Domestic Animals: WARNING, causes eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. If in eyes: Flush with plenty of water. Get medical attention if irritation persists. Harmful if swallowed. Do not contaminate feed or foodstuffs. Do not contaminate water used for irrigation or domestic purposes. Do not graze treated areas. Do not feed clippings to livestock. Wear long pants and a long-sleeved shirt when loading spreader and applying product.

Environmental Hazards: Do not apply when weather conditions favor drift from target areas. Drift or runoff may adversely affect non-target plants. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Do not contaminate washwaters.

Phenoxy herbicides such as MCPP generally will not reach groundwater from use as specified on product labels. To prevent contamination of water supplies, caution should be exercised when handling MCPP pesticides at mixing, loading, and disposal sites.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

ACTIVE INGREDIENTS:

MCPA: 2-Methyl-4-chlorophenoxyacetic acid. 0.66%
MCPP: 2-(2-Methyl-4-chlorophenoxy) propionic acid. 0.66%

INERT INGREDIENTS: 96.68%
Total 100.00%

Handwritten note: 18.68%

RIGHT COLUMN

EPA Reg No 538-160
Turf Builder plus 2 for Grass (W/S) 24-3-3

EPA Est 538-OH-1
643-XXXX

Guaranteed Analysis

Total nitrogen (N).....	24%
0.6% ammoniacal nitrogen	
15.7% urea, methylene ureas nitrogen	
7.7% water insoluble nitrogen	
Available phosphoric acid (P ₂ O ₅).....	3%
Soluble potash (K ₂ O).....	3%
Iron (Fe).....	1.1%

Derived from: monoammonium phosphate, urea, methylene ureas, muriate of potash.

Chlorine, not more than 2.59%

NOTE: Iron source may be FAS, FS-1 H₂O, or FS-7 H₂O.

US Pat No

Product of USA

The O M Scott & Sons Company
Marysville, Ohio 43041

(c) 1989, The O M Scott & Sons Company. All rights reserved.

GUSSETS:

LEFT GUSSET

(Scotts (R)) plus 2(R) BRAND FOR GRASS (W/S)	TURF BUILDER	weed control plus lawn fertilizer	SCOTT'S POLICY No-Quibble Guarantee SEE BACK FOR DETAILS	XXXXX
---	--------------	--	---	-------

RIGHT GUSSET

XXXXX	(Scotts (R)) TURF BUILDER plus 2(R) BRAND FOR GRASS (W/S)	weed control plus lawn fertilizer	SCOTT'S POLICY No-Quibble Guarantee SEE BACK FOR DETAILS
-------	---	--	---

BACK:

pg 1001

and remove for
pour spout

(ILLUS.)

TREATS 5,000 SQ FT (465 m²)

5M
PROOF
OF
PURCHASE
(Scotts)

Easy
Open PULL HERE

(Scotts (R)) plus 2(R)
BRAND

FOR GRASS (W/S)
weed control plus lawn fertilizer

Advantages of Turf Builder plus 2(R)

LEFT COLUMN

SUPERIOR QUALITY

SMALL LIGHTWEIGHT GRANULES MEAN BETTER WEED CONTROL. Most lawn weed controls must be absorbed through the weed's leaves to be effective. Turf Builder plus 2(R) granules are small and lightweight so they will stay on even the smallest weed leaves. And each Turf Builder plus 2(R) granule contains weed control and America's favorite lawn fertilizer.

EACH TURF BUILDER PLUS 2(R) GRANULE CONTAINS NPK AND WEED CONTROL. We bond Scotts unique controlled-release nitrogen(N) with phosphorous(P), potassium (K) and weed control. So your lawn receives a safe uniform feeding, and effective weed control.

TURF BUILDER PLUS 2(R) PROVIDES UP TO TWO MONTHS OF GREENING FROM SLOW RELEASE NITROGEN. The nitrogen in Turf Builder plus 2(R) is time-released to help keep a supply of this essential nutrient available to your lawn. This means that your lawn can stay thick and green for up to two months.

NITROGEN RELEASE
2 MONTHS

Turf Builder(R)

FAST

MEDIUM

SLOW

typical all
soluble fertilizers

FAST

WEEDS CONTROLLED

bindweed
 black medic
 buckhorn
 coast dandelion (catsear)
 chickweed
 cinquefoil
 cudweed
 dandelion

English daisy
 eveningprimrose
 fleabane
 ground ivy
 healall
 henbit
 mallow
 moneywort
 pepperweed

plantain
 ragweed
 red sorrel
 scarlet, pimpernel
 shepherdspurse
 threeseeded mercury
 white clover
 wild carrot
 yellow rocket

RIGHT COLUMN

OTHER GREAT TURF BUILDER(R) PRODUCTS FOR YOUR LAWN.

To prevent crabgrass, use Turf Builder plus Halts(R). No one else has a tougher crabgrass preventer. This problem solver forms a protective barrier to stop ugly crabgrass before it starts.

If you don't have weed problems, use Turf Builder(R) America's favorite lawn fertilizer. Turf Builder(R) provides quick, deep greening without the danger of burning.

These great Turf Builder(R) products are developed by Scotts for the unique needs of your lawn - your satisfaction is unconditionally Guaranteed.

(ILLUS.)

Turf Builder plus Halts(R)
 Fertilizer plus
 Crabgrass Preventer

(ILLUS.)

Turf Builder(R)
 Fertilizer

Easy To Apply

page 1/1

LEFT COLUMN

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

APPLICATION

- . Apply anytime weeds are actively growing. On bahia and centipede lawns wait until after the second mowing of the year but not before mid-March. In the fall, do not treat centipede after the first of October and do not treat bahia after the first of November. Make sure grass does not touch bottom of spreader.
- . Apply on a calm day.
- . Apply to moist grass. To help the particles stick to weed leaves, the grass should be thoroughly watered or wet from dew before applying Turf Builder Plus 2(R).
- . Do not use this product on flowers, shrubs, fruit or vegetable plants or creeping bentgrass, St. Augustine, dichondra, lippia, carpetgrass lawns.

WATERING OR RAIN

Do not water your lawn for 24 hours after application. Water will wash the weed control off the weed's leaves and reduce the effectiveness of this product.

This product should not be applied if rain is expected within the next 24 hours.

SPREADER

Be careful when applying this product near shrubs, flower beds or vegetable gardens as contact with weed control may damage these desirable plants. Scotts PF Drop Spreaders provide excellent controlled application to protect these areas. When using the EasyGreen™ Rotary Spreader take special care near desirable plants.

Scotts Spreader Settings

PF Drop*

EasyGreen™ Rotary

(treats 5,000 sq ft)

XX

XX

*also Automatic and Standard models

RIGHT COLUMN

IMPORTANT

WHAT TO EXPECT

Weed stems and leaves will begin to twist and curl in a few days, but a month or more may be required for complete control.

This product will not prevent weed seeds from producing new plants.

PA. 102?

EXTREME TEMPERATURES

Don't apply when temperatures are expected to exceed 90 degrees.

SEEDING/SODDING/SPRIGGING

After application, wait one month before planting. If you've already planted, wait until the new grass has been mowed at least four times before applying Turf Builder plus 2^(R).

TIPS ON SPREADING WITH SCOTTS SPREADERS

PF Drop:

- First apply 2 header strips
- Operate spreader the longest way of the lawn
- Overlap wheels to insure uniform feeding
- Shut off spreader when you have reached the header strips or stopped
- Mow lawn first if grass is tall enough to touch the bottom of spreader

EasyGreenTM Rotary:

- Slide shut-off lever to the right. Application automatically starts and stops when you do
- Avoid misses by making each pass about 30 inches from the previous one so some overlapping occurs

(ILLUS.)

(ILLUS.)

XXXXX

Scotts Policy
No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.

Scotts...the lawn people
Marysville, Ohio 43041

0 (UPC)

XXXXX XXXXX

(NOTE: The description below will be inverted.)

XXXXX

(Scotts (R))

TURF BUILDER
plus 2^(R)
BRAND
FOR GRASS (W/S)

weed
control
plus lawn
fertilizer

04840/0950R (1-8)