

20 DEC 1991

Mr. Vincent Snyder, Jr.
 The C.M. Scott & Sons Company
 1411 Scottsboro Rd.
 Marysville Ohio 43041

Dear Mr. Snyder:

Subject: Term Barrier Plus 2 w/2 for grass
 EPA Registration No. 508-100
 Re: Label Amendment
 Your letter dated December 2, 1991

The labeling referred to above submitted in connection with the registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended is acceptable provided that there are no changes in your dosage rate. Under the Environmental Hazards Section of the label, replace the statement "do not apply directly to water or wetlands" to read "do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark." Correct the statement "do not contaminate washwater" to read "do not contaminate water when disposing of equipment washwater." Please submit five (5) copies of your final printed labels incorporating this amendment. A stamped copy of labeling is enclosed for your records.

Sincerely,

BEST AVAILABLE COPY

Johnnie J. Miller
 Product Manager (2),
 Fungicide-Herbicide Branch
 Registration Division (47503),

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

0.66% to 1.37%
Active Ingredient Range

TURF BUILDER + 2 (W/S) XXXXX
(F-9348)

01/14/87 CR
03/05/87 CR
10/12/89 VS 11/21/91 VS/cr

(Scotts (R)) TURF BUILDER weed control plus lawn fertilizer XXXXX
plus 2(R) BRAND
FOR GRASS (W/S)

(Note: Above description will be inverted.)

TREATS (and fertilizes) X,XXX SQ FT

SCOTTS POLICY
No-Quibble
Guarantee
SEE BACK FOR DETAILS

ACCEPTED
with COMMENTS
by EPA Letter Dated:

20 DEC 1991

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, this pesticide
registered under EPA Reg. No.
538-160

(Scotts (R))
TURF BUILDER
plus 2(R)
BRAND
FOR GRASS (W/S)

weed control plus lawn fertilizer
for use on bahia, bermuda, bluegrass, centipede,
fescue, ryegrass or zoysia lawns

Treated (ILLUS.) Untreated

Clears out dandelions
and over 50 other broadleaf weeds

Plus fertilizes
with a feeding of Turf Builder(R)
for developing thick, green lawns

Do Not use on St. Augustine, Carpetgrass, Dichondra, or Lippia

BEST AVAILABLE COPY

FRONT CONTINUED:

3 of 11

LAWN PRO_R

Available only at authorized
Scotts_R Lawn Pro_R dealers

Eliminates dandelions and more than 50 other broadleaf weeds after they sprout and helps make your lawn its thickest, greenest ever.

XX% more greening power than Brand X (Turf Builder Plus 2).

Eliminates dandelions, clover, chickweed and other non-grassy weeds while greening your lawn without rapid, extreme growth.

Small, lightweight granules provide complete uniform coverage and are quickly absorbed to help insure control of large and small weeds.

Weeds are killed completely — roots and all.

Formulated for the home environment.

Net Weight X X/XX LBS

XX-X-X

BEST AVAILABLE COPY

LEFT COLUMN

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: WARNING, causes eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. If in eyes: Flush with plenty of water. Get medical attention if irritation persists. Harmful if swallowed. Do not contaminate feed or foodstuffs. Do not contaminate water used for irrigation or domestic purposes. Do not graze treated areas. Do not feed clippings to livestock. Wear long pants and a long-sleeved shirt when loading spreader and applying product.

Environmental Hazards: Do not apply when weather conditions favor drift from target areas. Drift or runoff may adversely affect non-target plants. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Do not contaminate washwaters.

Phenoxy herbicides such as MCPP generally will not reach groundwater from use as specified on product labels. To prevent contamination of water supplies, caution should be exercised when handling MCPP pesticides at mixing, loading, and disposal sites.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

ACTIVE INGREDIENTS:

MCPA: 2-Methyl-4-chlorophenoxyacetic acid. 0.66% to 1.37%

MCPP: 2-(2-Methyl-4-chlorophenoxy) propionic acid. 0.66% to 1.37%

INERT INGREDIENTS: 98.68% to 97.26%

Total 100.00%

RIGHT COLUMN

EPA Reg No 538-160
Turf Builder plus 2 for Grass (W/S) XX-X-X

EPA Est 538-OH-1
643-XXX

BEST AVAILABLE COPY

FRONT CONTINUED

	Guaranteed Analysis	
Total nitrogen (N)		XX%
X.X% ammoniacal nitrogen		
XX.X% urea, methylene ureas nitrogen		
X.X% water insoluble nitrogen		X%
Available phosphoric acid (P ₂ O ₅)		X%
Soluble potash (K ₂ O)		X.X%
Iron (Fe)		

Derived from: urea and methylene ureas.

NOTE: Iron source may be FAS, FS-1 H₂O, or FS-7 H₂O.

US Pat No

Product of USA

The O M Scott & Sons Company
Marysville, Ohio 43041

(c) 1991, The O M Scott & Sons Company. All rights reserved.

BEST AVAILABLE COPY

FRONT CONTINUED:

(Optional Front Panel)

COVERAGE:

Treats (and fertilizes) X,XXX sq ft

APPLICATION: (See back for details)

Apply in late spring, summer, or fall. For use on bahia, bermuda, bluegrass, centipede, fescue, ryegrass, or zoysia lawns.

XX	X	X
NITROGEN	PHOSPHORUS	POTASSIUM
Essential for plant growth; makes grass green.	Stimulates root growth; helps grass multiply.	Makes plant strong; better able to resist drought and extreme heat.

BEST AVAILABLE COPY

GUSSETS:

LEFT GUSSET

(Scotts (R))	TURF BUILDER plus 2(R) BRAND FOR GRASS	weed control plus lawn fertilizer	SCOTTS POLICY No-Quibble Guarantee SEE BACK FOR DETAILS	XXXXX
--------------	---	--	--	-------

Treats (and fertilizes) X,XXX sq ft ✓

Eliminates dandelions and more than 50 other broadleaf weeds after they sprout and helps make your lawn its thickest, greenest ever

RIGHT GUSSET

(Scotts (R))	TURF BUILDER plus 2(R) BRAND FOR GRASS (W/S)	weed control plus lawn fertilizer	SCOTTS POLICY No-Quibble Guarantee SEE BACK FOR DETAILS	XXXXX
--------------	---	--	--	-------

Treats (and fertilizes) X,XXX sq ft ✓

Eliminates dandelions and more than 50 other broadleaf weeds after they sprout and helps make your lawn its thickest, greenest ever

GUSSETS:

OPTIONAL GUSSETS - Step 2

RIGHT GUSSET

(Scotts (R))
(Lawn Pro)
(R)

Annual
Program

step 2

SCOTTS POLICY ✓
No-Quibble
Guarantee
SEE BACK FOR DETAILS

LEFT GUSSET

(Scotts (R))
(Lawn Pro)
(R)

Annual
Program

step 2

SCOTTS POLICY
No-Quibble
Guarantee
SEE BACK FOR DETAILS

TB+2 - XXXXX
X.XM
PROOF
OF
PURCHASE
(Scotts)

(ILLUS.)

TREATS X,XXX SQ FT

Easy
Open PULL HERE

(Scotts (R)) TURF BUILDER

Plus 2 (R) for Grass
BRAND

weed control plus lawn fertilizer

Advantages of Turf Builder Plus 2(R) for Grass

LEFT COLUMN

SUPERIOR QUALITY

SMALL LIGHTWEIGHT GRANULES MEAN BETTER WEED CONTROL. Most lawn weed controls must be absorbed through the weed's leaves to be effective. Turf Builder Plus 2(R) for Grass granules are small and lightweight so they will stay on even the smallest weed leaves. And each Turf Builder Plus 2 for Grass granule contains weed control and America's favorite lawn fertilizer. ✓

SCOTTS TRIONIZED R II FORMULA PROVIDES A MORE EFFICIENT NITROGEN THAN EVER BEFORE to help promote quicker greening. ✓

THE NITROGEN IN TURF BUILDER PLUS 2(R) FOR GRASS IS TIME-RELEASED to provide a supply of this essential nutrient to help your lawn stay thick and green for up to 6 to 8 weeks. ✓

EACH TURF BUILDER PLUS 2 R FOR GRASS GRANULE CONTAINS NPK AND WEED CONTROL. We bond Scotts unique controlled-release nitrogen (N) with phosphorous (P) and potassium (K) and a weed control, so your lawn receives a safe even feeding, and effective weed control.

(ILLUS.)

Scotts
Turf Builder Plus 2(R) for Grass
EVERY GRANULE CONTAINS
NPK AND WEED CONTROL

Provides safe, even
greening with
uniform weed control

(ILLUS.)

Competitive Simple Mixture
EACH GRANULE IS A
SEPARATE CHEMICAL.

May cause uneven
greening and
spotty weed control

1021

RIGHT COLUMN

WEEDS CONTROLLED

aster	English daisy	pigweed
bindweed	eveningprimrose	plantain
bitter cress	filaree	prickly lettuce
black medic	fleabane	puncturevine
bristly oxtongue	ground ivy	purslane
buckhorn	healall	pusley, Florida
bull thistle	henbit	red sorrel
burclover	horseweed	ragweed
buttonweed	knotweed (seedling)	scarlet pimpernel
carpetweed	lambsquarter	shadflower
centella	lippia	shepherdspurse
chicory	mallow	smartweed
chickweed	moneywort	sow thistle
cinquefoil	morningglory	stitchwort
coast dandelion	mustard	three-seeded mercury
cudweed	pennywort	thyme-leaved sandwort
curly dock	pepperweed	vetch
dandelion		white clover
dichondra		wild carrot
dollarweed		yellow rocketlover

OTHER GREAT TURF BUILDER(R) PRODUCTS FOR YOUR LAWN

To prevent crabgrass, use Turf Builder Plus Halts(R). No one else has a tougher crabgrass preventer. This problem solver forms a protective barrier to stop ugly crabgrass before it starts.

If you don't have weed problems, use Turf Builder(R) America's favorite lawn fertilizer. Turf Builder(R) promotes quick, deep greening without the danger of burning.

These great Turf Builder(R) products are developed specially by Scotts for the unique needs of your lawn - your satisfaction is unconditionally Guaranteed.

(ILLUS.)

Turf Builder Plus Halts(R)
Fertilizer Plus Crabgrass Preventer

(ILLUS.)

Turf Builder(R)
Fertilizer

BEST AVAILABLE COPY

(Optional Back Panel Claims)

Eliminates dandelions and more than 50 other broadleaf weeds after they sprout and helps make your lawn its thickest, greenest ever.

What to expect: Dandelions and other weeds will be eliminated in 3 to 4 weeks and your lawn will be greener in 4 to 6 days.

Weed control in Turf Builder Plus 2 for Grass is absorbed by weed leaves killing the plant completely — root and all.

Super Turf Builder_g lawn fertilizer contains extra nitrogen, carefully blended with potassium and phosphorus, to make your lawn greener.

- o Your lawn will be greener in 4 to 6 days if weather conditions are good (warm soil, some moisture) and application instructions were followed.
- o The greening will reach its peak 8 to 10 days after application. The color difference will be more noticeable if your lawn is hungry to begin with.
- o Super Turf Builder works below the soil, too, helping to promote root and rhizome development; this strengthens the grass plants and enables them to produce more blades of grass, and it thickens the lawn with the addition of new grass plants.
- o Thin areas of turf will fill in over time (about 6 weeks), creating a more uniformly dense lawn.

(Optional Info on Lawn Sizing/Application Seasons)

Coverage Treats (and fertilizes) X,XXX sq ft

How much is enough?

To determine the square footage of your lawn, walk the length and width of your lawn; 1 one average pace equals about 3 feet. Multiply the length of the lawn by the width of the lawn. This equals the area of your lawn in square feet. NOTE: If your lawn has an irregular shape, measure square areas, then add the figures together to reach your total lawn size.

How and when to apply Apply in late spring, summer, or fall.
