

PM 21
538-161
pg 1 of 3

Mr. J. E. Snyder, Jr.
J. E. Scott & Sons Company
14111 Scottslawn Road
Marysville, Ohio 43041

351,753 / 500
1 / 18

Dear Mr. Snyder:

Subject. Amended Labeling
ProTuri Fungicide 7/Fungicide VII
EPA Registration No. 538-161
Your Submission Dated December 11, 1989

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Herbicide Act, as amended, is acceptable with the following comment:

- Under "Environmental Hazards", change the second sentence to read "Do not contaminate water when disposing of equipment washwaters".

A stamped copy of the approved label is enclosed for your records.

Sincerely yours,

Susan T. Lewis
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosure

H7505C:J.Fairfax:Af:1/23/90

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

pg 201

ACCEPTED
with COMMENTS
in EPA Letter Patent

JAN 24 1990

Under the Federal Insecticide, Fungicide, and Rodenticide Act, amended, for the purpose of registration



Fungicide VII

Fungicide VII

- systemic fungicide that prevents and controls dollar spot (including benzimidazole tolerant strains), brown patch, anthracnose and rust



Fungicide VII

Net Weight 29³/₁₆ lbs (13.24 kg)

KEEP OUT OF THE REACH OF CHILDREN
CAUTION
PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION. Causes eye irritation. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling. If in eyes, flush with plenty of water. Get medical attention if irritation persists. May be harmful if swallowed. Avoid inhalation. Do not contaminate feed or feedstuffs. Do not graze treated area. Do not feed crops to livestock. Keep children and pets off treated area until material has been washed off the foliage and the area is completely dry.

Environmental Hazards: Do not apply directly to water. Do not contaminate water by cleaning of equipment or

disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on the label.

ACTIVE INGREDIENT
(1-(4-Chlorophenyl)-3,3-dimethyl-1H-1,2,4-triazol-5-yl)-2,4-dimethyl-1H-1,2,4-triazole 58%
INERT INGREDIENTS 42%
Total 100.00%

EPA Reg No 538-181 EPA Est 538-CH-1
Product of USA

ProTurf Division, The O M Scott & Sons Company
Marysville, Ohio 43041
©1989 The O M Scott & Sons Company

8645

8645

Recommended For Use By Professional Turfgrass Managers

8645

Fungicide VII

BEST AVAILABLE COPY

Fungicide VII 8645



Fungicide VII

Directions for use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For use on turfgrass areas consisting of Kentucky bluegrass, annual bluegrass, bentgrass, perennial ryegrass, fine fescue, bermudagrass or mixtures where these grasses predominate.

TO PREVENT DOLLAR SPOT, ANTHRACNOSE AND RUST apply to moist or dry foliage at the **RECOMMENDED RATE** when environmental conditions favor disease activity. Repeat the application at 2 week intervals throughout the expected disease period.

TO CONTROL ACTIVE DOLLAR SPOT, ANTHRACNOSE AND RUST apply to moist or dry foliage at two week intervals. Use the **DOUBLE RATE** for control of active disease infestations and the **HEAVY RATE** for severe disease infestations. When the disease activity is under control, apply at the **RECOMMENDED RATE** at two week intervals.

TO PREVENT DOLLAR SPOT apply to moist or dry foliage at the **DOUBLE RATE** when environmental conditions favor disease activity. Repeat the application at 2 week intervals throughout the expected disease period.

TO CONTROL ACTIVE DOLLAR SPOT apply to moist or dry foliage at the **DOUBLE RATE** every two weeks. Use the **HEAVY RATE** when the disease activity is under control. Apply at the **DOUBLE RATE** at two week intervals.

To avoid product pick-up lightly engage treated areas soon after application.

Storage and disposal

STORAGE: Store in a clean, dry place. Repeat opening bag by folding down top and securing.

Protect from water and extreme heat.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of an empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT NOTICE:

DISCLAIMER AND LIMITATION OF LIABILITY

This product has been researched to provide necessary data to support its uses stated on the label. The user should always follow the label directions and exercise his judgment and caution when using the product under his growing conditions. NO WARRANTY OR REPRESENTATION IS MADE, EITHER WRITTEN OR IMPLIED, CONCERNING THE RESULTS TO BE OBTAINED FROM THE USE OF THIS PRODUCT. THE USER MUST USE IN ACCORDANCE WITH DIRECTIONS OR ESTABLISHED SAFE PRACTICE. The exclusive remedy of the user or buyer and the limit of liability of The O. M. Scott & Sons Company or any other dealer, for any and all causes, claims or damages resulting from the use of this product shall be the purchase price paid by the user or buyer for the quantity of the product involved. The buyer and users have deemed to have accepted the terms of this W. Label, which may be varied only by agreement in writing, signed by a duly authorized representative of The O. M. Scott & Sons Company.

ProTurf Division
The O. M. Scott & Sons Company
Marysville, Ohio 43041

Suggested Spreader Settings

To provide proper distribution calibrate spreader before application.

25% a.i. treats 22,000 ft² (1/2 acre) at the **RECOMMENDED RATE**

25% a.i. treats 11,000 ft² (1/4 acre) at the **DOUBLE RATE**

25% a.i. treats 5,500 ft² (1/8 acre) at the **HEAVY RATE**

SPREADER	GROUND SPEED	WIDTH OF COVERAGE	SPREADER SETTINGS		
			RECOMMENDED	DOUBLE	HEAVY
Scott's Prod	3 mph	overlap wheels	4%	5%	7%
Scott's Rogness	3 mph	9 ft	D	G	M
4.7, 5.7Z	3 mph	9 ft	J	L	O
4.1 (zone 4)	3 mph	9 ft			
or 4.1 (zone 5)	4.5 mph	18 ft	3% W	4% W	5% W

For example: 10% a.i. treats 11,000 ft² at 25% a.i. rate.

For example: 10% a.i. treats 5,500 ft² at 50% a.i. rate.

BEST AVAILABLE COPY