

Scotts
ProTurf

538-14

Goosegrass/
Crabgrass
Control for
Bermudagrass

8470

Scotts
ProTurf

Goosegrass/
Crabgrass
Control for
Bermudagrass

Scotts
ProTurf
Goosegrass/
Crabgrass
Control for
Bermudagrass

Goosegrass/ Crabgrass Control for Bermudagrass

Goosegrass/
Crabgrass
Control for
Bermudagrass
Scotts
ProTurf

- prevents goosegrass and crabgrass in bermudagrass

Net Weight 28½ lbs. (1310 kg)

8470

8470

For Professional Use Only

8470

Goosegrass/
Crabgrass
Control for
Bermudagrass

Directions for use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Controls these grassy weeds as they sprout.

crabgrass goosegrass

For use on common or hybrid bermudagrass only.

Apply to dry foliage only at the RECOMMENDED RATE in the early spring (February-mid April) prior to goosegrass and crabgrass germination. If the turf is starting to green-up, water immediately after application to remove the granules from the foliage.

Complete any raking or aerifying of the turf before treatment so that the protective chemical barrier is not destroyed.

Precautions

Not for use on turfgrasses other than bermudagrass.

Do not use on newly seeded bermudagrass until after the second mowing. On newly sprigged bermudagrass wait until the grass has filled in and the stolons have rooted down before application.

Not for use at this time on putting greens or tees.

Germination of overseeded grasses may be reduced by as much as 50%, if planted within 6 months of a spring application.

Where large areas of bermudagrass have been severely thinned (25% or more) withhold application until desired fill in and rooting of the stolons is achieved.

Storage and disposal

Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited. Pesticides that cannot be used should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

Do not reuse empty container. Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place. Consult Federal, State or local disposal authorities for approved alternative procedures such as limited open burning.

ProTurf Division
The O M Scott & Sons Company
Marysville, Ohio 43041

Suggested Spreader Settings			
To ensure proper distribution on turf, use spreader before application.			
SPREADER	SPREADER	SPREADER	RECOMMENDED RATE
Model	Setting	Setting	lb./1000 sq. ft.
Scotts Drop	3 mph	average spread	6.0
Scotts Rotary	3 mph	average spread	6.0
Scotts Rotary	4.5 mph	average spread	6.0
Scotts Rotary	4.5 mph	average spread	6.0
Scotts Rotary	4.5 mph	average spread	6.0