

AUG 6 1990

Mr. Vincent Snyder, Jr.
 The O.M. Scott & Sons Company
 14111 Scottslawn Road
 Marysville, Ohio 43041

Dear Mr. Snyder:

Subject: Amendment - Label changes required by Reg Stds
 for Peroxy Active Ingredients
 Super Plus 2 Weed Control Plus Lawn Fertilizer
 EPA Reg No 538-167
 Your Submission Dated May 15, 1990

The labeling amendment referred to above submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that the following changes are made:

- Page 1: Change "Feeds" to "Treats" 5,000 sq ft ...
- Page 2: Under ACTIVE INGREDIENTS, delete "2,4-D", "CPP" and "DICAMBA".
- Page 5: Insert a space between "a" and "Scotts drop ..."

Please submit five (5) copies of your final printed labeling incorporating the amendment before you release the product for shipment. A stamped copy of your draft label is enclosed for your records.

BEST AVAILABLE COPY

Sincerely yours,

Joanne I. Miller

Joanne I. Miller
 Acting Product Manager (23)
 Fungicide-Herbicide Branch
 Registration Division (H7505C)

CONCURRENCES

| | | | | | | | |
|---------|--------------|--|--|--|--|--|--|
| SYMBOL | H1535C | | | | | | |
| SURNAME | no signature | | | | | | |
| DATE | 8-6-90 | | | | | | |

FRONT:

PACKAGE COPY FOR #2398
SUPER PLUS 2 (WC + LAWN FERT)

237

08/01/83 ER
09/21/83
10/12/89 VS
04/03/90 VS/CR

(Scotts) Super Plus 2 TM (Scotts)
BRAND (Lawn Pro)
(R)
Weed Control Plus Lawn Fertilizer

(NOTE: The description above will be inverted.)

2398

Feeds 5,000 sq ft (465 m²)

Now
more convenient!
Dry foliage application
controls most
weeds
(see back)

(Scotts (R))

Super Plus 2 TM
BRAND

Weed Control Plus Lawn Fertilizer

(PHOTO ILLUS.)

ACCEPTED
with COMMENTS
in EPA Letter Dated

AUG 6 1990

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

538-162

TREATED

UNTREATED

Scotts Best Weed Control: Effective control of most weeds when
applied to dry foliage. Superior control when applied to moist
foliage. (see back)

Gives your lawn a full feeding of Scotts Super Turf Builder.

A SCOTTS(R) LAWN PRO(R) PRODUCT

Available only at authorized Lawn Pro(R) stores

NET WEIGHT 16 1/8 LBS (7.31 kg) 31-4-4

LEFT COLUMN

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION. Causes eye injury. Avoid
contact with eyes, skin or clothing. In case of contact immediately flush
eyes or skin with plenty of water. Get medical attention if irritation
persists. May be harmful if swallowed. Avoid inhalation. Do not contaminate
feed or foodstuffs. Wear long pants, long-sleeved shirt and shoes when
applying this product.

Do not reenter or permit others to reenter treated areas until dusts have
settled.

BEST AVAILABLE COPY

RIGHT CONTAINER.

Environmental Hazards: Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Drift or runoff may adversely affect non-target plants. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Do not contaminate water when disposing of equipment washwaters.

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Securely wrap original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

ACTIVE INGREDIENTS:

| | | |
|--------------------|--|---------|
| 2,4-D: | 2,4-Dichlorophenoxyacetic acid | 1.42% |
| MCPP: | 2-(2-Methyl-4-chlorophenoxy) propionic acid. | 0.71% |
| DICAMBA: | 3,6-Dichloro-o-anisic acid | 0.04% |
| INERT INGREDIENTS: | | 97.83% |
| | Total | 100.00% |

RIGHT COLUMN

| | | |
|--|-------------------|--------|
| EPA Reg No 538-167 | EPA Est. 538-OH-1 | |
| Super Plus 2 Weed Control Plus Lawn Fertilizer | | 31-4-4 |

Guaranteed Analysis

| | |
|---|-----|
| Total nitrogen (N) | 31% |
| 0.9% ammoniacal nitrogen | |
| 20.1% urea, methylene ureas nitrogen | |
| 10.0% water insoluble nitrogen | |
| Available phosphoric acid (P ₂ O ₅) | 4% |
| Soluble potash (K ₂ O) | 4% |
| Derived from: monoammonium phosphate, urea, methylene ureas, potassium sulfate. | |
| US Pat Nos 3,705,794; 3,989,470 | |
| Product of USA | |

The O M Scott & Sons Company
Marysville, Ohio 43041

| | | | |
|------|----------|-----------------------------------|------------|
| 2392 | (Scotts) | SUPER PLUS 2 TM | (Scotts) |
| | | BRAND | (Lawn Pro) |
| | | Weed Control Plus Lawn Fertilizer | (R) |

BEST AVAILABLE COPY

SCOTT'S
RIGHT GUSSET

2398

A SCOTT'S
LAWN
PRO
PRODUCT

(Scotts (R))

Super Plus 2 TM
BRAND
Weed Control Plus Lawn Fertilizer

LEFT GUSSET:

(Scotts (R))

Super Plus 2 TM
BRAND
Weed Control Plus Lawn Fertilizer

A SCOTT'S
LAWN
PRO
PRODUCT

2398

BEST AVAILABLE COPY

BACK:

(Scotts) Super Plus 2 TM
BRAND
Weed Control Plus Lawn Fertilizer

2398 Super P2 5M
EASY
OPEN BAG
PULL
WHITE
TAPE

(NOTE: The description above will be inverted.)

Treats 5,000 sq ft (465 m²)

(Scotts(R)) Super Plus 2 TM
BRAND
Weed Control Plus Lawn Fertilizer

Now! More Convenience: Effectively controls dandelions, white clover, plantain and many others, when applied to dry foliage. Application to moist foliage provides superior control for all weeds listed.

Weeds Controlled

| | | | |
|-------------------|----------------|-----------------|---------------------|
| bindweed* | clover (white) | lespedeza | red sorrel |
| bittercress* | curly dock | (seedling)* | (sheep sorrel) |
| black medic | dandelion | mallow* | scarlet pimpernel* |
| buckhorn | English daisy | moneywort | shepherdspurse |
| bull thistle* | fleabane | mustard | smartweed |
| buttercup | ground ivy | pepperweed | (seedling)* |
| catsear | hawkweed | pigweed | sowthistle |
| (coast dandelion) | healall | plantain | stitchwort |
| chickweed | henbit | prickly lettuce | threeseeded mercury |
| chicory | horseweed | purslane | wild carrot |
| cinquefoil | knotweed | pussytoes | yarrow |
| clover (hop) | (seedling)* | ragweed | yellow rocket |
| clover (red) | lambsquarters | | |

*If these weeds are in your lawn, then application to moist foliage is necessary for effective control.

Directions for use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

LEFT COLUMN

DO use when weeds are actively growing but not before dandelions develop yellow blossoms. Mow first if grass is tall enough to touch the bottom of the spreader.

WHY weeds must be in a growth cycle to absorb the ingredients for effective control. This product will not control dormant weeds or prevent weed seeds from growing.

BEST AVAILABLE COPY

BACK CONTINUED:

- DO apply when grass is dry, before noon or in the evening. Or for additional control (see list), apply when the grass is still wet from dew, rain or thorough watering. Withhold water for 24 hours after application and don't apply if rain is expected within 24 hours.
- WHY product particles must be in contact with weed leaves (about 24 hours) so control ingredients can be absorbed. Adequate contact occurs on a dry lawn for control of most weeds (see list), but particles stick even better to wet leaves for more absorption and better control.
- DO apply only at Scotts Spreader (Standard, Automatic or Precision Flow Control Model) setting 4 1/2
Follow straight lines and overlap wheel tracks slightly to avoid stripes of untreated lawn. Do not use a rotary (broadcast) spreader.
- WHY aScotts drop type spreader provides precise distribution over the lawn and weeds. Rotary spreaders may throw particles onto leaves of flowers, shrubs and other desirable plants and should not be used.

} RIGHT COLUMN

- DON'T use as a fertilizer for vegetables, flowers, shrubs, trees, ground covers or on lawns of creeping bentgrass, clover, dichondra, St. Augustine or carpetgrass. Don't apply on windy days to avoid drift onto desirable plants.
- WHY this product is a weed control as well as a fertilizer and will affect many non-grass plants.
- DON'T over apply, especially under the drip zone of desirable shrubs and trees. Don't use double rate or apply in circles under trees. Close spreader when turning and stopping.
- WHY some of the control ingredients are root absorbed. This product is safe when used as directed but over-application is to be avoided.
- } DON'T use on newly seeded or sodded lawns until after the fourth mowing, don't plant grass seed for one month after using this product and don't apply when daytime temperatures are consistently 90 degrees or above.
- WHY young grass needs a brief period to outgrow any initial sensitivity. Established grass is not affected by the weed controls in this product, except during periods of high heat and humidity.
- DON'T expect this product to work overnight. Weed stems and leaves may begin to twist and curl in a few days, but a month or more may be required for complete control. A few weeds may be resistant to control. If this happens, please forward specimens so we can identify them and advise you further.
- WHY this product is designed to provide steady controlled action so that all the weeds including the roots are eliminated while it feeds nearby grass plants to thicken and fill in as the weed disintegrates.

A SCOTTS(R) LAWN PRO(R) PRODUCT
Available only at authorized Lawn Pro stores

BACK CONTINUED:

2398

Scotts Policy
No-Quibble Guarantee

If for any reason you are not satisfied with results after using this product, you are entitled to get your money back. Simply send us evidence of purchase and we will mail you a refund check promptly.
SCOTTS...the lawn people . Marysville, Ohio 43041

0 (UPC)

32247 02398

(c) 1984, THE O M SCOTT & SONS COMPANY. ALL RIGHTS RESERVED.

2398

(Scotts) Super Plus 2 TM
Weed Control Plus Lawn Fertilizer

}

}

1309R/7-12