

#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

MAR 2 1 2008

Ms. Denna Newell Registration Specialist The Scotts Company 14111 Scottslawn Road Marysville, OH 43041

RE: Notification of Final Printed Label per Agency letter dated September 10, 2006

EPA Reg. No.: 538-172

Date of Submission: February 7, 2008

Dear Ms. Newell:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated February 7, 2008, for the product, Ornamental Herbicide II (OH2). The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.


Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

Please read instructions on reverse before completing form. Form Approved. OMB No. 2070-0060. Approval expires 05-31-98 OPP Identifier Number Registration **United States Environmental Protection Agency Amendment** Washington, DC 20460 Other **Application for Pesticide - Section I** 1. Company/Product Number 2. EPA Product Manager 3. Proposed Classification 538-172 Joanne Miller Company/Product (Name) None ORNAMENTAL HERBICIDE II (OH2) PM-23 Restricted 6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(l), my 5. Name and Address of Applicant (Include ZIP Code) product is similar or identical in composition and labeling to: The Scotts Company 14111 Scottslawn Road Marysville, OH 43041 EPA Reg. No. Product Name Check if this is a new address Section II Final printed labels in response to Agency letter dated 10-06-06 Amendment - Explain below. Resubmission in response to Agency letters dated "Me Too" Application Notification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) Notification and submission of final printed label - see attached letter. Section III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Water Soluble Packaging 2. Type of Container Yes\* Yes Yes Metal Plastic No No No If "Yes" No. per If "Yes' No. per Glass Unit Packaging wgt. Container Package wgt. Container \*Certification must Paper be submitted Other (Specify) Plastic Bag 3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions On Bag Label Container On Labeling accompanying product 6. Manner in Which Label is Affixed to Product Lithograph Other Paper glued Stenciled Section IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Telephone No. (Include Area Code) Name (937) 644-7314 Deena Newell Registration Specialist 6. Date Application Certification Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both (Stamped) under applicable law. 2. Signature The Scotts Company 3. Title Registration Specialist 5. Date: February 7, 2008 Deena Newell 4. Typed Name:



#### Ornamental Herbicide

For preemergence control of weeds in container and field grown ornamentals.

#### **ACTIVE INGREDIENTS:**

 Oxyfluorfen†
 2.60%

 Pendimethalin†
 1.00%

 OTHER INGREDIENTS:
 97.00%

 TOTAL
 100.00%

†CAS # 42874-03-3 †CAS # 40487-42-1

EPA Reg. No. 538-172

EPA Est. No. 8378-IN-1

Product of U.S.A.

Precautionary Statements

Mazards to Humans and Domestic Animals: CAUTION. Causes eye injury. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid inhalation.

#### Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to this product are made of any waterproof material. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart.

Mixers, loaders, applicators and other handlers must wear:

- coveralls over long-sleeved shirt and long pants
- · chemical-resistant footwear plus socks
- chemical-resistant gloves
- · chemical-resistant apron for mixers and loaders

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

### KEEP OUT OF REACH OF CHILDREN CAUTION


#### User Safety Recommendations:

User should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the <u>outside of gloves before removing</u>. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Mazards: This pesticide is toxic to wildlife and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Use with care when applying in areas adjacent to any body of water. Runoff from treated areas may be hazardous to organisms in neighboring areas. See Directions for Use for additional restrictions. Apply this product only as specified on the label. Do not contaminate water when disposing of wash water. In case of spills, either collect for use or dispose of property.

#### see attached labeling for directions for use and additional precautionary statements




The Scotts Company 14101 Scotts evin Rd. Manysydler OH 43040

Net Weight 50 15 (22.68 kg)

00000 00000 00000 00000


00000 00000

်ဝ၀ ဝ ဝဝ ဝ





#### GROUP 3 14 HERBICIDES



#### Ornamental Herbicide

Provides preemergence control of weeds in container and field grown ornamentals

#### **ACTIVE INGREDIENTS:**

Oxyfluorfen†	2.00%
Pendimethalin <sup>††</sup>	1.00%
OTHER INGREDIENTS	97.00%
TOTAL	00.00%

†CAS # 42874-03-3

<sup>++</sup> CAS # 40487-42-1

If you have questions regarding the use of this product call TOLL FREE 1-800-492-8255


© 2007 Scotts-Sierra Crop Protection Company, World rights reserved.

OH2® is a registered trademark of OMS Investments, Inc. for its brand of Herbicide products.

#### Product of U.S.A.

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

KEEP OUT OF REACH OF CHILDREN
CAUTION



The Scotts Company 144/11 Scottslawn Rd. • Manysylle, OH 43041 Stock#



#### **FIRST AID**

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling poison control center or doctor, or going for treatment.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION.** Causes eye injury. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid inhalation.

#### **PERSONAL PROTECTIVE EQUIPMENT (PPE)**

Some materials that are chemical-resistant to this product are made of any waterproof material. If you want more options, follow the instructions for category A on an EPA chemicalresistance category selection chart.

Mixers, loaders, applicators and other handlers must wear:

- coveralls over long-sleeved shirt and long pants
- chemical-resistant footwear plus socks
- chemical-resistant gloves
- chemical-resistant apron for mixers and loaders

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### **ENGINEERING CONTROLS**

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240)(d)(4-6), the handler PPE requirements may be reduced or modified as specified in the WPS.

#### **USER SAFETY RECOMMENDATIONS**

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to wildlife and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Use with care when applying in areas adjacent to any body of water. Runoff from treated areas may be hazardous to organisms in neighboring areas. See Directions for Use for additional restrictions. Apply this product only as specified on the label. Do not contaminate water when disposing of wash water. In case of spills, either collect for use or dispose of properly.

#### **General Information**

OH2® Ornamental Herbicide is a pre-emergent herbicide for container and field grown ornamentals in Nurseries and does not control established weeds. OH2 Ornamental Herbicide combines two selective herbicides on one granule, giving the user a broad spectrum of weed control and ornamental plant tolerance. OH2 Ornamental Herbicide is not registered for use on vegetable or edible fruit crops, turf, bedding plants or flowering crops except as described in the plant tolerance list. For season-long weed control, repeat herbicide applications are required at approximately 3-month intervals during the growing season.

#### **DIRECTIONS FOR USE**

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

#### **AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural worker on farms, forests, nurseries, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Chemical-resistant gloves made of any waterproof material
- Shoes plus socks

#### **NON-AGRICULTURAL USE REQUIREMENTS**

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries or greenhouses. Keep all persons, children and pets out of the treated areas until dusts have settled.

For use only on container, field grown ornamentals and landscape ornamentals. This herbicide product has been extensively researched; however, testing has not been conducted on all species or cultivars, or under all growing conditions. In some instances performance characteristics may vary.

#### **RESISTANCE MANAGEMENT**

OH2® Ornamental Herbicide is both a Group 3 and a Group 14 herbicide. Any weed population may contain or develop plants naturally resistant to Group 3 and/or Group 14 herbicides. Weed species with acquired resistance to Group 3 and/or Group 14 herbicides may eventually dominate the weed population if Group 3 and/or Group 14 herbicides are used repeatedly in the same field or in successive years as the primary method of control for targeted species. This may result in partial or total loss of control of those species by OH2 Ornamental Herbicide or other Group 3 and/or Group 14 herbicides..

To delay herbicide resistance consider:

- Avoiding the consecutive use of OH2
   Ornamental Herbicide or other target site of action Group 3 or Group 14 herbicides that have a similar target site of action, on the same weed species.
- Using tank-mixtures or premixes with herbicides from different target site of action groups as long as the involved products are all registered for the same use, have different sites of action, and are both effective at the tank mix or prepack rate on the weed(s) of concern.
- Basing herbicide use on a comprehensive IPM program.
- Monitoring treated weed populations for loss of field efficacy.

- Contacting your local extension specialist, certified crop advisors, and/or manufacturer for herbicide resistance management and/or integrated weed management recommendations for specific crops and resistant weed biotypes.
- Contacting The Scotts Company at 800-492-8255 or www.scottsprohort.com for further information or to report suspected resistance.

# THE SPECIES LISTED BELOW HAVE BEEN TESTED UNDER ACTUAL GROWING CONDITIONS AND FOUND TOLERANT AT THE RECOMMENDED APPLICATION RATE.

#### Abilea

x grandiflora (Glossy Abelia)

#### Acacia

latifolia longifolia (Bush Acacia)

#### Acer

palmatum 'Atropurpureum' (Red Cutleaf Japanese Maple)

#### Achillea

millefolium 'Cerise Queen' (Yarrow)

#### Araucaria

heterophylla (Norfolk Island Pine, Star Pine)

#### Azalea Kurume, Glen Dale hybrid, et al.

'Coral Bells', 'Fashion', 'Hardigzer Beauty', 'Hershey's Red', 'Mother's Day', 'Mrs. G.G. Gerbing', 'Twenty Grand' (Azalea)

#### Berberis

spp. 'Crimson Pygmy' (Barberry) thunbergii 'Atropurpurea' (Red-Leaf Japanese Barberry)

#### Betula

papyrifera (Paper Birch, Canoe Birch)

#### Brassaia (see Schefflera)\*

#### Buxus

microphylla 'Green Velvet' microphylla japonica (Japanese Boxwood) microphylla koreana (New Large Leaf Asiatic

Boxwood) Dianthus sempervirens 'Suffruiticosa' (True Dwarf spp. 'Baths Pink'. Boxwood) deltoides 'Arctic Fire' **Callistemon** Escallonia citrinus (C. lanceolatus) (Lemon Bottlebrush) spp. 'Fradesii' Camellia langleyensis 'Apple Blossom' japonica 'Lady Laura' **Euonymus** sasangua (Sasangua Camellia) fortunei 'Emerald 'N Gold' Campanula fortunei 'Gracilis' persicifolia 'Blue' fortunei 'Sarcoxie' Catharanthus japonica 'Aureo-variegata' (Gold Spot roseus 'Vinca Blue Pearl' **Euonymus**) Ceanothus\* japonica 'Grandifolia' (Big Leaf Euonymus) (Lilac) x kiautschovicus 'Manhattan' Cercis Forsythia canadensis (Eastern Redbud) x intermedia 'Lynwood Gold' Chamaecyparis Fothergillia lawsoniana 'Ellwoodii' (Ellwood Cypress) gardenii 'Mt Airy' obtusa (Hinoki False Cypress) Fragaria pisifera 'Filifera Aurea' (Cypress) x 'Pink Panda' (Sand Strawberry) Chamaedorea Gardenia elegans (Chamaedorea, Parlor Palm) jasminoides 'August Beauty' (Cape-jasmine) **Coreopsis** 'Radicans' verticillata 'Moonbeam' Hemerocallis Cornus spp. 'Happy Returns' (Daylily) florida (White Flowering Dogwood) Hydrangea Cortaderia macrophylla 'Nikko Blue' (Bigleaf selloana (Pampas Grass) Hydrangea) Cotoneaster Hypericum apiculatus (Cranberry Cotoneaster) patulum 'Hidcote' (St. Johnswort) dammeri 'Coral Beauty' (Bearberry llex Cotoneaster) 'Blue Girl' (Dwarf Holly) Crataegus\* opaca (American Holly) (Hawthorn) cornuta 'Burfordii' (Burford Holly) **Cupressus** cornuta 'Burfordii Nana' (Dwarf Burford sempervirens (Italian Cypress) Holly) Cvtisus crenata 'Convexa' (Japanese Holly) scoparius 'Burkwoodii' (Scotch Broom) crenata 'Helleri' (Heller's Japanese Holly) Deutzia hybrid 'Nellie R. Stevens'

vomitoria 'Nana' (Dwarf Yaupon Holly)

x 'Magician'

#### **Juniperus**

chinesnsis 'San Jose' (San Jose Juniper) chinesnsis 'Sea Green' (Sea Green Juniper) conferta (Shore Juniper) horizontalis 'Plumosa' (Andorra Juniper) horizontalis 'Wiltonii' (Blue Rug Juniper) sabina 'Tamariscifolia' (Tam Juniper)

#### Ligustrum

ibolium 'Variegatum' (Ibolium Privet)
japonicum (Japanese Privet)
japonicum 'Rotundifolium' (Japanese Privet)
japonicum 'Texanum' (Wax Leaf Privet,
Texas Privet)
senensis (Chinese Silver Privet)
vicaryi (Vicary Golden Privet)

#### Lonicera

fragrantissima (Winter Honeysuckle)

#### Loropetalum

chinensis 'Burgundy'

#### Lupinus

spp. 'RH My Castle' (Lupine)

#### Magnolia

soulangiana (Saucer Mahonia)

#### Mahonia

bealei (Leatherleaf Mahonia) repens (Creeping Mahonia)

#### Monarda

didyma 'Claire Grace'

#### Nandina

spp. 'Compacta'

#### Nerium

oleander (Oleander)

#### **Pachysandra**

terminalis (Japanese Spurge)

#### Philodendron

selloum (Split Leaf Philodendron)

#### **Photinia**

fraseri (Fraser's Photinia)

#### Picea

glauca 'Conica' (Dwarf Alberta Spruce)

#### Pieris

japonica (Lily-of-the-Valley Shrub)

#### **Pinus**

halepensis (Aleppo Pine) thunbergiana (Japanese Black Pine)

#### **Pittosporum**

tobira 'Wheeler's Dwarf' (Tobira, Mock Orange)

Podocarpus spp.

#### Potentilla

fruticosa 'Katherine Dykes' (Bush Cinquefoil)

#### **Prunus**

cistena 'Dwarf Red-Leaf' (Dwarf Red-Leaf Plum)

#### **Pyracantha**

spp. 'Mohave' coccinea 'Lalandei Monrovia' (Scarlet Firethorn)

#### Quercus

acutissima (Sawtooth Oak) shumardii (Shumard Red Oak)

#### Raphiolepis

indica 'Pink Lady' (India Hawthorn)

#### Rhododendron

'Nova Zembla'

#### Salvia

spp. splendens 'Lavender Vista' 'May Knight'

#### Santolina

virens (Green Lavender Cotton)

#### Scabiosa

columbaria 'Butterfly Blue' columbaria 'Pink Mist'

#### Schefflera\*

actinophylla (Schefflera, Queensland Umbrella Tree) arboricola (Arboricola, Dwarf Schefflera)

#### Spiraea

bumalda 'Goldflame'

**Syringa** spp. 'Legends' meyeri 'Pallbin' (Lilac) **Clematis** x 'Duchess of Edinburgh' vulgaris (Common Lilac) **Dianthus Taxus** cuspidata 'Intermedia' (Taxus, Yew) caryophyllus **Digitalis** Thuja occidentalis 'Pyramidalis' (American spp. 'Excelsior' Arborvitae) **Echinacea** occidentalis 'Globosa' (Globe Arborvitae) spp. 'Magnus' Trachelospermum\* pallida purpurea 'Leuchstern' jasminoides (Star Jasmine) Tsuga **Erica** canadensis (Canada Hemlock) mediterranea Viburnum **Euonymus** davidii (David Viburnum) alata compacta Vinca Geranium spp. 'Bowles Variety' (Periwinkle) spp. 'Pinto Red' Weigela Hydrangea florida 'Pink Princess' arborescens 'Annabelle' Xylosma Lantana congestum (spp. senticosum) (Shiny spp. 'Patriot Desert Sunset' Xvlosma) Leucanthemum \*Species not yet approved by the state of maximum 'White Knight' (Shasta Daisy) California. Lilium orientalis 'Mr. Ruud' THE SPECIES LISTED BELOW HAVE BEEN Magnolia TESTED AND RESULTS DO NOT WARRANT stellata 'Pinkie' **USE AT THIS TIME:** Papaver Achillea orientale 'Pizzicato Mix' (Poppy) spp. 'Coronation Gold' (Yarrow) Penstemon Ageratum spp. 'Thorn' spp. 'Hawaii Blue' Petunia spp. Azalea Potentilla 'Hino-crimson' fruticosa 'Goldfinger' 'Snow' Prunus Calluna glandulosa (Dwarf Flowering Almond) spp. 'Forsey' (Heather) Rhododendron Celosia spp. 'English Roseum' spp. 'Castle Yellow' 'Hino-Crimson' Chrysanthemum

'Snow'

Rudbeckia

spp. (Coneflower)

'Goldstrum'

Sarcococca

hookeriana humilis

Scabiosa

spp. 'Pink Carnival'

Sedum

spectabile 'Autumn Joy' brevifolium (Stonecrop)

**Tagetes** 

erecta (Marigold)

Vinca

minor (Dwarf Periwinkle)

Zinnia spp.

**GIVES PREEMERGENCE CONTROL OF** THE FOLLOWING WEEDS:

**GRASSY WEEDS** 

Annual bluegrass

(Poa annua)

Barnyardgrass

(Echinochloa crusqalli) (Digitaria sanguinalis)

Crabgrass

Sprangletop

(Leptochloa uninervia)

**BROADLEAVED WEEDS** 

**Bittercress** 

(Cardamine pensylvanica)

Common Chickweed (Stellaria media)

Cudweed

(Gnaphalium obtusifolium)

Dandelion

(Taraxacum officinale)

**Eclipta** 

(Eclipta prostrata)

**Fireweed** 

(Epilobium angustifolium)

Fleabane

(Erigeron strigosus)

Groundsel

(Senecio vulgaris)

Marestail

(Gonyza canadensis)

**Oxalis** 

(Oxalis stricta)

**Pearlwort** 

(Sagina procumbens)

Pepperweed **Pigweed** 

(Lepidium virginicum) (Amaranthus retroflexus)

Shepherdspurse

(Capsella bursa-pastoris)

Sowthistle

(Sonchus arvensis)

Spurge, Garden Spurge, Prostrate Spurge, Spotted

(Euphorbia hirta) (Euphorbia supina) (Euphorbia maculata)

#### **APPLICATION RECOMMENDATIONS**

Apply to dry foliage only

• Water in immediately to wash the particles off the plant foliage

• Apply 2.3 lbs. product per 1,000 sq. ft.

Repeat application at 3-month intervals

Before each application, remove any existing weeds. Apply product with a properly calibrated rotary spreader that will assure accurate, even particle distribution. Product can also be applied by aerial equipment.

Apply to **dry foliage** only. To test for moisture, rub hands over plant foliage. Water in with 1/2-1 inch immediately after application to wash the particles off the plant foliage and to activate the herbicide.

For season-long weed control, repeat applications are required at approximately 3-month intervals during the growing season.

The maximum application is 6 lbs/season at 2 lbs ai/acre/application.

#### **CONTAINER GROWN ORNAMENTALS**

POTTED LINERS: Remove established weeds from liners prior to transplanting into containers. Following planting and prior to chemical application, irrigate with approximately 1/2 inch of water to firm potting media around root systems. After two regular waterings and foliage has dried, broadcast product evenly over the container growing area. Water in with 1/2 to 1 inch immediately after application.

**BARE-ROOT LINERS:** Remove established weeds before herbicide application. Broadcast product evenly over the container growing area 3-4 weeks after potting. Water in with 1/2 to 1 inch

13/16

immediately after application.

#### **INDIVIDUAL CONTAINER APPLICATIONS**

For situations where broadcast application of the product is not appropriate, apply the product uniformly over the entire container surface at the rates on the following table (1 gm product/sq. ft):

Container Size	Surface Area (Sq. Ft.)	Product/	Volume of Product/ Container
1 gal. (6" diam.)	0.20	0.20	1/8 tsp.
2 gal. (9" diam.)	0.44	0.44	1/4 tsp.
3 gal. (10" diam.)	0.55	0.55	1/4 tsp.*
5 gal. (12" diam.)	0.79	0.79	1/4 tsp.**
15 gal. (17" diam	.) 1.60	1.60	1/2 tsp.

<sup>\*</sup>rounded

#### **FIELD GROWN ORNAMENTALS**

Apply immediately after planting or prior to weed seed germination following complete weed removal. Before application the soil should be loosened by light cultivation.

Water the product in with 1/2 to 1 inch immediately after application.

#### **PRECAUTIONS/LIMITATIONS**

- Do not apply to moist foliage.
- Do not apply while plants are producing a new flush of spring growth. Tender, newly forming leaves are especially sensitive and may be injured by the herbicide.
- Do not apply when extreme cold stress (35°F or lower) is expected.
- Do not apply product in enclosed greenhouse or polyhouse structures as ornamental injury may result. Product should not be applied within two (2) weeks prior to enclosure in greenhouse type structure or within two (2) weeks prior to shipping.

- Do *not* apply to plant types whose leaves channel the herbicide granules to the leaf base (such as *Yucca spp.* and *Dracaena spp.*).
- Do not apply in wind conditions that affect distribution of the product.
- If metallic surfaces (nursery equipment, automobiles, etc.) are present at the application site, do not use this product under windy conditions (5-10 mph) due to its staining potential.
- Not for use on vegetables. Do not use on fruit trees that will bear fruit within one year of application.
- Users who wish to use OH2® Ornamental Herbicide on ornamental species or non-bearing fruit trees not listed on this label may determine suitability for such uses by making trial application of this product at a recommended rate to a small number of plants. Prior to using this product on a large number of plants, the trial treatment should be observed for signs of herbicidal injury for 3-6 months to determine if the treatment is safe to the target plant species.
- Non-bearing fruit trees such as citrus (oranges, grapefruit, etc.), pome fruits (apples, pears, etc.) and stone fruits (cherries, peaches, etc.) are plants which will not bear fruit for at least one year following application.
- The user assumes responsibility for any crop damage or other liability from the use of this product on ornamental plant species not recommended on this label.
- Not recommended for use on bedding plants, liner production beds, flowers, ground covers, vegetables, and turf.
- Do not incorporate product into soil or potting media nor apply product directly to bare roots.

<sup>\*\*</sup>heaping

#### **STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Store in a clean, dry place. Reseal opened bag by folding top down and securing.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

container disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

# IMPORTANT NOTICE FROM THE SCOTTS COMPANY LLC AND SCOTTS-SIERRA HORTI-CULTURAL PRODUCTS COMPANY ("SCOTTS"). PLEASE READ BEFORE USE

By using this product, user or buyer accepts the conditions, disclaimer of warranties and limitations of liability. Read the entire directions for use, conditions of warranties and limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once for full refund.

conditions: This product has been researched to provide necessary data to supports its uses listed on the label. The directions for use of this product are believed to be adequate and the user or buyer must always follow the label directions carefully and exercise judgment and caution when using this product under their growing conditions. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness, unsatisfactory or substandard results or other unintended consequences may result because of such factors as weather conditions, presence or absence of other materials, or the manner of use or application, all of which are

beyond the control of Scotts. All such risks shall be assumed by the user or buyer.


**WARRANTY:** This product corresponds to all claims and descriptions set forth on the label and, subject to the conditions set forth above, is reasonably fit for use for any purpose for which it is intended. Scotts recognizes that the rights and remedies of the user or buyer are subject to the provisions of the applicable state law, but makes no other warranties or representations. express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Scotts is authorized to make any warranties beyond those contained herein or to modify the warranties contained therein. Subject to the user's or buyer's rights and remedies under the applicable state law, Scotts disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: Subject to the user's or buyer's rights and remedies under the applicable state law, the exclusive remedy of the user or buyer and the liability of Scotts or its affiliates, for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid by the user or Buyer for the quantity of this product involved or at Scotts' election, the replacement of the product. Subject to the user's or buyer's rights and remedies under the applicable state law, any and all claims or actions related to the use or handling of this product must be commenced within one (1) year from the date the product was purchased.

rev.113007/E100606

### Scotts / Encapsulated ECL (ASB) on Bag

#### **BASE LABEL**





#### The Scotts Company

and Subsidiaries
February 7, 2008



Sherada Hobgood Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

SUBJECT: EPA Reg. No. 538-172

ORNAMENTAL HERBICIDE II (OH2)

Notification and Submission of Final Printed Label

Dear Ms. Hobgood:

We are notifying the Agency of the revisions to the above product label:

- Addition of EPA Est. No. 8378-IN-1 (front panel of bag and page 1 of booklet).
- Addition of phrase on front panel of bag, "SEE ATTACHED LABELING FOR DIRECTIONS FOR USE AND ADDITIONAL PRECAUTIONARY STATEMENTS"
- Additional marketing phrase on front of bag, "For preemergence control of weeds in container and field grown ornamentals."
- ullet General product information section on page 3 of booklet entitled "General Information." u
- Addition of Resistance Management language per P.R. Notice 2001-5 (front panel of bag, page 1 & 4 of booklet)
- Corrections to the plant species and weeds lists starting on page 4 of the booklet, including addition of "Eclipta (*Eclipta prostrata*)" which was inadvertently left off the master label.
- Company warranty statement (page 10 of booklet) which was previously accepted as a Notification dated April 11, 2007.

To help facilitate your review, we have enclosed two copies of the final printed label with changes highlighted. If you have any questions regarding this notification, please contact me at 937.644.7314.

"This notification is consistent with the provisions of PR Notice 95-2, 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA".

Respectfully,

The Scotts Company

Deena Newell

Registration Specialist